

NASA Contractor Report 4292, Vol. II

A Three-Dimensional, Compressible, Laminar Boundary-Layer Method for General Fuselages

Volume II—User's Manual

Yong-Sun Wie
High Technology Corporation
Hampton, Virginia

Prepared for
Langley Research Center
under Contract NAS1-18240



National Aeronautics and
Space Administration
Office of Management
Scientific and Technical
Information Division

1990



SUMMARY

This user's manual contains a complete description of the computer programs developed to calculate three-dimensional, compressible, laminar boundary-layers for perfect gas flow on general fuselage shapes. These programs include the 3-D boundary-layer program (3DBLC), the body-oriented coordinate program (BCC), and the streamline coordinate program (SCC). Program BCC reads the inviscid solution from the inviscid code and calculates the nonorthogonal body-oriented coordinates and the boundary-layer edge conditions for the boundary-layer grid. Program SCC reads the inviscid solution from the inviscid code and calculates the orthogonal streamline coordinates and the boundary-layer edge conditions on the streamline boundary-layer grid. Program 3DBLC utilizes the boundary-layer edge conditions obtained from the coordinate programs (BCC or SCC) for the calculation of 3-D boundary-layer. A schematic of the procedure is shown in Fig.1.

Using these programs, the flow of both the subsonic and supersonic speed regimes over any fuselage shape (both the blunted nose and sharp nose fuselages) can be solved in both the body-oriented coordinate and the streamline coordinate systems. The current 3DBLC does not include interaction between the inviscid and viscous flow.

The numerical method is described in volume I. In the present volume, the descriptions of these programs (3DBLC, BCC, and SCC) including subroutine description, input, output, and a sample case are presented. The complete FORTRAN listings of the computer programs are also included.

TABLE OF CONTENTS

	Page
PART 1. THREE-DIMENSIONAL BOUNDARY-LAYER PROGRAM (3DBLC)	
1.1 Program Description	1
1.2 Structure of Main Program BLMAIN	4
1.3 Subroutine Description	9
1.4 Parameter and Variable Directory	18
1.5 Input	23
1.6 Output	26
1.7 Sample Case	28
1.7.1 Sample Case Input	29
1.7.2 Sample Case Output	31
1.8 FORTRAN Listing of 3DBLC	44
PART 2. BODY-ORIENTED COORDINATE PROGRAM (BCC)	
2.1 Program Description	92
2.2 Structure of Main Program BCMAIN	93
2.3 Subroutine Description	95
2.4 Parameter and Variable Directory	96
2.5 Input	98
2.6 Output	99
2.7 Sample Case	100
2.7.1 Sample Case Input	101
2.7.2 Sample Case Output	104
2.8 FORTRAN Listing of BCC	108
PART 3. STREAMLINE COORDINATE PROGRAM (SCC)	
3.1 Program Description	113
3.2 Structure of Main Program SCMAIN	114

3.3 Subroutine Description	117
3.4 Parameter and Variable Directory	122
3.5 Input	126
3.6 Output	128
3.7 Sample Case	129
3.7.1 Sample Case Input	130
3.7.2 Sample Case Output	132
3.8 FORTRAN Listing of SCC	136
REFERENCES	157

NOMENCLATURE

A, B	stagnation point velocity gradients
a, b	major and minor semiaxis length of the ellipsoid of revolution
C	$\rho\mu/\rho_e\mu_e$
C^*	B/A
C_{fx}	skin friction coefficient in the x -direction based on the edge condition, defined in Eqs.(103a) or (104a) of Volume I
C_{fy}	skin friction coefficient in the y -direction based on the edge condition, defined in Eqs.(103b) or (104b) of Volume I
C_p	Pressure coefficient
c_p	specific heat
E	H/H_e , defined in Eq.(48) of Volume I
F	u/u_e , defined in Eq.(48) of Volume I
f_s	F , defined in Eq.(48) of Volume I
G	v/V_{ref} or v_y/V_{ref} , defined in Eqs.(48) or (56) of Volume I
g_s	G , defined in Eqs.(48) or (56) of Volume I
H	total enthalpy
h_1, h_2	metric coefficients in the x and y coordinates, respectively.
i, j, k	numerical index for x , y , and z directions, respectively
$IMAX, JMAX, KMAX$	number of boundary-layer grid points in the x , y , and z directions, respectively
M	Mach number
m_1, \dots, m_{13}	coefficients, defined in Eqs. (54) or (60) of Volume I
p	pressure
Pr	Prandtl number (0.72)
r	radius measured from X axes, Fig.41 in Volume I.
R, Θ, ϕ	spherical polar coordinates, Fig.41 in Volume I.

q_w	heat transfer at the wall, defined in Eq.(108) of Volume I
s	arc length measured along $y = \text{const}$ lines.
T	temperature
u, v, w	velocity components in the x, y , and z directions
u_R, u_Θ, u_ϕ	inviscid velocity components in the R, Θ, ϕ directions
$u_{x'}, u_{y'}, u_{z'}$	inviscid velocity components in the x', y' and z' directions
v_y	$\partial v / \partial y$
v_{ye}	$\partial v_e / \partial y$
V	total velocity, defined in Eq. (7) of Volume I
x, y, z	body-oriented coordinates (Fig. 1 in Volume I) or streamline coordinates (Fig. 2 in Volume I)
x', y', z'	rectangular coordinates with the origin at the nose point (Fig.41 in Volume I)
x^*, y^*, z^*	rectangular coordinates with the origin at the stagnation point, Fig.(37) or (38) in Volume I.
X	axial distance measured from the nose, see Fig.1 in Volume I.
α	angle of attack
γ	ratio of specific heat
$\Delta x, \Delta y, \Delta \varsigma$	grid spacing in the x, y, ς directions, respectively.
δ	boundary-layer thickness; $(z)_{V/v_e=0.995}$
δ^*	displacement thickness, defined in Eq.(107) of Volume I
ϵ	small angle to locate the initial streamlines near the stagnation point, Fig.(41) in Volume I.
ς	transformed normal coordinate, defined in Eq.(49) of Volume I
θ	angle between x and y coordinates
θ_r	angle between two rectangular coordinates, (x', y', z') and (x^*, y^*, z^*) , Fig.(37) in Volume I.
μ	molecular viscosity

ν	μ/ρ
ρ	density
ϕ	azimuthal angle, 0 and π on the windward and leeward plane of symmetry, respectively, see Fig.1 in Volume I.

subscript

e	edge of the boundary-layer
osp	origin of spherical polar coordinates
s	stagnation point
w	wall
y	partial differentiation with respect to y
ζ	partial differentiation with respect to ζ
∞	undisturbed free stream

ABBREVIATION

3DBLC	Three-Dimensional Boundary-Layer computer program
BCC	Body-oriented Coordinate computer program
SCC	Streamline Coordinate computer program



PART 1.
THREE-DIMENSIONAL BOUNDARY-LAYER PROGRAM (3DBLC)

1.1 Program Description

Program 3DBLC utilizes the boundary-layer edge conditions obtained from the coordinate programs (BCC or SCC) for the calculation of 3-D boundary-layers on the general fuselage, as shown in Fig. 1. To obtain the 3-D boundary-layer solution on a general fuselage configuration, a geometry program which describes the fuselage shape and an inviscid code are required. A geometry program is needed by BCC or SCC, but not by 3DBLC. The schematic of the procedure shown in Fig. 1 is for the case when the numerical inviscid solution is used. However, this 3DBLC can also use the analytically generated boundary-layer edge conditions, without using the coordinate programs(BCC or SCC), when the analytic inviscid solution exists. The program is coded in the FORTRAN 77 computer language.

The governing boundary-layer equations are in dimensional form; consequently, all inputs to 3DBLC must be consistently dimensional. Either English units (*ft, lb, sec, °R*) or SI (MKS) units (*m, kg, sec, °K*) can be used.

Program 3DBLC is primarily focused on fully three-dimensional, general fuselage type of configurations which have a symmetry plane. This code has been tested intensively for 2-D flows; however, in order to reduce the length of the present user's manual, instructions for calculating 2-D flows are not included. Axisymmetric flow can be solved as a 3-D flow without changing the present 3DBLC.

Using 3DBLC, (1) the flows for both subsonic and supersonic speed can be solved; (2) the flow over both the sharp nose fuselage and blunted nose fuselage can be solved; and (3) the boundary-layer solutions can be obtained both in the body-oriented coordinate system(nonorthogonal) and in the streamline coordinate system.

The code block, COMBLCK, which lists the common blocks, is designed for flexibility in changing the dimensions in the spatial coordinates (x , y , and z) and to avoid listing the common blocks in each subroutine. This COMBLCK is included in the main program and all subroutines (except subroutine SY) by an 'INCLUDE' statement. The dimensions of the common blocks and the local dimensioned variables are controlled by changing the parameters IMAXF, JMAXF, and KMAXF in the COMBLCK.




Fig. 1. Program Schematic

1.2 Structure of Main Program

Figure 2 shows the flow chart of the main program BLMAIN. The program first calls subroutine INPUT. The flow conditions are given in subroutine INPUT. Subroutine INPUT also reads in the boundary-layer edge conditions either from BCC or SCC. Wall boundary conditions are also specified in this subroutine. Then, the main program BLMAIN dimensionalizes the velocity components and calculates the temperature, pressure, density and viscosity at the edge of the boundary-layer.

If the nose of the body is blunted, subroutine STAGPT is called to obtain the boundary-layer solution at the stagnation point. For the sharp nose body, subroutine COEFCON is called to calculate m_1 through m_{13} of the boundary-layer equations on the cone, and subroutines CONON and CONOFF are called to obtain the boundary-layer solution based on the body-oriented coordinate system near the nose tip. Then, depending on the shape of the nose and the coordinate system chosen, the initial velocity profiles at $i=1$ (near the stagnation point or near the nose tip) are calculated by calling subroutine INPOS (for sharp nose body, streamline coordinates), or INBUB (for blunted nose body, body-oriented coordinates), or INBUS (for blunted nose body, streamline coordinates). The notation of i and j on both the blunted and sharp nose fuselage can be found in Figure 3. No Subroutine is required to obtain the initial velocity profiles for the sharp nose body when using the body-oriented coordinate system. The initial profiles, F , G , and E are stored in $H(1,J,K)$, $H(2,J,K)$, and $H(3,J,K)$, respectively.

The boundary-layer calculation starts from $i=2$. The coefficients m_1, m_2, \dots, m_{13} are calculated using subroutine COEFBODY when using the body-oriented coordinate system or COEFSTRM when using the streamline coordinate system. Subroutine PREDICT is called to solve the predictor momentum and energy equations. The solutions are stored in $HB(1,J,K)$, $HB(2,J,K)$, and $HB(3,J,K)$. The corrector momentum equations are then solved by calling subroutine CORRECT. The solution of F and G are temporarily stored in $HN(1,J,K)$ and $HN(2,J,K)$, respectively. If $(u/u_e)_{j=JMAX, k=KMAX-1}$ is not greater than

UKMAX1, KMAX is increased (ζ_e is increased accordingly) and returned back to the predictor step.

Here, the check is also made whether the stepsize taken (Δx_i) satisfies the zone of dependence principle. If the zone of dependence principle is not satisfied, subroutine OUTPUT is called to stop the calculations. If the stepsize satisfies this principle, the solutions of corrector momentum equations are stored in H(1,J,K) and H(2,J,K). Then the corrector energy equation is solved using subroutine CORRENG. The solution of corrector energy equation, the total enthalphy profile, is stored in H(3,J,K).

The boundary-layer parameters are calculated at each step (each i) using subroutine BLPARA. Subroutine PROFILE is called to write the velocity and temperature profiles at the desired i-th and j-th step. If flow separation occurs at any j ($(\partial u / \partial \zeta)_w \leq 0$), the boundary-layer calculation also terminates. If the stepsize satisfies the zone of dependence principle and separation does not occur, the boundary-layer calculations are continued to the next i-th step. If the boundary-layer calculation is finished or terminated for any reason, subroutine OUTPUT is called to write the input echo, the velocity and temperature profiles at the last i-th step and the boundary-layer parameters on the surface grid.




Fig. 2. Flow Chart of the Main Program BLMAIN




Fig. 2. concluded.





Fig. 3. Index notation; i, j

1.3 Subroutine Description

Subroutine BLPARA

- Called by the main program BLMAIN.
- Calculates the boundary-layer parameters $C_{fx}, C_{fy}, \delta, \delta^*, q_w$, or T_w in the physical quantities.

Subroutine COEFBODY

- Called by the main program BLMAIN.
- Calculates the coefficients m_1, m_2, \dots, m_{13} when using the boody-oriented coordinate system.

Subroutine COEFCON

- Called by the main program BLMAIN.
- Called only for a sharp nosed body when $i=1$.
- Calculates the coefficients m_1, m_2, \dots, m_{13} of the transformed equation for the cone.

Subroutine COEFSTRM

- Called by the main program BLMAIN.

- Calculates the coefficients m_1, m_2, \dots, m_{13} when using the streamline coordinate system.

Subroutine CONOFF

- Called by the main program BLMAIN. Calls subroutines NTRID and SY.
- Called only for the sharp nose body when $i=1$ and $j=2,3,\dots, JMAX-1$.
- Obtains the boundary-layer solution off the line of symmetry near the sharp nose tip using the boundary-layer equations on the cone:
 1. Calculates the coefficients of 2x2 block tridiagonal momentum equations.
 2. Calls subroutine NTRID to solve this block tridiagonal matrix equations.
 3. Calculates the coefficients of tridiagonal energy equations.
 4. Calls subroutine SY to solve this tridiagonal equations.
 5. Repeats steps, 1 through 4, until the converged solution is obtained.
 6. Stores the converged solutions of $F (= u/u_\epsilon)$, f , $G (= v/V_\infty)$, g , and $E (= H/H_\epsilon)$ in $HN(1,J,K)$, $HSN(1,J,K)$, $HN(2,J,K)$, $HSN(2,J,K)$, and $HN(3,J,K)$, respectively.

Subroutine CONON

- Called by the main program BLMAIN. Calls subroutines NTRID and SY.
- Called only for the sharp nose body when $i=1, j=1$, or $i=1, j=JMAX$.
- Obtains the boundary-layer solution on the line of symmetry near the sharp nose tip using the boundary-layer equations on the cone:
 1. Calculates the coefficients of 2x2 block tridiagonal momentum equations.

2. Calls subroutine NTRID to solve this block tridiagonal matrix equations.
 3. Calculates the coefficients of tridiagonal energy equations.
 4. Calls subroutine SY to solve this tridiagonal equations.
 5. Repeats steps, 1 through 4, until the converged solution is obtained.
 6. Stores the converged solutions of $F(= u/u_e)$, f , $G(= v/V_\infty)$, g , and $E(= H/H_e)$ in $HN(1,J,K)$, $HSN(1,J,K)$, $HN(2,J,K)$, $HSN(2,J,K)$, and $HN(3,J,K)$, respectively.
- The boundary-layer solution on the leeward line of symmetry may or may not exist.

Subroutine CORRECT

- Called by the main program BLMAIN. Calls subroutine NTRID.
- Solves the corrector momentum equations:
 1. Calculates the coefficients of 2x2 block tridiagonal corrector momentum equations.
 2. Calls subroutine NTRID to solve this block tridiagonal equations.
 3. Temporarily store the solutions $F(= u/u_e)$, $G(= v/V_\infty \text{ or } =v_y/V_\infty)$ in $HN(1,J,K)$, $HN(2,J,K)$, respectively.

Subroutine CORRENG

- Called by the main program BLMAIN. Calls subroutine SY.
- Solves the corrector energy equation:
 1. Calculates the coefficients of tridiagonal corrector energy equation.

2. solves tridiagonal equations by calling subroutine SY.
3. Stores the solution $E (= H/H_e)$ in $H(3,J,K)$; stores C and ρ_e/ρ in $BC(J,K)$ and $ROERO(J,K)$, respectively.

Subroutine INBUB

- Called by the main program BLMAIN.
- Called only when using the body-oriented coordinate system for blunted nose body.
- Obtains the initial velocity and total enthalpy profiles near the stagnation point(at $i = 1$):
 1. Assumes the stagnation point solution has been obtained.
 2. Assumes the location of the stagnation point (x'_s, z'_s) , θ_r , the velocity gradients at the stagnation point (A , B , and C^*), and the coordinates of the initial points near the stagnation point $(x'(1,J), y'(1,J), z'(1,J), J = 1, 2, \dots, JMAX)$ are given.
 3. Calculates the initial profiles based on the body-oriented coordinate system using the equations presented in Appendix B.3 of Volume I.
 4. Stores these profiles, i.e., $F (= u/u_e)$, f , $G (= v/V_\infty$ or $v_y/V_\infty)$, g , $E (= H/H_e)$, in $H(1,J,K)$, $HS(1,J,K)$, $H(2,J,K)$, $HS(2,J,K)$, and $H(3,J,K)$, respectively.

Subroutine INBUS

- Called by the main program BLMAIN.
- Called only when using the streamline coordinate system for blunted nose body.
- Obtains the initial velocity and total enthalpy profiles based on the streamline coordinates near the stagnation point(at $i = 1$):

1. Assumes the stagnation point solution has been obtained.
2. Assumes the location of the stagnation point (x'_s , z'_s), θ_r , the velocity gradients at the stagnation point (A , B , and C^*), and the coordinates of the initial points near the stagnation point ($x'(1, J)$, $y'(1, J)$, $z'(1, J)$, $J = 1, 2, \dots, JMAX$) are given.
3. Calculates the initial profiles using the method presented in Appendix B.2 of Volume I.
4. Stores these profiles, i.e., $F (= u/u_e)$, f , $G (= v/V_\infty \text{ or } v_y/V_\infty)$, g , $E (= H/H_e)$, in $H(1,J,K)$, $HS(1,J,K)$, $H(2,J,K)$, $HS(2,J,K)$, and $H(3,J,K)$, respectively.

Subroutine INPOS

- Called by the main program BLMAIN.
- Called only when using the streamline coordinate system for sharp nose body.
- Obtains the initial velocity and total enthalpy profiles based on the streamline coordinates near the nose tip(at $i = 1$):
 1. Calculates the initial profiles using the equations presented in Appendix C of Volume I.
 2. Stores these profiles, i.e., $F (= u/u_e)$, f , $G (= v/V_\infty \text{ or } v_y/V_\infty)$, g , $E (= H/H_e)$, in $H(1,J,K)$, $HS(1,J,K)$, $H(2,J,K)$, $HS(2,J,K)$, and $H(3,J,K)$, respectively.

Subroutine INPUT

- Called by the main program BLMAIN.
- Reads in inputs to 3DBLC:
 1. The flow conditions and other input quantities are given in the code.

2. Reads in the boundary-layer edge conditions either from BCC or SCC when using the numerical inviscid solution.
3. Calculates the ζ -distribution.
4. Wall temperature condition(T_w) is specified for fixed wall temperature condition. This is not necessary for adiabatic wall condition.
5. Wall mass injection($(\rho w)_w$) is specified for wall mass injection condition. If there is no mass injection, this is not necessary.

Subroutine INSYM

- Called by the main program BLMAIN.
- Called only for blunted nose body and when KSYMSTG=1.
- Obtains the initial velocity and total enthalpy profiles near the stagnation point(at $i = 1$).
 1. Assumes the axisymmetric stagnation point solution (using $C^* = 1$) has been obtained.
 2. Does not require the location of the stagnation point (x'_s, z'_s), θ_r , and the velocity gradients at the stagnation point (A, B , and C^*).
 3. Uses axisymmetric stagnation point profiles for the initial profiles.
 4. Stores these profiles, i.e., $F (= u/u_s)$, f , $G (= v/V_\infty \text{ or } v_y/V_\infty)$, g , $E (= H/H_s)$, in $H(1,J,K)$, $HS(1,J,K)$, $H(2,J,K)$, $HS(2,J,K)$, and $H(3,J,K)$, respectively.

Subroutine NTRID

- Called by subroutines STAGPT, CONON, CONOFF, PREDICT and CORRECT.

- Solves 2×2 block tridiagonal matrix equations using Davis Modified Tridiagonal Algorithm (For algorithm, see Appendix A of Volume I).
- Returns the solutions of F , f , G , and g in $\text{HN}(1,J,K)$, $\text{HSN}(1,J,K)$, $\text{HN}(2,J,K)$, and $\text{HSN}(2,J,K)$, respectively.

Subroutine PREDICT

- Called by the main program BLMAIN. Calls subroutines NTRID and SY.
- Solves the predictor momentum and energy equations:
 1. Calculates the coefficients of 2×2 block tridiagonal predictor momentum equations.
 2. Solve these block tridiagonal equations using subroutine NTRID.
 3. Calculates the coefficients of tridiagonal predictor energy equations.
 4. Solves these tridiagonal equations using subroutine SY.
 5. Stores the solutions $F (= u/u_e)$, $G (= v/V_\infty \text{ or } = v_y/V_\infty)$, $E (= H/H_e)$ in $\text{HB}(1,J,K)$, $\text{HB}(2,J,K)$, $\text{HB}(3,J,K)$, respectively.

Subroutine PROFILE

- Called by the main program BLMAIN.
- Writes the velocity and temperature profile at the desired i-th and j-th step on the file unit IW. The desired i-th and j-th step is determined by INI and JNI.

Subroutine STAGPT

- Called by the main program BLMAIN. Calls subroutines NTRID and SY.
- Called only for blunted nose body.
- Obtains the boundary-layer solution at the stagnation point:
 1. Calculates the coefficients of 2x2 block tridiagonal momentum equations.
 2. Solves these block tridiagonal equations using subroutine NTRID.
 3. Calculates the coefficients of tridiagonal energy equations.
 4. Solves these tridiagonal equations using subroutine SY.
 5. Repeats steps, 1 through 4, above until the converged solution is obtained.
 6. Stores the converged solutions of $F(= u/u_e)$, f , $G(= v/v_e)$, g , and $E(= H/H_e)$ in $HN(1,1,K)$, $HSN(1,1,K)$, $HN(2,1,K)$, $HSN(2,1,K)$, and $HN(3,1,K)$, respectively.
- The key parameter for this solution is C^* ; the axisymmetric stagnation point solution or 2-D stagnation point solution can be obtained by setting $C^*=1$ or $C^*=0$, respectively.

Subroutine SY(IL, IU, B, D, A, C)

- Called by subroutines STAGPT, CONON, CONOFF, PREDICT and CORRENG.
- Does not include COMBLCK.
- Solves the following tridiagonal system of equations using the Thomas algorithm.
$$B_k E_{k-1} + D_k E_k + A_k E_{k+1} = C_k$$
- The definitions of IL, IU are:
IL: subscript k of the first equation in the system

IU: subscript k of the last equation in the system

- Returns the solution vector for $E_K(K = IL,..,IU)$ to the calling program in the C array.

Subroutine OUTPUT

- Called by the main program BLMAIN.
- Writes input echo, the velocity and temperature profiles at the last step, and the boundary-layer parameters on the surface grid.

1.4 Parameter and Variable Directory

ASTAR	A , stagnation point velocity gradient in the x^* direction
BC(J,K)	$C (= \rho\mu/\rho_e\mu_e)$ at (x_i, y_j)
BCB(J,K)	$C (= \rho\mu/\rho_e\mu_e)$ at the predictor step $(x_{i+1/2}, y_j)$
BLTH(I,J)	δ , boundary-layer thickness
BSTAR	B , stagnation point velocity gradient in the y^* direction
CAVD(I,J)	V_e , inviscid total velocity
CFX(I,J)	C_{fx}
CFY(I,J)	C_{fy}
COSTH(I,J)	$\cos \theta$
CP	c_p , specific heat
CPD(I,J)	C_p , pressure coefficient
CSTAR	$C^* (= B/A)$
DH2DS	$\partial h_2 / \partial s$
DK1DY	$\partial(K_1 \cos \theta) / \partial y$
DSPTH(I,J)	δ^* , displacement thickness
DUEDSD(I,J)	$\partial u_e / \partial s$
DUEDYD(I,J)	$\partial u_e / \partial y$
DX	Δx_i
DXH	$\Delta x_i / 2$
DY(J)	Δy_j
DZETA(K)	$\Delta \zeta_k$
GAMMA	γ
H(1,J,K)	u/u_e at the point (x_i, y_j)
H(2,J,K)	v/V_∞ at the point (x_i, y_j)
H(3,J,K)	H/H_e at the point (x_i, y_j)
HB(1,J,K)	u/u_e at the predictor step $(x_{i+1/2}, y_j)$

HB(2,J,K)	v/V_∞ at the predictor step ($x_{i+1/2}, y_j$)
HB(3,J,K)	H/H_e at the predictor step ($x_{i+1/2}, y_j$)
HN(1,J,K)	the solution for u/u_e from subroutine NTRID
HN(2,J,K)	the solution for v/V_∞ or v/v_e from subroutine NTRID
HS(1,J,K)	f at the point (x_i, y_j)
HS(2,J,K)	g at the point (x_i, y_j)
HSB(1,J,K)	f at the predictor step ($x_{i+1/2}, y_j$)
HSB(2,J,K)	g at the predictor step ($x_{i+1/2}, y_j$)
HSP(1,J,K)	f at the previous step (x_i, y_j)
H1(I,J)	h_1 at the point (x_i, y_j)
H2(I,J)	h_2 at the point (x_i, y_j)
I	index for the boundary-layer grid in the x direction
IL	i-th step where the boundary-layer calculation stops (not necessarily the same as IMAX)
IMAX	actual number of grid points in the x -direction ($\text{IMAX} \leq \text{IMAXF}$)
IMAXF	maximum possible number of grid points in the x -direction, given in COMBLCK
INC	=0 when the energy equation is to be solved (for compressible flow) =1 when the energy equation is not to be solved (for incompressible flow)
INI	number of intervals of i-th steps where the velocity and temperature profiles are written on file unit IW
IW	unit for writing the velocity and temperature profiles using subroutine PROFILE
J	index for the boundary-layer grid in the y direction
JMAX	actual number of grid points in the y -direction ($\text{JMAX} \leq \text{JMAXF}$)
JMAXF	maximum possible number of grid points in the y -direction, given in COMBLCK

JMAX1	J-th station to where the boundary-layer solution exists ($JMAX1 \leq JMAX$)
JNI	number of intervals of j-th steps where the velocity and temperature profiles are written on file unit IW
K	index for the boundary-layer grid in the ζ direction
KAW	=0 when the wall temperature is given as a boundary condition =1 for adiabatic wall condition
KBODY	=1 when using the body-oriented coordinate system =0 when using the streamline coordinate system
KCPGIVN	=0 when pressure coefficients at the edge of the boundary-layer are not given as input =1 when pressure coefficients at the edge of the boundary-layer are given as input
KMAX	actual number of grid in the z -direction (may be changed as i increases) ($KMAX \leq KMAXF$)
KMAXF	maximum possible number of grid in the z -direction, given in COMBLCK
KPOINT	=1 when the shape of nose is sharp =0 when the shape of nose is blunted
KROW	=1 when wall mass injection exists =0 when there is no wall mass injection
KSYMSTG	=1 to obtain the stagnation point solution using $C^* = 1$ =0 to obtain the stagnation point solution using given C^*
MKS	=0 when using the English units ($ft, lb, sec, {}^\circ R$) =1 when using SI(MKS) units ($m, kg, sec, {}^\circ K$)
M1(J),..,M13(J)	m_1, \dots, m_{13}
PE(I,J)	p , pressure
PI	π

PINF	p_∞ , free stream pressure
PR	Pr , Prandtl Number
RMINF	M_∞
RMYUED(I,J)	μ_e
RMYUEH(J)	$(RMYUED(I,J) + RMYUED(I+1,J))/2$
RNUINF	ν_∞
ROED(I,J)	ρ_e
ROEH(J)	$(ROED(I,J) + ROED(I+1,J))/2$
ROERO(J,K)	ρ_e/ρ
ROEROB(J,K)	ρ_e/ρ at the predictor step $(x_{i+1/2}, y_j)$
ROINF	ρ_∞
ROWW(I,J)	$(\rho w)_w$
RR	gas constant
SS	speed of sound
S1(I,J)	s
S1H(I,J)	$(S1(I,J) + S1(I+1,J))/2$
TB(J,K)	temperature inside the boundary-layer at the predictor step $(x_{i+1/2}, y_j)$
TD(J,K)	temperature inside the boundary-layer at (x_i, y_j)
TE(I,J)	boundary-layer edge temperature
THETAR	θ_r
THMOM(I,J)	momentum thickness, defined as $\int_0^\infty \frac{\rho}{\rho_e} \frac{V}{V_e} (1 - \frac{V}{V_e}) dz$
TINF	T_∞
TWALL(I,J)	T_w
UE(I,J)	u_e
UKMAX1	KMAX and ζ_e ($=\zeta(KMAX)$) are to be increased going downstream so that $(u/u_e)_{k=KMAX-1}$ is greater than this value, typically 0.9995
VE(I,J)	v_e

VINF	V_∞
VMAX(I,J)	maximum crosswise velocity based on the streamline coordinate system
XD(I)	x
XKI(I,J)	cross-flow Reynolds number, defined as $\frac{\rho_e VMAX(I,J) \delta}{\mu_e}$
XPD(I,J)	x'
XPS	x'_s, x' of the stagnation point
XSTAR	x^*
YD(J)	y
YPD(I,J)	y'
YSTAR	y^*
ZACT(J,K)	z
ZETA(K)	ζ
ZETAE	$\zeta_e = ZETA(KMAX)$
ZPD(I,J)	z'
ZPS	z'_s, z' of the stagnation point

1.5 Input

All the inputs to 3DBLC are specified or read through subroutine INPUT. The procedure is as follows:

(1) The flow conditions and other input parameters are specified in this subroutine.

MKS	=1 when using the SI (MKS) Units ($m, kg, sec, {}^\circ K$) =0 when using the English Units ($ft, lb, sec, {}^\circ R$)
INC	=1 when the energy equation need not be solved (This can be used when the incompressible boundary-layer solution is sought. In this case, the density variation across the boundary-layer is neglected, i.e., $T/T_e = 1$ and $\rho_e/\rho = 1$) =0 when the energy equation also need to be solved
KPOINT	=1 when the shape of nose is sharp =0 when the shape of nose is blunted
KBODY	=1 when using the body-oriented coordinate system =0 when using the streamline coordinate system
KCPGIVN	=1 when the pressure coefficients(C_p) on the BL grid are given =0 when the pressure coefficients(C_p) on the BL grid are not given
KMAX	number of grid in the normal direction at $i=1$ (Note that ζ_e is defined as $\zeta(KMAX)$, where the ζ distribution will be given in step (5))
KAW	=1 when adiabatic wall condition is used (T_w is not needed) =0 when the wall temperature is given as a boundary condition (T_w must be specified as a function of x and y)
KROW	=1 when wall mass injection exists ($(\rho w)_w$ must be specified) =0 when there is no wall mass injection ($(\rho w)_w$ is not needed)
KSYMSTG	=1 when the stagnation point solution and the initial velocity profiles are obtained using $C^* = 1$ (In this case, $x'_s, z'_s, \theta_r, A, B$, and C^* are not required even though the nose is blunted.)

	=0 when the stagnation point solution is obtained using given C^* (In this case, x'_s , z'_s , θ_r , A , B , and C^* must be given)
IW	unit for writing the velocity and temperature profiles using subroutine PROFILE
INI	number of intervals of i-th steps where the velocity and temperature profiles are to be written on file unit IW
JNI	number of intervals of j-th steps where the velocity and temperature profiles are to be written on file unit IW
GAMMA(γ)	=1.4 for air
RR(Gas constant)	= $287 \text{ m}^2/\text{sec}^2 \text{ }^\circ\text{K}$ (if MKS=1) = $1716 \text{ ft}^2/\text{sec}^2 \text{ }^\circ\text{R}$ (if MKS=0)
PR(P_r)	=0.72 for air
RMINF(M_∞)	
PINF(P_∞)	in N/m^2 (if MKS=1) in lb/ft^2 (if MKS=0)
TINF(T_∞)	in ${}^\circ\text{K}$ (if MKS=1) in ${}^\circ\text{R}$ if (MKS=0)
UKMAX1	KMAX is to be increased in 3DBLC so that $(u/u_e)_{KMAX-1}$ is greater than this value, typically 0.9995

(2) Then, this subroutine reads in the output(boundary-layer edge conditions) either from BCC or SCC when using the numerical inviscid solution. The boundary-layer edge conditions include:

$$x'_s, z'_s, \theta_r, A, B, C^*$$

(These quantities are required only for the blunted nose body and can be obtained only from SCC. Therefore, if one wants to obtain the solution using the body-oriented coordinates, one should obtain these quantities using SCC first. However, these quantities are

not required if we set KSYMSTG=1 even though the nose is blunted. For the sharp nose body, these quantities are not needed.)

$x(i)$ for $i=1,2,\dots,IMAX$

$y(j)$ for $j=1,2,\dots,JMAX$

$x', y', z', u_e/V_\infty, v_e/V_\infty, s, h_1, h_2, \cos \theta, Cp$ for $i=1,2,\dots,IMAX, j=1,2,\dots,JMAX$

The pressure coefficient Cp is not necessary for subsonic, shock-free flow because the pressure on the body surface can be calculated from the isentropic relationship with the freestream using the inviscid velocity on the body surface. For the supersonic flow, Cp is necessary because the isentropic relationship with undisturbed free stream no longer holds. When using the streamline coordinate system, v_e and $\cos \theta$ are zero throughout the flow field and h_1 is not necessary because h_1 is defined as V_∞/u_e in the boundary-layer code. It is to be noted that the velocity components($u_e/V_\infty, v_e/V_\infty$) based on the body-oriented coordinate system are required for $i=1$ when using the streamline coordinates on the sharp nose body, and these are obtained from SCC.

(3) The transformed normal coordinate(ζ) distribution for $k=1,2,\dots,KMAXF$ and $\Delta\zeta(k)$ for $k=1,2,\dots,KMAXF-1$ are either specified or calculated.

(4) Then, T_w is specified in $^{\circ}K$ (if MKS=1) or in $^{\circ}R$ (if MKS=0) for the given wall temperature condition(KAW=0). For adiabatic wall condition(KAW=1), T_w is not needed.

(5) The value of $(\rho w)_w$ is given for the wall mass injection or suction condition(KROW=1). The value of $(\rho w)_w$ is positive for injection and negative for the suction. The value must be in $N \text{ sec}/m^3$ when using SI unit(MKS=1) or in $lb \text{ sec}/ft^3$ when using the English units(MKS=0). When there is no mass injection or suction(KROW=0), this input is not needed.

1.6 Output

The output from 3DBLC is given through subroutine OUTPUT.

- (1) The flow condition and other input parameters are echoed:

MKS

INC

KPOINT

KBODY

KCPGIVN

KMAX (This value may be different from KMAX which was given as a input.)

KAW

KROW

KSYMSTG

IW

INI

JNI

GAMMA(γ)

RR(Gas constant)

PR(Pr)

RMINF(M_∞)

PINF(P_∞)

TINF(T_∞)

UKMAX1

The calculated free-stream conditions, $CP(c_p, \text{ specific heat })$, ROINF(ρ_∞), RMYUINF(μ_∞), RNUINF(ν_∞), SS(speed of sound), VINF(V_∞) are also printed. IL(the last i-th step) and JMAX1(the last j-th step where the boundary-layer solution exists) are printed.

- (2) The velocity and temperature profiles at the last i-th step (i=IL) are printed:

ζ , F , G , $T/T_e (= \rho_e/\rho)$ for $k=1,2,\dots,KMAX$, $j=1,2,\dots,JMAX1$

(3) The boundary-layer parameters are printed:

x' , y' , z' , C_{fx} , C_{fy} , δ , δ^* , momentum thickness, q_w (if KAW=0) or T_w (if KAW=1)

for $i=1,2,\dots,IL$, $i=1,2,\dots,JMAX1$

The units for δ , δ^* , and momentum thickness are m (if MKS=1) or ft (if MKS=0).

The unit for q_w is $\frac{W}{m^2}$ (if MKS=1) or $\frac{Btu}{sec ft^2}$ (if MKS=0).

The unit for T_w is $^{\circ}K$ (if MKS=1) or $^{\circ}R$ (if MKS=0).

1.7 Sample Case

For a sample case, the compressible flow ($M_\infty=0.3$) over a general aviation fuselage at an angle of attack 3 degrees was calculated in the body-oriented coordinate system. The inviscid solution was first obtained using the Hess code [1]. Then, the boundary-layer edge conditions were obtained from BCC(Part 2). The value of KSYMSTG was set equal to 1 not to necessitate the quantities for the stagnation point, i.e., x'_s , z'_s , θ_r , A , B , C^* .

The flow conditions are:

$$M_\infty = 0.3$$

$$P_\infty = 101324 \text{ N/m}^2$$

$$T_\infty = 288^\circ K$$

$$\alpha = 3^\circ$$

$$T_w = T_{aw}$$

$$(\rho w)_w = 0$$

To reduce the output data, an IMAX=20 by JMAX=31 boundary-layer grid, which was generated by BCC, was used. For the sample case input, subroutine INPUT is presented. The boundary-layer edge conditions on the body-oriented boundary-layer grid obtained from BCC are also used as an input. The outputs generated by subroutine OUTPUT are presented as a sample case output.

1.7.1 Sample Case Input

```
c#####
c##### subroutine input
c#####
c##### include 'comblk'
mks=1
inc=0
kpoint=0
kbody=1
kcpgivn=1
kmax=16
kaw=1
krow=0
ksymstg=1
iw=80
ini=50
jni=1
gamma=1.4
if(mks.eq.0)rr=1716.
if(mks.eq.1)rr=287.
pr=0.72
rminf=0.3
pinf=101324
tinf=288.
ukmax1=0.9995
c      read the boundary-layer edge conditions from either BCC or SCC
if(kbody.eq.1)then
if(kpoint.eq.1.or.ksymstg.eq.1)go to 33
rewind 25
read(25,1112)xps,zps,thetar,astar,bstar,cstar
33  rewind 22
read(22,463)imax,jmax
read(22,461)(xd(i),i=1,imax)
```

```

        read(22,461) (yd(j),j=1,jmax)
        do 60 i=1,imax
        do 60 j=1,jmax
        read(22,462) itr,itr,xpd(i,j),ypd(i,j),zpd(i,j),s1(i,j),ue(i,j)
        &,ve(i,j),h1(i,j),h2(i,j),costh(i,j),cpd(i,j)
60      continue
461      format(5(1x,e13.6))
462      format(2i4,5(1x,e13.6)/8x,5(1x,e13.6))
463      format(2i10)

        go to 1115
        endif

        if(kbody.eq.0)then
        rewind 25
        read(25,1112)xps,zps,thetar,astar,bstar,cstar
        read(25,463)imax,jmax
        read(25,461) (xd(i),i=1,imax)
        read(25,461) (yd(j),j=1,jmax)
        do 160 i=1,imax
        do 160 j=1,jmax
        read(25,464)itr,itr,xpd(i,j),ypd(i,j),zpd(i,j),s1(i,j),ue(i,j)
        &,ve(i,j),h2(i,j),cpd(i,j)
160      continue
464      format(2i4,4(1x,e14.7)/8x,4(1x,e14.7))
1112      format(6e13.6)
        endif

1115      continue

c      zeta distribution is specified

        dzetas=0.2
        zeta(1)=0.
        dzeta(1)=dzetas
        do 25 k=2,kmaxf
        dzeta(k)=dzetas
c        dzeta(k)=dzeta(k-1)*1.05
        zeta(k)=zeta(k-1)+dzeta(k)
25      continue

c      wall condition is given if necessary

        if(krow.eq.0.and.kaw.eq.1) return
        if(krow.eq.0)go to 270
        do 176 i=1,imax
        do 176 j=1,jmax
        roww(i,j)=0.001
176      continue
270      if(kaw.eq.1) return
        do 276 i=1,imax
        do 276 j=1,jmax
        twall(i,j)=309.7
276      continue

        return
end

```

1.7.2 Sample Case Output

```
***** input echo *****
mks=          1
inc=          0
kpoint=        0
kbody=         1
kcpgivn=       1
kmax=         20
kaw=          1
krow=         0
ksymstg=      1
iw=           80
ini=          50
jni=          1
gamma=        1.400000
rr=          287.0000
pr=          0.7200000
rminf=        0.3000000
pinf=        101324.0
tinf=        288.0000
ukmax1=      0.9995000

***** other free-stream conditions *****
cp=    1004.500
roinf= 1.225852
rmyuinf= 1.797080E-05
rnuiinf= 1.465984E-05
ss=    340.1741
vinf=   102.0522

*****
il=          20
jmax1=       31

the flow is not separated yet

***** velocity profiles *****

i=    20      j=      1      (xp=     0.0390    yp=     0.0000    zp=    -0.0743 )

      k    zeta      u/ue      vy/vinf      t/te      k    zeta      u/ue      vy/vinf      t/te
      1    0.00    0.00000  0.000E+00  1.0071      2    0.20    0.18516-0.416E-01  1.0069
      3    0.40    0.35040-0.745E-01 1.0064      4    0.60    0.49505-0.995E-01  1.0056
      5    0.80    0.61861-0.117E+00 1.0047      6    1.00    0.72104-0.129E+00  1.0039
      7    1.20    0.80305-0.136E+00 1.0030      8    1.40    0.86620-0.140E+00  1.0023
      9    1.60    0.91278-0.141E+00 1.0016     10    1.80    0.94560-0.141E+00  1.0011
     11    2.00    0.96760-0.141E+00 1.0008     12    2.20    0.98163-0.140E+00  1.0005
     13    2.40    0.99010-0.139E+00 1.0003     14    2.60    0.99495-0.139E+00  1.0002
     15    2.80    0.99756-0.138E+00 1.0001     16    3.00    0.99890-0.138E+00  1.0001
     17    3.20    0.99953-0.138E+00 1.0000     18    3.40    0.99982-0.138E+00  1.0000
     19    3.60    0.99995-0.137E+00 1.0000     20    3.80    1.00000-0.137E+00  1.0000
```

i=	20	j=	2	(xp=	0.0390	yp=	0.0078	zp=	-0.0741)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0071		2	0.20	0.18559-0.433E-02	1.0069	
3	0.40	0.35118-0.776E-02	1.0063		4	0.60	0.49609-0.104E-01	1.0056	
5	0.80	0.61981-0.122E-01	1.0047		6	1.00	0.72228-0.134E-01	1.0038	
7	1.20	0.80423-0.142E-01	1.0030		8	1.40	0.86725-0.145E-01	1.0022	
9	1.60	0.91365-0.147E-01	1.0016		10	1.80	0.94626-0.147E-01	1.0011	
11	2.00	0.96808-0.146E-01	1.0007		12	2.20	0.98195-0.146E-01	1.0005	
13	2.40	0.99031-0.145E-01	1.0003		14	2.60	0.99507-0.145E-01	1.0002	
15	2.80	0.99763-0.144E-01	1.0001		16	3.00	0.99893-0.144E-01	1.0001	
17	3.20	0.99955-0.144E-01	1.0000		18	3.40	0.99983-0.144E-01	1.0000	
19	3.60	0.99995-0.144E-01	1.0000		20	3.80	1.00000-0.143E-01	1.0000	
i=	20	j=	3	(xp=	0.0390	yp=	0.0156	zp=	-0.0732)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0070		2	0.20	0.18636-0.854E-02	1.0068	
3	0.40	0.35257-0.153E-01	1.0063		4	0.60	0.49794-0.203E-01	1.0055	
5	0.80	0.62191-0.238E-01	1.0047		6	1.00	0.72445-0.262E-01	1.0038	
7	1.20	0.80631-0.276E-01	1.0030		8	1.40	0.86909-0.283E-01	1.0022	
9	1.60	0.91517-0.286E-01	1.0016		10	1.80	0.94745-0.286E-01	1.0011	
11	2.00	0.96895-0.286E-01	1.0007		12	2.20	0.98254-0.284E-01	1.0005	
13	2.40	0.99068-0.283E-01	1.0003		14	2.60	0.99529-0.283E-01	1.0002	
15	2.80	0.99776-0.282E-01	1.0001		16	3.00	0.99900-0.282E-01	1.0000	
17	3.20	0.99958-0.281E-01	1.0000		18	3.40	0.99984-0.281E-01	1.0000	
19	3.60	0.99995-0.281E-01	1.0000		20	3.80	1.00000-0.280E-01	1.0000	
i=	20	j=	4	(xp=	0.0390	yp=	0.0233	zp=	-0.0717)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0070		2	0.20	0.18737-0.125E-01	1.0067	
3	0.40	0.35442-0.223E-01	1.0062		4	0.60	0.50040-0.297E-01	1.0055	
5	0.80	0.62475-0.348E-01	1.0046		6	1.00	0.72741-0.382E-01	1.0037	
7	1.20	0.80914-0.402E-01	1.0029		8	1.40	0.87161-0.412E-01	1.0022	
9	1.60	0.91726-0.416E-01	1.0015		10	1.80	0.94907-0.417E-01	1.0011	
11	2.00	0.97013-0.415E-01	1.0007		12	2.20	0.98334-0.414E-01	1.0004	
13	2.40	0.99119-0.412E-01	1.0003		14	2.60	0.99560-0.411E-01	1.0002	
15	2.80	0.99792-0.410E-01	1.0001		16	3.00	0.99908-0.410E-01	1.0000	
17	3.20	0.99962-0.409E-01	1.0000		18	3.40	0.99986-0.409E-01	1.0000	
19	3.60	0.99996-0.409E-01	1.0000		20	3.80	1.00000-0.408E-01	1.0000	
i=	20	j=	5	(xp=	0.0390	yp=	0.0310	zp=	-0.0696)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0069		2	0.20	0.18889-0.162E-01	1.0066	
3	0.40	0.35717-0.289E-01	1.0061		4	0.60	0.50403-0.383E-01	1.0054	
5	0.80	0.62888-0.448E-01	1.0045		6	1.00	0.73167-0.491E-01	1.0036	
7	1.20	0.81318-0.515E-01	1.0028		8	1.40	0.87517-0.527E-01	1.0021	
9	1.60	0.92020-0.532E-01	1.0015		10	1.80	0.95132-0.532E-01	1.0010	
11	2.00	0.97175-0.530E-01	1.0007		12	2.20	0.98444-0.528E-01	1.0004	
13	2.40	0.99188-0.526E-01	1.0002		14	2.60	0.99600-0.524E-01	1.0001	

15	2.80	0.99815-0.524E-01	1.0001	16	3.00	0.99920-0.523E-01	1.0000
17	3.20	0.99968-0.523E-01	1.0000	18	3.40	0.99988-0.522E-01	1.0000
19	3.60	0.99997-0.522E-01	1.0000	20	3.80	1.00000-0.520E-01	1.0000

i= 20 j= 6 (xp= 0.0390 yp= 0.0386 zp= -0.0669)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0067		2	0.20	0.19080-0.194E-01	1.0065	
3	0.40	0.36062-0.344E-01	1.0060		4	0.60	0.50861-0.456E-01	1.0052	
5	0.80	0.63409-0.532E-01	1.0044		6	1.00	0.73703-0.581E-01	1.0035	
7	1.20	0.81825-0.608E-01	1.0027		8	1.40	0.87962-0.621E-01	1.0020	
9	1.60	0.92383-0.625E-01	1.0014		10	1.80	0.95409-0.625E-01	1.0009	
11	2.00	0.97372-0.623E-01	1.0006		12	2.20	0.98574-0.620E-01	1.0004	
13	2.40	0.99269-0.618E-01	1.0002		14	2.60	0.99647-0.616E-01	1.0001	
15	2.80	0.99840-0.615E-01	1.0001		16	3.00	0.99932-0.615E-01	1.0000	
17	3.20	0.99973-0.614E-01	1.0000		18	3.40	0.99991-0.614E-01	1.0000	
19	3.60	0.99997-0.613E-01	1.0000		20	3.80	1.00000-0.611E-01	1.0000	

i= 20 j= 7 (xp= 0.0390 yp= 0.0461 zp= -0.0634)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0066		2	0.20	0.19293-0.218E-01	1.0064	
3	0.40	0.36449-0.386E-01	1.0058		4	0.60	0.51373-0.509E-01	1.0051	
5	0.80	0.63994-0.593E-01	1.0042		6	1.00	0.74304-0.645E-01	1.0034	
7	1.20	0.82393-0.674E-01	1.0026		8	1.40	0.88457-0.687E-01	1.0019	
9	1.60	0.92785-0.690E-01	1.0013		10	1.80	0.95712-0.689E-01	1.0009	
11	2.00	0.97585-0.686E-01	1.0006		12	2.20	0.98714-0.683E-01	1.0003	
13	2.40	0.99354-0.681E-01	1.0002		14	2.60	0.99695-0.679E-01	1.0001	
15	2.80	0.99865-0.678E-01	1.0001		16	3.00	0.99945-0.678E-01	1.0000	
17	3.20	0.99979-0.677E-01	1.0000		18	3.40	0.99993-0.677E-01	1.0000	
19	3.60	0.99998-0.677E-01	1.0000		20	3.80	1.00000-0.674E-01	1.0000	

i= 20 j= 8 (xp= 0.0390 yp= 0.0534 zp= -0.0593)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0064		2	0.20	0.19510-0.235E-01	1.0062	
3	0.40	0.36851-0.415E-01	1.0056		4	0.60	0.51916-0.545E-01	1.0049	
5	0.80	0.64622-0.631E-01	1.0041		6	1.00	0.74956-0.684E-01	1.0032	
7	1.20	0.83012-0.712E-01	1.0024		8	1.40	0.89000-0.724E-01	1.0018	
9	1.60	0.93224-0.726E-01	1.0012		10	1.80	0.96043-0.724E-01	1.0008	
11	2.00	0.97815-0.721E-01	1.0005		12	2.20	0.98863-0.717E-01	1.0003	
13	2.40	0.99444-0.715E-01	1.0002		14	2.60	0.99745-0.713E-01	1.0001	
15	2.80	0.99891-0.712E-01	1.0000		16	3.00	0.99957-0.712E-01	1.0000	
17	3.20	0.99984-0.712E-01	1.0000		18	3.40	0.99995-0.711E-01	1.0000	
19	3.60	0.99999-0.711E-01	1.0000		20	3.80	1.00000-0.708E-01	1.0000	

i= 20 j= 9 (xp= 0.0390 yp= 0.0603 zp= -0.0543)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0062		2	0.20	0.19759-0.241E-01	1.0060	
3	0.40	0.37312-0.423E-01	1.0055		4	0.60	0.52536-0.552E-01	1.0047	
5	0.80	0.65337-0.637E-01	1.0039		6	1.00	0.75693-0.686E-01	1.0031	

7	1.20	0.83705-0.710E-01	1.0023	8	1.40	0.89598-0.719E-01	1.0016
9	1.60	0.93700-0.719E-01	1.0011	10	1.80	0.96393-0.716E-01	1.0007
11	2.00	0.98054-0.712E-01	1.0005	12	2.20	0.99013-0.709E-01	1.0003
13	2.40	0.99531-0.706E-01	1.0001	14	2.60	0.99792-0.705E-01	1.0001
15	2.80	0.99914-0.704E-01	1.0000	16	3.00	0.99967-0.704E-01	1.0000
17	3.20	0.99989-0.703E-01	1.0000	18	3.40	0.99996-0.703E-01	1.0000
19	3.60	0.99999-0.703E-01	1.0000	20	3.80	1.00000-0.700E-01	1.0000

i= 20 j= 10 (xp= 0.0390 yp= 0.0668 zp= -0.0486)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0060		2	0.20	0.19970-0.233E-01	1.0058	
3	0.40	0.37713-0.407E-01	1.0053		4	0.60	0.53088-0.526E-01	1.0045	
5	0.80	0.65980-0.602E-01	1.0037		6	1.00	0.76362-0.644E-01	1.0029	
7	1.20	0.84334-0.664E-01	1.0022		8	1.40	0.90140-0.670E-01	1.0015	
9	1.60	0.94129-0.668E-01	1.0010		10	1.80	0.96705-0.664E-01	1.0007	
11	2.00	0.98263-0.660E-01	1.0004		12	2.20	0.99143-0.657E-01	1.0002	
13	2.40	0.99605-0.654E-01	1.0001		14	2.60	0.99831-0.653E-01	1.0001	
15	2.80	0.99933-0.652E-01	1.0000		16	3.00	0.99975-0.652E-01	1.0000	
17	3.20	0.99992-0.652E-01	1.0000		18	3.40	0.99997-0.652E-01	1.0000	
19	3.60	0.99999-0.651E-01	1.0000		20	3.80	1.00000-0.648E-01	1.0000	

i= 20 j= 11 (xp= 0.0390 yp= 0.0728 zp= -0.0420)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0058		2	0.20	0.20142-0.210E-01	1.0056	
3	0.40	0.38060-0.364E-01	1.0051		4	0.60	0.53584-0.468E-01	1.0044	
5	0.80	0.66578-0.531E-01	1.0036		6	1.00	0.76995-0.564E-01	1.0028	
7	1.20	0.84937-0.577E-01	1.0020		8	1.40	0.90661-0.578E-01	1.0014	
9	1.60	0.94540-0.574E-01	1.0009		10	1.80	0.97001-0.569E-01	1.0006	
11	2.00	0.98459-0.565E-01	1.0004		12	2.20	0.99261-0.561E-01	1.0002	
13	2.40	0.99671-0.559E-01	1.0001		14	2.60	0.99864-0.558E-01	1.0001	
15	2.80	0.99948-0.558E-01	1.0000		16	3.00	0.99982-0.558E-01	1.0000	
17	3.20	0.99994-0.557E-01	1.0000		18	3.40	0.99998-0.557E-01	1.0000	
19	3.60	1.00000-0.557E-01	1.0000		20	3.80	1.00000-0.553E-01	1.0000	

i= 20 j= 12 (xp= 0.0390 yp= 0.0780 zp= -0.0347)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000 0.000E+00	1.0056		2	0.20	0.20283-0.169E-01	1.0054	
3	0.40	0.38355-0.290E-01	1.0049		4	0.60	0.54018-0.369E-01	1.0042	
5	0.80	0.67107-0.414E-01	1.0034		6	1.00	0.77559-0.435E-01	1.0026	
7	1.20	0.85474-0.441E-01	1.0019		8	1.40	0.91121-0.438E-01	1.0013	
9	1.60	0.94898-0.432E-01	1.0009		10	1.80	0.97255-0.426E-01	1.0005	
11	2.00	0.98623-0.422E-01	1.0003		12	2.20	0.99358-0.419E-01	1.0002	
13	2.40	0.99723-0.417E-01	1.0001		14	2.60	0.99890-0.416E-01	1.0000	
15	2.80	0.99960-0.416E-01	1.0000		16	3.00	0.99986-0.416E-01	1.0000	
17	3.20	0.99996-0.416E-01	1.0000		18	3.40	0.99999-0.416E-01	1.0000	
19	3.60	1.00000-0.415E-01	1.0000		20	3.80	1.00000-0.412E-01	1.0000	

i= 20 j= 13 (xp= 0.0390 yp= 0.0822 zp= -0.0267)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
---	------	------	--------	------	---	------	------	--------	------

1	0.00	0.00000	0.000E+00	1.0055	2	0.20	0.20356	-0.117E-01	1.0053
3	0.40	0.38526	-0.196E-01	1.0048	4	0.60	0.54287	-0.244E-01	1.0041
5	0.80	0.67451	-0.267E-01	1.0033	6	1.00	0.77937	-0.273E-01	1.0025
7	1.20	0.85840	-0.269E-01	1.0018	8	1.40	0.91438	-0.262E-01	1.0013
9	1.60	0.95145	-0.254E-01	1.0008	10	1.80	0.97429	-0.247E-01	1.0005
11	2.00	0.98734	-0.243E-01	1.0003	12	2.20	0.99423	-0.240E-01	1.0002
13	2.40	0.99757	-0.239E-01	1.0001	14	2.60	0.99906	-0.238E-01	1.0000
15	2.80	0.99967	-0.238E-01	1.0000	16	3.00	0.99989	-0.238E-01	1.0000
17	3.20	0.99997	-0.238E-01	1.0000	18	3.40	0.99999	-0.237E-01	1.0000
19	3.60	1.00000	-0.237E-01	1.0000	20	3.80	1.00000	-0.234E-01	1.0000

i=	20	j=	14	(xp=	0.0390	yp=	0.0854	zp=	-0.0182)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0054	2	0.20	0.20360	-0.516E-02	1.0052
3	0.40	0.38568	-0.814E-02	1.0047	4	0.60	0.54384	-0.932E-02	1.0040
5	0.80	0.67600	-0.919E-02	1.0032	6	1.00	0.78119	-0.827E-02	1.0025
7	1.20	0.86028	-0.704E-02	1.0018	8	1.40	0.91608	-0.583E-02	1.0012
9	1.60	0.95282	-0.484E-02	1.0008	10	1.80	0.97528	-0.414E-02	1.0005
11	2.00	0.98798	-0.368E-02	1.0003	12	2.20	0.99460	-0.343E-02	1.0002
13	2.40	0.99777	-0.329E-02	1.0001	14	2.60	0.99915	-0.324E-02	1.0000
15	2.80	0.99971	-0.321E-02	1.0000	16	3.00	0.99991	-0.321E-02	1.0000
17	3.20	0.99997	-0.321E-02	1.0000	18	3.40	0.99999	-0.320E-02	1.0000
19	3.60	1.00000	-0.317E-02	1.0000	20	3.80	1.00000	-0.292E-02	1.0000

i=	20	j=	15	(xp=	0.0390	yp=	0.0874	zp=	-0.0092)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0054	2	0.20	0.20250	0.144E-02	1.0052
3	0.40	0.38387	0.360E-02	1.0047	4	0.60	0.54166	0.625E-02	1.0040
5	0.80	0.67381	0.907E-02	1.0032	6	1.00	0.77925	0.117E-01	1.0025
7	1.20	0.85874	0.141E-01	1.0018	8	1.40	0.91498	0.159E-01	1.0012
9	1.60	0.95210	0.172E-01	1.0008	10	1.80	0.97486	0.180E-01	1.0005
11	2.00	0.98775	0.185E-01	1.0003	12	2.20	0.99449	0.188E-01	1.0002
13	2.40	0.99772	0.189E-01	1.0001	14	2.60	0.99913	0.190E-01	1.0000
15	2.80	0.99970	0.190E-01	1.0000	16	3.00	0.99990	0.190E-01	1.0000
17	3.20	0.99997	0.190E-01	1.0000	18	3.40	0.99999	0.190E-01	1.0000
19	3.60	1.00000	0.190E-01	1.0000	20	3.80	1.00000	0.192E-01	1.0000

i=	20	j=	16	(xp=	0.0390	yp=	0.0881	zp=	0.0000)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0054	2	0.20	0.19973	0.696E-02	1.0052
3	0.40	0.37875	0.135E-01	1.0047	4	0.60	0.53483	0.194E-01	1.0041
5	0.80	0.66609	0.246E-01	1.0033	6	1.00	0.77152	0.290E-01	1.0025
7	1.20	0.85178	0.324E-01	1.0019	8	1.40	0.90929	0.349E-01	1.0013
9	1.60	0.94787	0.366E-01	1.0008	10	1.80	0.97198	0.377E-01	1.0005
11	2.00	0.98597	0.383E-01	1.0003	12	2.20	0.99349	0.386E-01	1.0002
13	2.40	0.99720	0.388E-01	1.0001	14	2.60	0.99889	0.388E-01	1.0000
15	2.80	0.99960	0.389E-01	1.0000	16	3.00	0.99987	0.389E-01	1.0000
17	3.20	0.99996	0.389E-01	1.0000	18	3.40	0.99999	0.389E-01	1.0000
19	3.60	1.00000	0.389E-01	1.0000	20	3.80	1.00000	0.391E-01	1.0000

i=	20	j=	17	(xp=	0.0390	yp=	0.0879	zp=	0.0092)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0054	2	0.20	0.19967	0.105E-01	1.0052
3	0.40	0.37889	0.197E-01	1.0047	4	0.60	0.53530	0.278E-01	1.0041
5	0.80	0.66685	0.345E-01	1.0033	6	1.00	0.77245	0.398E-01	1.0026
7	1.20	0.85272	0.438E-01	1.0019	8	1.40	0.91012	0.467E-01	1.0013
9	1.60	0.94851	0.485E-01	1.0008	10	1.80	0.97243	0.497E-01	1.0005
11	2.00	0.98626	0.503E-01	1.0003	12	2.20	0.99365	0.507E-01	1.0002
13	2.40	0.99729	0.508E-01	1.0001	14	2.60	0.99893	0.509E-01	1.0000
15	2.80	0.99961	0.509E-01	1.0000	16	3.00	0.99987	0.509E-01	1.0000
17	3.20	0.99996	0.509E-01	1.0000	18	3.40	0.99999	0.509E-01	1.0000
19	3.60	1.00000	0.509E-01	1.0000	20	3.80	1.00000	0.511E-01	1.0000
i=	20	j=	18	(xp=	0.0390	yp=	0.0869	zp=	0.0185)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0055	2	0.20	0.20120	0.177E-01	1.0053
3	0.40	0.38241	0.326E-01	1.0048	4	0.60	0.54077	0.447E-01	1.0041
5	0.80	0.67376	0.542E-01	1.0033	6	1.00	0.77995	0.612E-01	1.0025
7	1.20	0.85989	0.662E-01	1.0018	8	1.40	0.91623	0.695E-01	1.0012
9	1.60	0.95320	0.715E-01	1.0008	10	1.80	0.97568	0.726E-01	1.0005
11	2.00	0.98830	0.732E-01	1.0003	12	2.20	0.99481	0.735E-01	1.0002
13	2.40	0.99788	0.737E-01	1.0001	14	2.60	0.99921	0.737E-01	1.0000
15	2.80	0.99973	0.737E-01	1.0000	16	3.00	0.99991	0.737E-01	1.0000
17	3.20	0.99997	0.737E-01	1.0000	18	3.40	0.99999	0.737E-01	1.0000
19	3.60	1.00000	0.737E-01	1.0000	20	3.80	1.00000	0.739E-01	1.0000
i=	20	j=	19	(xp=	0.0390	yp=	0.0843	zp=	0.0274)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0057	2	0.20	0.20068	0.262E-01	1.0055
3	0.40	0.38175	0.478E-01	1.0050	4	0.60	0.54023	0.648E-01	1.0042
5	0.80	0.67349	0.776E-01	1.0034	6	1.00	0.77995	0.868E-01	1.0026
7	1.20	0.86009	0.930E-01	1.0019	8	1.40	0.91653	0.969E-01	1.0013
9	1.60	0.95351	0.993E-01	1.0008	10	1.80	0.97594	0.101E+00	1.0005
11	2.00	0.98848	0.101E+00	1.0003	12	2.20	0.99492	0.101E+00	1.0002
13	2.40	0.99795	0.102E+00	1.0001	14	2.60	0.99924	0.102E+00	1.0000
15	2.80	0.99975	0.102E+00	1.0000	16	3.00	0.99992	0.102E+00	1.0000
17	3.20	0.99998	0.102E+00	1.0000	18	3.40	0.99999	0.102E+00	1.0000
19	3.60	1.00000	0.102E+00	1.0000	20	3.80	1.00000	0.102E+00	1.0000
i=	20	j=	20	(xp=	0.0390	yp=	0.0803	zp=	0.0357)
k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0059	2	0.20	0.19781	0.347E-01	1.0057
3	0.40	0.37645	0.628E-01	1.0052	4	0.60	0.53315	0.846E-01	1.0044
5	0.80	0.66548	0.101E+00	1.0036	6	1.00	0.77195	0.112E+00	1.0028
7	1.20	0.85291	0.120E+00	1.0020	8	1.40	0.91071	0.124E+00	1.0014
9	1.60	0.94922	0.127E+00	1.0009	10	1.80	0.97307	0.128E+00	1.0006
11	2.00	0.98674	0.129E+00	1.0003	12	2.20	0.99396	0.129E+00	1.0002
13	2.40	0.99747	0.130E+00	1.0001	14	2.60	0.99903	0.130E+00	1.0000

15	2.80	0.99966	0.130E+00	1.0000	16	3.00	0.99989	0.130E+00	1.0000
17	3.20	0.99997	0.130E+00	1.0000	18	3.40	0.99999	0.130E+00	1.0000
19	3.60	1.00000	0.130E+00	1.0000	20	3.80	1.00000	0.130E+00	1.0000

i= 20 j= 21 (xp= 0.0390 yp= 0.0748 zp= 0.0432)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0062	2	0.20	0.19335	0.406E-01	1.0060
3	0.40	0.36798	0.736E-01	1.0055	4	0.60	0.52154	0.992E-01	1.0047
5	0.80	0.65204	0.118E+00	1.0039	6	1.00	0.75819	0.132E+00	1.0030
7	1.20	0.84024	0.141E+00	1.0022	8	1.40	0.90012	0.146E+00	1.0016
9	1.60	0.94117	0.150E+00	1.0011	10	1.80	0.96748	0.151E+00	1.0007
11	2.00	0.98320	0.152E+00	1.0004	12	2.20	0.99192	0.153E+00	1.0002
13	2.40	0.99640	0.153E+00	1.0001	14	2.60	0.99852	0.153E+00	1.0001
15	2.80	0.99944	0.153E+00	1.0000	16	3.00	0.99981	0.153E+00	1.0000
17	3.20	0.99994	0.153E+00	1.0000	18	3.40	0.99998	0.153E+00	1.0000
19	3.60	1.00000	0.153E+00	1.0000	20	3.80	1.00000	0.153E+00	1.0000

i= 20 j= 22 (xp= 0.0390 yp= 0.0682 zp= 0.0496)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0065	2	0.20	0.18779	0.437E-01	1.0063
3	0.40	0.35755	0.794E-01	1.0058	4	0.60	0.50728	0.107E+00	1.0050
5	0.80	0.63545	0.128E+00	1.0042	6	1.00	0.74101	0.143E+00	1.0033
7	1.20	0.82411	0.154E+00	1.0025	8	1.40	0.88628	0.160E+00	1.0018
9	1.60	0.93026	0.164E+00	1.0013	10	1.80	0.95959	0.166E+00	1.0008
11	2.00	0.97794	0.167E+00	1.0005	12	2.20	0.98870	0.168E+00	1.0003
13	2.40	0.99458	0.168E+00	1.0002	14	2.60	0.99758	0.168E+00	1.0001
15	2.80	0.99900	0.168E+00	1.0000	16	3.00	0.99962	0.168E+00	1.0000
17	3.20	0.99987	0.168E+00	1.0000	18	3.40	0.99996	0.168E+00	1.0000
19	3.60	0.99999	0.168E+00	1.0000	20	3.80	1.00000	0.168E+00	1.0000

i= 20 j= 23 (xp= 0.0390 yp= 0.0609 zp= 0.0549)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0068	2	0.20	0.18191	0.436E-01	1.0066
3	0.40	0.34657	0.796E-01	1.0061	4	0.60	0.49227	0.108E+00	1.0054
5	0.80	0.61789	0.130E+00	1.0045	6	1.00	0.72260	0.146E+00	1.0037
7	1.20	0.80648	0.157E+00	1.0028	8	1.40	0.87073	0.164E+00	1.0021
9	1.60	0.91760	0.169E+00	1.0015	10	1.80	0.95003	0.171E+00	1.0010
11	2.00	0.97125	0.173E+00	1.0007	12	2.20	0.98435	0.173E+00	1.0004
13	2.40	0.99197	0.174E+00	1.0002	14	2.60	0.99612	0.174E+00	1.0001
15	2.80	0.99825	0.174E+00	1.0001	16	3.00	0.99926	0.174E+00	1.0000
17	3.20	0.99971	0.174E+00	1.0000	18	3.40	0.99990	0.174E+00	1.0000
19	3.60	0.99997	0.174E+00	1.0000	20	3.80	1.00000	0.174E+00	1.0000

i= 20 j= 24 (xp= 0.0390 yp= 0.0532 zp= 0.0591)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0070	2	0.20	0.17613	0.413E-01	1.0068
3	0.40	0.33589	0.755E-01	1.0064	4	0.60	0.47778	0.103E+00	1.0056
5	0.80	0.60096	0.124E+00	1.0048	6	1.00	0.70473	0.140E+00	1.0040

7	1.20	0.78915	0.152E+00	1.0031	8	1.40	0.85516	0.159E+00	1.0024
9	1.60	0.90457	0.164E+00	1.0017	10	1.80	0.93986	0.167E+00	1.0012
11	2.00	0.96383	0.168E+00	1.0008	12	2.20	0.97930	0.169E+00	1.0005
13	2.40	0.98875	0.169E+00	1.0003	14	2.60	0.99421	0.169E+00	1.0002
15	2.80	0.99719	0.169E+00	1.0001	16	3.00	0.99872	0.169E+00	1.0001
17	3.20	0.99946	0.169E+00	1.0000	18	3.40	0.99979	0.169E+00	1.0000
19	3.60	0.99994	0.169E+00	1.0000	20	3.80	1.00000	0.169E+00	1.0000

i=	20	j=	25	(xp=	0.0390	yp=	0.0453	zp=	0.0623)	
k	zeta	u/ue	v/vinf	t/te		k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0073		2	0.20	0.17080	0.368E-01	1.0071
3	0.40	0.32612	0.677E-01	1.0066		4	0.60	0.46456	0.929E-01	1.0059
5	0.80	0.58549	0.113E+00	1.0051		6	1.00	0.68832	0.128E+00	1.0042
7	1.20	0.77306	0.139E+00	1.0034		8	1.40	0.84045	0.146E+00	1.0026
9	1.60	0.89197	0.151E+00	1.0020		10	1.80	0.92974	0.154E+00	1.0014
11	2.00	0.95620	0.156E+00	1.0010		12	2.20	0.97389	0.156E+00	1.0007
13	2.40	0.98515	0.157E+00	1.0004		14	2.60	0.99196	0.157E+00	1.0003
15	2.80	0.99587	0.157E+00	1.0002		16	3.00	0.99800	0.157E+00	1.0001
17	3.20	0.99910	0.157E+00	1.0000		18	3.40	0.99963	0.157E+00	1.0000
19	3.60	0.99988	0.157E+00	1.0000		20	3.80	1.00000	0.157E+00	1.0000

i=	20	j=	26	(xp=	0.0390	yp=	0.0374	zp=	0.0648)	
k	zeta	u/ue	v/vinf	t/te		k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0074		2	0.20	0.16640	0.314E-01	1.0072
3	0.40	0.31802	0.581E-01	1.0068		4	0.60	0.45354	0.799E-01	1.0061
5	0.80	0.57249	0.973E-01	1.0053		6	1.00	0.67437	0.111E+00	1.0045
7	1.20	0.75917	0.120E+00	1.0036		8	1.40	0.82751	0.127E+00	1.0029
9	1.60	0.88066	0.132E+00	1.0022		10	1.80	0.92042	0.135E+00	1.0016
11	2.00	0.94897	0.136E+00	1.0011		12	2.20	0.96859	0.137E+00	1.0008
13	2.40	0.98149	0.138E+00	1.0005		14	2.60	0.98958	0.138E+00	1.0003
15	2.80	0.99441	0.138E+00	1.0002		16	3.00	0.99717	0.138E+00	1.0001
17	3.20	0.99866	0.138E+00	1.0001		18	3.40	0.99943	0.138E+00	1.0000
19	3.60	0.99981	0.138E+00	1.0000		20	3.80	1.00000	0.138E+00	1.0000

i=	20	j=	27	(xp=	0.0390	yp=	0.0297	zp=	0.0666)	
k	zeta	u/ue	v/vinf	t/te		k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0076		2	0.20	0.16294	0.256E-01	1.0074
3	0.40	0.31172	0.473E-01	1.0069		4	0.60	0.44503	0.653E-01	1.0063
5	0.80	0.56249	0.796E-01	1.0055		6	1.00	0.66365	0.908E-01	1.0046
7	1.20	0.74847	0.990E-01	1.0038		8	1.40	0.81748	0.105E+00	1.0030
9	1.60	0.87179	0.109E+00	1.0023		10	1.80	0.91301	0.111E+00	1.0017
11	2.00	0.94310	0.113E+00	1.0012		12	2.20	0.96420	0.114E+00	1.0009
13	2.40	0.97837	0.114E+00	1.0006		14	2.60	0.98749	0.114E+00	1.0004
15	2.80	0.99310	0.114E+00	1.0002		16	3.00	0.99639	0.114E+00	1.0001
17	3.20	0.99823	0.114E+00	1.0001		18	3.40	0.99922	0.114E+00	1.0000
19	3.60	0.99974	0.114E+00	1.0000		20	3.80	1.00000	0.114E+00	1.0000

i=	20	j=	28	(xp=	0.0390	yp=	0.0220	zp=	0.0679)	
k	zeta	u/ue	v/vinf	t/te		k	zeta	u/ue	v/vinf	t/te

1	0.00	0.00000	0.000E+00	1.0077	2	0.20	0.16010	0.194E-01	1.0075
3	0.40	0.30652	0.359E-01	1.0070	4	0.60	0.43796	0.497E-01	1.0064
5	0.80	0.55413	0.608E-01	1.0056	6	1.00	0.65460	0.695E-01	1.0048
7	1.20	0.73936	0.759E-01	1.0040	8	1.40	0.80886	0.806E-01	1.0032
9	1.60	0.86407	0.837E-01	1.0025	10	1.80	0.90647	0.857E-01	1.0019
11	2.00	0.93785	0.870E-01	1.0013	12	2.20	0.96020	0.876E-01	1.0010
13	2.40	0.97549	0.880E-01	1.0006	14	2.60	0.98552	0.881E-01	1.0004
15	2.80	0.99183	0.882E-01	1.0003	16	3.00	0.99562	0.882E-01	1.0002
17	3.20	0.99780	0.881E-01	1.0001	18	3.40	0.99901	0.881E-01	1.0000
19	3.60	0.99966	0.881E-01	1.0000	20	3.80	1.00000	0.880E-01	1.0000

i= 20 j= 29 (xp= 0.0390 yp= 0.0146 zp= 0.0686)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0077	2	0.20	0.15805	0.130E-01	1.0075
3	0.40	0.30278	0.241E-01	1.0071	4	0.60	0.43290	0.333E-01	1.0065
5	0.80	0.54818	0.408E-01	1.0057	6	1.00	0.64820	0.466E-01	1.0049
7	1.20	0.73293	0.510E-01	1.0041	8	1.40	0.80279	0.541E-01	1.0033
9	1.60	0.85865	0.563E-01	1.0026	10	1.80	0.90187	0.577E-01	1.0019
11	2.00	0.93415	0.586E-01	1.0014	12	2.20	0.95737	0.591E-01	1.0010
13	2.40	0.97344	0.593E-01	1.0007	14	2.60	0.98411	0.594E-01	1.0005
15	2.80	0.99090	0.595E-01	1.0003	16	3.00	0.99505	0.595E-01	1.0002
17	3.20	0.99748	0.595E-01	1.0001	18	3.40	0.99885	0.594E-01	1.0001
19	3.60	0.99959	0.594E-01	1.0000	20	3.80	1.00000	0.594E-01	1.0000

i= 20 j= 30 (xp= 0.0390 yp= 0.0073 zp= 0.0691)

k	zeta	u/ue	v/vinf	t/te	k	zeta	u/ue	v/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0078	2	0.20	0.15664	0.649E-02	1.0076
3	0.40	0.30015	0.121E-01	1.0072	4	0.60	0.42926	0.167E-01	1.0065
5	0.80	0.54377	0.205E-01	1.0058	6	1.00	0.64333	0.235E-01	1.0050
7	1.20	0.72792	0.257E-01	1.0041	8	1.40	0.79792	0.273E-01	1.0033
9	1.60	0.85418	0.285E-01	1.0026	10	1.80	0.89798	0.292E-01	1.0020
11	2.00	0.93094	0.297E-01	1.0015	12	2.20	0.95485	0.299E-01	1.0011
13	2.40	0.97156	0.301E-01	1.0007	14	2.60	0.98278	0.301E-01	1.0005
15	2.80	0.99003	0.302E-01	1.0003	16	3.00	0.99451	0.302E-01	1.0002
17	3.20	0.99717	0.302E-01	1.0001	18	3.40	0.99869	0.301E-01	1.0001
19	3.60	0.99953	0.301E-01	1.0000	20	3.80	1.00000	0.301E-01	1.0000

i= 20 j= 31 (xp= 0.0390 yp= 0.0000 zp= 0.0692)

k	zeta	u/ue	vy/vinf	t/te	k	zeta	u/ue	vy/vinf	t/te
1	0.00	0.00000	0.000E+00	1.0078	2	0.20	0.15777-0.601E-01	1.0076	
3	0.40	0.30243	-0.111E+00	1.0072	4	0.60	0.43267-0.153E+00	1.0065	
5	0.80	0.54821	-0.186E+00	1.0058	6	1.00	0.64856-0.213E+00	1.0049	
7	1.20	0.73363	-0.233E+00	1.0041	8	1.40	0.80375-0.248E+00	1.0033	
9	1.60	0.85976	-0.259E+00	1.0026	10	1.80	0.90300-0.267E+00	1.0019	
11	2.00	0.93519	-0.273E+00	1.0014	12	2.20	0.95825-0.277E+00	1.0010	
13	2.40	0.97412	-0.281E+00	1.0007	14	2.60	0.98460-0.283E+00	1.0005	
15	2.80	0.99124	-0.285E+00	1.0003	16	3.00	0.99526-0.286E+00	1.0002	
17	3.20	0.99760	-0.287E+00	1.0001	18	3.40	0.99890-0.287E+00	1.0000	
19	3.60	0.99961	-0.288E+00	1.0000	20	3.80	1.00000-0.288E+00	1.0000	

***** boundary-layer parameters*****

i	j	xpd blth	ypd dspth	zpd thmom	cfx twall	cfy
1	1	0.400000E-02	-0.148836E-07	-0.232644E-01	0.127639E-01	0.000000E+00
		0.243324E-03	0.656754E-04	0.277774E-04	0.293187E+03	
1	2	0.400000E-02	0.243383E-02	-0.231564E-01	0.127648E-01	-0.711058E-04
		0.243519E-03	0.657272E-04	0.277994E-04	0.293187E+03	
1	3	0.400000E-02	0.485302E-02	-0.228317E-01	0.127702E-01	-0.132842E-03
		0.244129E-03	0.658921E-04	0.278693E-04	0.293187E+03	
1	4	0.400000E-02	0.724221E-02	-0.222893E-01	0.127795E-01	-0.159033E-03
		0.245175E-03	0.661735E-04	0.279888E-04	0.293187E+03	
1	5	0.400000E-02	0.958455E-02	-0.215273E-01	0.127888E-01	-0.153318E-03
		0.246589E-03	0.665546E-04	0.281505E-04	0.293187E+03	
1	6	0.400000E-02	0.118611E-01	-0.205440E-01	0.127959E-01	-0.109954E-03
		0.248352E-03	0.670294E-04	0.283520E-04	0.293187E+03	
1	7	0.400000E-02	0.140503E-01	-0.193386E-01	0.127901E-01	0.785117E-05
		0.250346E-03	0.675655E-04	0.285795E-04	0.293187E+03	
1	8	0.400000E-02	0.161280E-01	-0.179120E-01	0.127732E-01	0.167305E-03
		0.252521E-03	0.681520E-04	0.288282E-04	0.293187E+03	
1	9	0.400000E-02	0.180669E-01	-0.162675E-01	0.127236E-01	0.434733E-03
		0.254681E-03	0.687331E-04	0.290747E-04	0.293187E+03	
1	10	0.400000E-02	0.198374E-01	-0.144127E-01	0.126465E-01	0.740577E-03
		0.256655E-03	0.692654E-04	0.293002E-04	0.293187E+03	
1	11	0.400000E-02	0.214084E-01	-0.123601E-01	0.125320E-01	0.110869E-02
		0.258248E-03	0.696960E-04	0.294823E-04	0.293187E+03	
1	12	0.400000E-02	0.227483E-01	-0.101282E-01	0.123596E-01	0.157034E-02
		0.259278E-03	0.699745E-04	0.295997E-04	0.293187E+03	
1	13	0.400000E-02	0.238273E-01	-0.774197E-02	0.121726E-01	0.197870E-02
		0.259439E-03	0.700190E-04	0.296178E-04	0.293187E+03	
1	14	0.400000E-02	0.246190E-01	-0.523294E-02	0.119242E-01	0.246218E-02
		0.258717E-03	0.698272E-04	0.295351E-04	0.293187E+03	
1	15	0.400000E-02	0.251028E-01	-0.263842E-02	0.116731E-01	0.287860E-02
		0.256801E-03	0.693129E-04	0.293156E-04	0.293187E+03	
1	16	0.400000E-02	0.252644E-01	0.000000E+00	0.113492E-01	0.320311E-02
		0.254517E-03	0.687023E-04	0.290546E-04	0.293187E+03	
1	17	0.400000E-02	0.251809E-01	0.264661E-02	0.110247E-01	0.344518E-02
		0.251526E-03	0.679001E-04	0.287120E-04	0.293187E+03	
1	18	0.400000E-02	0.247446E-01	0.525963E-02	0.108731E-01	0.377420E-02
		0.245833E-03	0.663697E-04	0.280607E-04	0.293187E+03	
1	19	0.400000E-02	0.238921E-01	0.776299E-02	0.108953E-01	0.403497E-02
		0.238236E-03	0.643274E-04	0.271925E-04	0.293187E+03	
1	20	0.400000E-02	0.226377E-01	0.100789E-01	0.110241E-01	0.421305E-02
		0.229758E-03	0.620466E-04	0.262235E-04	0.293187E+03	
1	21	0.400000E-02	0.210391E-01	0.121469E-01	0.111967E-01	0.429182E-02
		0.221211E-03	0.597466E-04	0.252466E-04	0.293187E+03	
1	22	0.400000E-02	0.191770E-01	0.139329E-01	0.113599E-01	0.424265E-02
		0.213374E-03	0.576379E-04	0.243511E-04	0.293187E+03	
1	23	0.400000E-02	0.171360E-01	0.154293E-01	0.114852E-01	0.406942E-02
		0.206555E-03	0.558018E-04	0.235716E-04	0.293187E+03	
1	24	0.400000E-02	0.149911E-01	0.166493E-01	0.115547E-01	0.376950E-02
		0.200909E-03	0.542825E-04	0.229265E-04	0.293187E+03	
1	25	0.400000E-02	0.128007E-01	0.176186E-01	0.115756E-01	0.338650E-02
		0.196336E-03	0.530516E-04	0.224039E-04	0.293187E+03	
1	26	0.400000E-02	0.106047E-01	0.183678E-01	0.115641E-01	0.291033E-02
		0.192768E-03	0.520912E-04	0.219962E-04	0.293187E+03	
1	27	0.400000E-02	0.842718E-02	0.189277E-01	0.115302E-01	0.237901E-02
		0.190066E-03	0.513642E-04	0.216876E-04	0.293187E+03	
1	28	0.400000E-02	0.627944E-02	0.193261E-01	0.114834E-01	0.182863E-02

		0.188058E-03	0.508233E-04	0.214579E-04	0.293187E+03	
1	29	0.400000E-02	0.416331E-02	0.195868E-01	0.114402E-01	0.123912E-02
		0.186722E-03	0.504638E-04	0.213054E-04	0.293187E+03	
1	30	0.400000E-02	0.207367E-02	0.197295E-01	0.114082E-01	0.639749E-03
		0.185972E-03	0.502617E-04	0.212196E-04	0.293187E+03	
1	31	0.400000E-02	0.620667E-08	0.197717E-01	0.113937E-01	0.000000E+00
		0.185755E-03	0.502032E-04	0.211948E-04	0.293187E+03	
2	1	0.450000E-02	-0.158292E-07	-0.247425E-01	0.115377E-01	0.000000E+00
		0.246466E-03	0.672225E-04	0.282609E-04	0.293140E+03	
2	2	0.450000E-02	0.258853E-02	-0.246283E-01	0.115249E-01	-0.223210E-03
		0.247153E-03	0.674008E-04	0.283468E-04	0.293140E+03	
2	3	0.450000E-02	0.516194E-02	-0.242851E-01	0.115233E-01	-0.424816E-03
		0.247643E-03	0.675622E-04	0.284046E-04	0.293140E+03	
2	4	0.450000E-02	0.770432E-02	-0.237115E-01	0.115153E-01	-0.581884E-03
		0.248575E-03	0.678681E-04	0.285154E-04	0.293141E+03	
2	5	0.450000E-02	0.101981E-01	-0.229053E-01	0.114959E-01	-0.727708E-03
		0.249909E-03	0.683129E-04	0.286771E-04	0.293141E+03	
2	6	0.450000E-02	0.126233E-01	-0.218643E-01	0.114684E-01	-0.786488E-03
		0.251440E-03	0.688416E-04	0.288627E-04	0.293142E+03	
2	7	0.450000E-02	0.149575E-01	-0.205872E-01	0.114117E-01	-0.771543E-03
		0.253310E-03	0.695013E-04	0.290928E-04	0.293143E+03	
2	8	0.450000E-02	0.171745E-01	-0.190742E-01	0.113260E-01	-0.707375E-03
		0.255260E-03	0.702413E-04	0.293375E-04	0.293143E+03	
2	9	0.450000E-02	0.192453E-01	-0.173286E-01	0.111874E-01	-0.454452E-03
		0.257302E-03	0.710576E-04	0.295992E-04	0.293145E+03	
2	10	0.450000E-02	0.211382E-01	-0.153578E-01	0.109915E-01	-0.196654E-03
		0.259473E-03	0.719719E-04	0.298863E-04	0.293146E+03	
2	11	0.450000E-02	0.228193E-01	-0.131748E-01	0.107619E-01	0.252666E-03
		0.260875E-03	0.726969E-04	0.300841E-04	0.293145E+03	
2	12	0.450000E-02	0.242544E-01	-0.107988E-01	0.104638E-01	0.795237E-03
		0.262374E-03	0.734375E-04	0.302969E-04	0.293145E+03	
2	13	0.450000E-02	0.254109E-01	-0.825654E-02	0.101431E-01	0.130565E-02
		0.263025E-03	0.739572E-04	0.304159E-04	0.293145E+03	
2	14	0.450000E-02	0.262600E-01	-0.558176E-02	0.978616E-02	0.197000E-02
		0.262736E-03	0.741536E-04	0.304244E-04	0.293144E+03	
2	15	0.450000E-02	0.267791E-01	-0.281461E-02	0.942431E-02	0.249677E-02
		0.262188E-03	0.742173E-04	0.304054E-04	0.293142E+03	
2	16	0.450000E-02	0.269524E-01	0.000000E+00	0.903874E-02	0.290953E-02
		0.261112E-03	0.740491E-04	0.303122E-04	0.293140E+03	
2	17	0.450000E-02	0.268663E-01	0.282374E-02	0.868607E-02	0.333422E-02
		0.258284E-03	0.733430E-04	0.300122E-04	0.293138E+03	
2	18	0.450000E-02	0.264059E-01	0.561275E-02	0.844846E-02	0.383325E-02
		0.253510E-03	0.721114E-04	0.295051E-04	0.293134E+03	
2	19	0.450000E-02	0.255010E-01	0.828576E-02	0.835744E-02	0.407170E-02
		0.248025E-03	0.707116E-04	0.289258E-04	0.293129E+03	
2	20	0.450000E-02	0.241656E-01	0.107592E-01	0.837350E-02	0.419826E-02
		0.241278E-03	0.689546E-04	0.282001E-04	0.293125E+03	
2	21	0.450000E-02	0.224608E-01	0.129677E-01	0.839884E-02	0.418835E-02
		0.234996E-03	0.672027E-04	0.274542E-04	0.293120E+03	
2	22	0.450000E-02	0.204730E-01	0.148745E-01	0.840681E-02	0.399867E-02
		0.229704E-03	0.655810E-04	0.267385E-04	0.293115E+03	
2	23	0.450000E-02	0.182931E-01	0.164712E-01	0.837822E-02	0.375362E-02
		0.224650E-03	0.641372E-04	0.260953E-04	0.293111E+03	
2	24	0.450000E-02	0.160021E-01	0.177721E-01	0.831714E-02	0.336072E-02
		0.220085E-03	0.629207E-04	0.255385E-04	0.293107E+03	
2	25	0.450000E-02	0.136626E-01	0.188049E-01	0.822000E-02	0.296772E-02
		0.216267E-03	0.619448E-04	0.250852E-04	0.293104E+03	
2	26	0.450000E-02	0.113174E-01	0.196023E-01	0.811062E-02	0.249396E-02
		0.213338E-03	0.612228E-04	0.247413E-04	0.293102E+03	
2	27	0.450000E-02	0.899269E-02	0.201979E-01	0.802429E-02	0.201894E-02

		0.210802E-03	0.605854E-04	0.244478E-04	0.293100E+03	
2	28	0.450000E-02	0.670025E-02	0.206212E-01	0.793836E-02	0.153754E-02
		0.208983E-03	0.601366E-04	0.242390E-04	0.293099E+03	
2	29	0.450000E-02	0.444202E-02	0.208980E-01	0.785215E-02	0.981609E-03
		0.207918E-03	0.599088E-04	0.241186E-04	0.293098E+03	
2	30	0.450000E-02	0.221240E-02	0.210494E-01	0.779608E-02	0.468315E-03
		0.207431E-03	0.597999E-04	0.240619E-04	0.293097E+03	
2	31	0.450000E-02	0.662182E-08	0.210942E-01	0.796545E-02	0.000000E+00
		0.200398E-03	0.582322E-04	0.233594E-04	0.293096E+03	

***** For brevity, the results for i=3,4,...,19 are deleted. *****

20	1	0.390000E-01	-0.475658E-07	-0.743496E-01	0.301178E-02	0.000000E+00
		0.348036E-03	0.989335E-04	0.410106E-04	0.292810E+03	
20	2	0.390000E-01	0.778423E-02	-0.740622E-01	0.301940E-02	-0.107584E-03
		0.347447E-03	0.987619E-04	0.409350E-04	0.292810E+03	
20	3	0.390000E-01	0.155578E-01	-0.731938E-01	0.303434E-02	-0.213710E-03
		0.347127E-03	0.985706E-04	0.408478E-04	0.292812E+03	
20	4	0.390000E-01	0.233056E-01	-0.717272E-01	0.305432E-02	-0.313855E-03
		0.346870E-03	0.983939E-04	0.407599E-04	0.292816E+03	
20	5	0.390000E-01	0.310040E-01	-0.696362E-01	0.308457E-02	-0.411398E-03
		0.346332E-03	0.981282E-04	0.406343E-04	0.292820E+03	
20	6	0.390000E-01	0.386171E-01	-0.668870E-01	0.312228E-02	-0.497832E-03
		0.345387E-03	0.978211E-04	0.404831E-04	0.292827E+03	
20	7	0.390000E-01	0.460921E-01	-0.634403E-01	0.316423E-02	-0.568826E-03
		0.344007E-03	0.975555E-04	0.403397E-04	0.292835E+03	
20	8	0.390000E-01	0.533553E-01	-0.592571E-01	0.320640E-02	-0.625028E-03
		0.341547E-03	0.973436E-04	0.401925E-04	0.292844E+03	
20	9	0.390000E-01	0.603084E-01	-0.543020E-01	0.325332E-02	-0.653002E-03
		0.339282E-03	0.971207E-04	0.400332E-04	0.292853E+03	
20	10	0.390000E-01	0.668283E-01	-0.485536E-01	0.329164E-02	-0.647021E-03
		0.339541E-03	0.971503E-04	0.399618E-04	0.292864E+03	
20	11	0.390000E-01	0.727661E-01	-0.420116E-01	0.331888E-02	-0.595260E-03
		0.339173E-03	0.972941E-04	0.399053E-04	0.292874E+03	
20	12	0.390000E-01	0.779553E-01	-0.347080E-01	0.333737E-02	-0.490430E-03
		0.338350E-03	0.975331E-04	0.398831E-04	0.292883E+03	
20	13	0.390000E-01	0.822223E-01	-0.267157E-01	0.334029E-02	-0.348348E-03
		0.337795E-03	0.979613E-04	0.399518E-04	0.292890E+03	
20	14	0.390000E-01	0.854039E-01	-0.181532E-01	0.332901E-02	-0.161793E-03
		0.337668E-03	0.984694E-04	0.400721E-04	0.292894E+03	
20	15	0.390000E-01	0.873683E-01	-0.918281E-02	0.329891E-02	0.278752E-04
		0.340113E-03	0.993108E-04	0.403840E-04	0.292896E+03	
20	16	0.390000E-01	0.880632E-01	0.000000E+00	0.323643E-02	0.185674E-03
		0.348206E-03	0.101100E-03	0.411843E-04	0.292896E+03	
20	17	0.390000E-01	0.879284E-01	0.924159E-02	0.320588E-02	0.282908E-03
		0.347564E-03	0.101018E-03	0.411158E-04	0.292894E+03	
20	18	0.390000E-01	0.868571E-01	0.184620E-01	0.319930E-02	0.482515E-03
		0.337321E-03	0.991544E-04	0.401932E-04	0.292890E+03	
20	19	0.390000E-01	0.843374E-01	0.274028E-01	0.317840E-02	0.708460E-03
		0.332856E-03	0.981473E-04	0.397493E-04	0.292883E+03	
20	20	0.390000E-01	0.802721E-01	0.357394E-01	0.314286E-02	0.920828E-03
		0.335064E-03	0.980269E-04	0.397818E-04	0.292871E+03	
20	21	0.390000E-01	0.748054E-01	0.431888E-01	0.309814E-02	0.105152E-02
		0.339081E-03	0.986131E-04	0.401626E-04	0.292856E+03	
20	22	0.390000E-01	0.682358E-01	0.495762E-01	0.303858E-02	0.110442E-02
		0.343268E-03	0.997929E-04	0.408019E-04	0.292840E+03	
20	23	0.390000E-01	0.609184E-01	0.548512E-01	0.296574E-02	0.107767E-02
		0.351793E-03	0.101412E-03	0.416149E-04	0.292825E+03	
20	24	0.390000E-01	0.531855E-01	0.590685E-01	0.288423E-02	0.100140E-02
		0.358810E-03	0.103224E-03	0.424730E-04	0.292811E+03	

20	25	0.390000E-01	0.452934E-01	0.623409E-01	0.279986E-02	0.878781E-03
		0.366186E-03	0.105112E-03	0.433254E-04	0.292800E+03	
20	26	0.390000E-01	0.374166E-01	0.648073E-01	0.272538E-02	0.743972E-03
		0.372317E-03	0.106840E-03	0.441048E-04	0.292792E+03	
20	27	0.390000E-01	0.296542E-01	0.666043E-01	0.266278E-02	0.600378E-03
		0.377578E-03	0.108157E-03	0.446766E-04	0.292785E+03	
20	28	0.390000E-01	0.220461E-01	0.678509E-01	0.260939E-02	0.452672E-03
		0.380992E-03	0.109387E-03	0.452110E-04	0.292782E+03	
20	29	0.390000E-01	0.145915E-01	0.686478E-01	0.256923E-02	0.302266E-03
		0.382594E-03	0.110258E-03	0.455696E-04	0.292780E+03	
20	30	0.390000E-01	0.726007E-02	0.690744E-01	0.254170E-02	0.151098E-03
		0.386313E-03	0.111069E-03	0.459390E-04	0.292777E+03	
20	31	0.390000E-01	0.217225E-07	0.691985E-01	0.255738E-02	0.000000E+00
		0.379519E-03	0.109577E-03	0.451870E-04	0.292781E+03	

1.8 FORTRAN Listing of 3DBLC

```

c
c      comblick
c
c      parameter (imaxf=100, jmaxf=51, kmaxf=51)

common/pi/pi
common/writ/iw,ini,jni
common/ks/mks
common/term/kterm, jmaxt
common/jm/jmaxl
common/sep/ksep
common/stagso/ksymstg
common/pte/kcpgvn
common/point/kpoint
common/bcvel/ue(imaxf,jmaxf),ve(imaxf,jmaxf)
common/nonorth/costh(imaxf,jmaxf)
common/rw/roww(imaxf,jmaxf)
common/body/kbody
common/end/iend
common/compr/rminf,vinf,gamma,rr,tinf,ss,pinf,cp,pr
common/stag/xps,zps
common/com/inc
common/compr1/kaw,krow
common/compr2/acom(kmaxf),bcom(kmaxf),ccom(kmaxf),dcom(kmaxf)
common/compr3/rmyued(imaxf,jmaxf),roed(imaxf,jmaxf)
common/compr4/rmyueh(jmaxf),roeh(jmaxf)
common/compr5/roerob(jmaxf,kmaxf),bcb(jmaxf,kmaxf)
common/compr6/roero(jmaxf,kmaxf),bc(jmaxf,kmaxf),td(jmaxf,kmaxf)
common/compr7/pe(imaxf,jmaxf),te(imaxf,jmaxf),twall(imaxf,jmaxf)
common/star/astar,bstar,cstar,thetar
common/zetard/zetae,dzetas,zeta(kmaxf),dzeta(kmaxf)
common/ygrd/yd(jmaxf),dy(jmaxf)
common/xx/xd(imaxf)
common/dxx/dx,dxh
common/nuro/rmyuin,rnuinf,roinf
common/ss/s1(imaxf,jmaxf),slh(imaxf,jmaxf)
common/mm/m1(jmaxf),m2(jmaxf),m3(jmaxf),m4(jmaxf),m5(jmaxf),
& m6(jmaxf),m7(jmaxf),m8(jmaxf),m9(jmaxf),m10(jmaxf),
& m11(jmaxf),m12(jmaxf),m13(jmaxf)
common/ukmaxml/ukmaxl
common/str/xpd(imaxf,jmaxf),ypd(imaxf,jmaxf),zpd(imaxf,jmaxf),
& cavd(imaxf,jmaxf),h1(imaxf,jmaxf),h2(imaxf,jmaxf)
&,duedsd(imaxf,jmaxf),duedyd(imaxf,jmaxf),cpd(imaxf,jmaxf)
common/ijk/i,j,k,imax,jmax,kmax
common/hh/h(3,jmaxf,kmaxf),hs(3,jmaxf,kmaxf)
common/hhb/hb(3,jmaxf,kmaxf),hsb(3,jmaxf,kmaxf)
common/hhn/hn(2,jmaxf,kmaxf),hsn(2,jmaxf,kmaxf)
common/compr4/hsp(2,jmaxf,kmaxf)
common/abcd/ai(4,kmaxf),bi(4,kmaxf),ci(4,kmaxf),as(4,kmaxf),
& e(4,kmaxf),es(4,kmaxf),ds(4,kmaxf),di(2,kmaxf)
common/syt/save(4,kmaxf),b1(jmaxf,kmaxf),b2(jmaxf,kmaxf),
& b3(jmaxf,kmaxf),b4(jmaxf,kmaxf)
common/save1/saveh(kmaxf),savehs(kmaxf)
common/bl/cfx(imaxf,jmaxf),cfy(imaxf,jmaxf),blth(imaxf,jmaxf)
&,dspth(imaxf,jmaxf),thmom(imaxf,jmaxf),vmax(imaxf,jmaxf)
&,xki(imaxf,jmaxf),qw(imaxf,jmaxf),zact(jmaxf,kmaxf)
real m1,m2,m3,m4,m5,m6,m7,m8,m9,m10,m11,m12,m13

```

```

c#####
program blmain
c#####
include 'comblk'
dimension kmaxj(jmaxf)
pi=acos(-1.)
call input

if(imax.gt.imaxf)write(6,*)"imax is greater than imaxf,
&change imaxf greater or equal to imax"
if(jmax.gt.jmaxf)write(6,*)"jmax is greater than jmaxf,
&change jmaxf greater or equal to jmax"
if(kmax.gt.kmaxf)write(6,*)"kmax is greater than kmaxf,
&change kmaxf greater or equal to kmax"
if(imax.gt.imaxf.or.jmax.gt.jmaxf.or.kmax.gt.kmaxf)stop

if(ksymstg.eq.1)cstar=1.

c      other free-stream conditions are calculated

cp=gamma*rr/(gamma-1.)

if(mks.eq.1)rmyuinf=47.88*(2.28d-8*(1.8*tinf)**1.5)
&/(1.8*tinf+198.6)
if(mks.eq.0)rmyuinf=(2.28d-8*(tinf)**1.5)/(tinf+198.6)

roinf=pinf/(rr*tinf)
rnuinf=rmyuinf/roinf
ss=sqrt(gamma*rr*tinf)
vinf=rminf*ss

rewind 1
rewind iw

do 351 i=1,imax
do 351 j=1,jmax
cavd(i,j)=sqrt(ue(i,j)**2+ve(i,j)**2+2.*ue(i,j)*ve(i,j)
*&*cosh(i,j))
s1h(i,j)=0.5*(s1(i,j)+s1(i-1,j))
351 continue

c      dimensionalize velocity components

astar=astar*vinf
bstar=bstar*vinf

do 29 i=1,imax
do 29 j=1,jmax
cavd(i,j)=cavd(i,j)*vinf
ue(i,j)=ue(i,j)*vinf
ve(i,j)=ve(i,j)*vinf
29 continue

c      other boundary-layer edge conditions are calculated

```

```

do 99 i=1,imax
do 99 j=1,jmax
te(i,j)=tinf*(1.+0.5*(gamma-1.)*rminf**2*(1.-(cavd(i,j)
&/vinf)**2))
if(kcpgivn.eq.1)pe(i,j)=pinf+0.5*cpd(i,j)*roinf*vinf**2
if(kcpgivn.eq.0)pe(i,j)=pinf*(te(i,j)/tinf)**(gamma/(gamma-1.))
252 if(mks.eq.1)rmyued(i,j)=47.88*(2.28d-8*(1.8*te(i,j))**1.5)
& /(1.8*te(i,j)+198.6)
if(mks.eq.0)rmyued(i,j)=(2.28d-8*(te(i,j))**1.5)/(te(i,j)+198.6)
roed(i,j)=pe(i,j)/(rr*te(i,j))
99 continue

c      dy(j) is calculated

do 4 j=1,jmax-1
dy(j)=yd(j+1)-yd(j)
4 continue

i=1

if(kpoint.eq.1)go to 45
call stagpt
if(ksymstg.eq.1)then
call insym
go to 1119
endif

if(kbody.eq.1)call inbub
if(kbody.eq.0)call inbus
go to 1119

45 call coefcon
j=1
call conon
do 400 k=1,kmax
saveh(k)=h(2,1,k)
savehs(k)=hs(2,1,k)
400 continue
do 500 k=1,kmax
h(2,1,k)=0.
hs(2,1,k)=0.
500 continue
kmaxj(1)=kmax

do 1156 j=2,jmax-1
call conoff
kmaxj(j)=kmax
if(iend.eq.1)then
kterm=1
jmaxt=j-1
do 410 k=1,kmax
h(2,1,k)=saveh(k)
hs(2,1,k)=savehs(k)
410 continue
go to 1118
endif
1156 continue

j=jmax

```

```

call conon
kmaxj(j)=kmax
if(iend.eq.1)then
kterm=1
jmaxt=j-1
do 420 k=1,kmax
h(2,1,k)=saveh(k)
hs(2,1,k)=savehs(k)
420 continue
endif

1118 do 520 j=1,jmaxt
do 520 k=kmaxj(j),kmax
h(1,j,k)=1.0
h(2,j,k)=h(2,j,kmaxj(j))
hs(1,j,k)=hs(1,j,k-1)+(h(1,j,k)+h(1,j,k-1))*dzeta(k-1)/2.
hs(2,j,k)=hs(2,j,k-1)+(h(2,j,k)+h(2,j,k-1))*dzeta(k-1)/2.
h(3,j,k)=1.0
roero(j,k)=1.0
bc(j,k)=1.0
520 continue
do 422 k=1,kmaxj(j)
h(2,1,k)=saveh(k)
hs(2,1,k)=savehs(k)
422 continue
do 423 k=kmaxj(j)+1,kmax
h(2,1,k)=saveh(kmaxj(j))
hs(2,j,k)=hs(2,j,k-1)+(h(2,j,k)+h(2,j,k-1))*dzeta(k-1)/2.
423 continue

1119 if(kpoint.eq.1.and.kbody.eq.0)then
call inpos
do 123 j=1,jmax
ue(1,j)=sqrt(ue(1,j)**2+ve(1,j)**2)
ve(1,j)=0.
123 continue
endif

do 2255 j=1,jmax
do 2256 k=1,kmax
hsp(1,j,k)=hs(1,j,k)
2256 continue
2255 continue

do 270 j=1,jmax
call blpara
270 continue

C*****
C      to march away from i=1
C*****

if(kterm.eq.1) jmaxl=jmaxt
if(kterm.eq.0) jmaxl=jmax

1500 do 1000 i=2,imax

```

```

dx=xd(i)-xd(i-1)
dxh=dx/2.
x=xd(i)
write(6,611)i,x,dx
611  format('*** i=',i4,5x,' x=',f10.6,' dx=',f10.6)

c-----
if(kbody.eq.1)call coefbody
if(kbody.eq.0)call coefstrm

7000 do 60 j=1,jmax1
      call predict
60     continue
      do 70 j=1,jmax1
      call correct
70     continue

c-----
c
c to increase zetae so that u(kmax-1) is greater than ukmax1(given)
c
c   ( check point is only on the leeward line of symmetry )
c
c-----
write(6,*)'jmax1=',jmax1,'hn(1,jmax1,kmax-1)=',hn(1,jmax1,kmax-1)
if(hn(1,jmax1,kmax-1).gt.ukmax1)go to 7100
kmax=kmax+1
write(6,*)' kmax=',kmax

if(kmax.eq.kmaxf)then
write(6,*)' kmax was increased to kmaxf'
go to 2100
endif

do 7300 ij=1,jmax1
h(1,ij,kmax)=1.
h(2,ij,kmax)=0.
if(kbody.eq.1)h(2,ij,kmax)=ve(i-1,ij)/vinf
if(kbody.eq.1.and.ij.eq.1)h(2,ij,kmax)=ve(i-1,ij+1)/(vinf*dy(ij))
if(kbody.eq.1.and.ij.eq.jmax)h(2,ij,kmax)=-ve(i-1,ij-1)
&/(vinf*dy(ij-1))
h(3,ij,kmax)=1.
hs(1,ij,kmax)=hs(1,ij,kmax-1)+(h(1,ij,kmax)+h(1,ij,kmax-1))
& *dzeta(kmax-1)/2.
hs(2,ij,kmax)=hs(2,ij,kmax-1)+(h(2,ij,kmax)+h(2,ij,kmax-1))
& *dzeta(kmax-1)/2.
hsp(1,ij,kmax)=hs(1,ij,kmax)
hsp(2,ij,kmax)=hs(2,ij,kmax)
bc(ij,kmax)=1.
roero(ij,kmax)=1.

```

```

7300 continue
    go to 7000

c
c      check whether the zone of dependence principle is satisfied
c

7100 do 370 j=1,jmax1
    if(j.le.2.or.j.ge.jmax-1)go to 370
    vuwall=abs(vinf*((dzeta(1)+dzeta(2))**2*hn(2,j,2)
    &-dzeta(1)**2*hn(2,j,3)))/(ue(i,j)*((dzeta(1)+dzeta(2))**2
    *&hn(1,j,2)-dzeta(1)**2*hn(1,j,3)))
    vuedge=abs(ve(i,j)/ue(i,j))
    if(vuwall.lt.vuedge)vuwall=vuedge

    if(h(2,j,2).lt.0)then
        ch=h2(i-1,j)*dy(j)/(s1(i,j)-s1(i-1,j))
        if(vuwall.gt.ch)write(6,*)' zone of dependence violated at i=',i
        &,' j=',j,' vuwall=',vuwall,' ch=',ch
    endif
    if(h(2,j,2).ge.0)then
        ch=h2(i-1,j)*dy(j-1)/(s1(i,j)-s1(i-1,j))
        if(vuwall.gt.ch)write(6,*)' zone of dependence violated at i=',i
        &,' j=',j,' vuwall=',vuwall,' ch=',ch
    endif

370 continue

do 376 j=1,jmax1
do 5500 k=1,kmax
do 5550 m=1,2
h(m,j,k)=hn(m,j,k)
hs(m,j,k)=hsn(m,j,k)
5550 continue
5500 continue
376 continue

371 if(inc.eq.1)then
do 385 j=1,jmax
do 385 k=1,kmax
h(3,j,k)=1.0
roero(j,k)=1.0
bc(j,k)=1.0
385 continue
go to 575
endif

do 470 j=1,jmax1

call correng

470 continue

575 do 570 j=1,jmax1

call blpara

570 continue

call profile

```

```

c
c stop computation if as follows
c
c-----
if(((dzeta(1)+dzeta(2))**2*h(1,jmax1,2)-dzeta(1)**2*h(1,jmax1,3))
& .lt.0)then
  write(6,*)' dudy is l.t. 0 at j=jmax1 '
  go to 2100
endif

c
c to find the first separation point
c

do 800 j=1,jmax1
if(((dzeta(1)+dzeta(2))**2*h(1,j,2)-dzeta(1)**2*h(1,j,3)).lt.0)
&then
  write(6,*)' dudzeta wall is .lt. 0 at i,j=',i,j
  ksep=1
  go to 2100
c
c if one wants to continue the calculations using the modified
c procedure, use the following statement instead of 'go to 2100'
c
kterm=1
jmax1=j-1

endif

800  continue

write(6,*)' xpd(i,jmax)=',xpd(i,jmax)

do 9995 k=1,kmax
do 9995 j=1,jmax1
hsp(1,j,k)=hs(1,j,k)
hsp(2,j,k)=hs(2,j,k)
9995 continue

1000 continue

c*****
2100 call output

stop
end

```

```

c#####
c##### subroutine blpara
c#####
c##### include 'comblk'
c##### bltk=0.995
c#####
c##### f2dotw=((dzeta(1)+dzeta(2))**2*h(1,j,2)-dzeta(1)**2*h(1,j,3))
c##### &/(dzeta(1)*(dzeta(1)+dzeta(2))**2-(dzeta(1)+dzeta(2))*dzeta(1)**2)
c##### g2dotw=((dzeta(1)+dzeta(2))**2*h(2,j,2)-dzeta(1)**2*h(2,j,3))
c##### &/(dzeta(1)*(dzeta(1)+dzeta(2))**2-(dzeta(1)+dzeta(2))*dzeta(1)**2)
c##### if(j.eq.1.or.j.eq.jmax)g2dotw=0
c##### if(kaw.eq.1)twall(i,j)=td(j,1)
c##### if(mks.eq.1)rmyuw=47.88*(2.28d-8*(1.8*td(j,1))**1.5)
c##### &/(1.8*td(j,1)+198.6)
c##### if(mks.eq.0)rmyuw=(2.28d-8*(td(j,1))**1.5)/(td(j,1)+198.6)
c##### cfx(i,j)=2.*rmyuw*ue(i,j)*sqrt(ue(i,j)*roed(i,j))
c##### &/(rmyued(i,j)*s1(i,j))*f2dotw/(roed(i,j)*roero(j,1)*cavd(i,j)**2)
c##### cfy(i,j)=2.*rmyuw*vinf*sqrt(ue(i,j)*roed(i,j)/(rmyued(i,j)
c##### &*s1(i,j)))*g2dotw/(roed(i,j)*roero(j,1)*cavd(i,j)**2)
c##### a=1.
c##### cfx(i,j)=2.*rnuinf*sqrt(ue(i,j)/(rnuinf*s1(i,j)))*f2dotw
c##### &*cavd(i,j)*sqrt(vinf*a/rnuinf)/vinf**2
c##### cfy(i,j)=2.*rnuinf*sqrt(ue(i,j)/(rnuinf*s1(i,j)))*g2dotw
c##### &*sqrt(vinf*a/rnuinf)/vinf
c#####
c##### do 2650 k=1,kmax
c##### check=sqrt(ue(i,j)**2*h(1,j,k)**2+vinf**2*h(2,j,k)
c##### &**2+2.*ue(i,j)*vinf*h(1,j,k)*h(2,j,k)*costh(i,j))/cavd(i,j)
c##### if(j.eq.1.or.j.eq.jmax)check=h(1,j,k)
c##### if(check.ge.bltk)then
c##### check1=sqrt(ue(i,j)**2*h(1,j,k-1)**2+vinf**2
c##### &*h(2,j,k-1)**2+2.*ue(i,j)*vinf*h(1,j,k-1)*h(2,j,k-1)*costh(i,j))
c##### &/cavd(i,j)
c##### if(j.eq.1.or.j.eq.jmax)check1=h(1,j,k-1)
c##### kmm=k
c##### go to 2655
c##### endif
2650 continue
2655 zact(j,1)=0
do 2660 k=1,kmax-1
zact(j,k+1)=zact(j,k)+0.5*(roero(j,k)
&+roero(j,k+1))*sqrt(rmyued(i,j)*s1(i,j)/(roed(i,j)*ue(i,j)))
&*dzeta(k)
2660 continue
blth(i,j)=zact(j,kmm-1)+(zact(j,kmm)-zact(j,kmm-1))
& *(bltk-check1)/(check-check1)

sinth=sqrt(1.-costh(i,j)**2)
vedge=sqrt(ue(i,j)**2+ve(i,j)**2+2.*ue(i,j)*ve(i,j)*costh(i,j))
gammae=asin(ve(i,j)*sinth/vedge)
vmax(i,j)=0.
do 2120 k=2,kmax-1
vins=sqrt((ue(i,j)*h(1,j,k))**2+(vinf*h(2,j,k))**2+2.*ue(i,j)
&*h(1,j,k)*vinf*h(2,j,k)*costh(i,j))
gammai=asin(vinf*h(2,j,k)*sinth/vins)

```

```

        if(vmax(i,j).lt.abs(vins*sin(gammai-gammae)))vmax(i,j)=abs(vins
&*sin(gammai-gammae))
2120    continue
        if(j.eq.1.or.j.eq.jmax)vmax(i,j)=0.

        vk=sqrt((ue(i,j)*h(1,j,2))**2+(vinf*h(2,j,2))**2+2.*ue(i,j)
&*h(1,j,2)*vinf*h(2,j,2)*csth(i,j))
        if(j.eq.1.or.j.eq.jmax)vk=ue(i,j)*h(1,j,2)
        dspth(i,j)=0.5*(2.-vk/(cavd(i,j)*roero(j,2)))*zact(j,2)
        thmom(i,j)=0.5*(vk/(cavd(i,j)*roero(j,2)))
&*(1.-vk/cavd(i,j))*zact(j,2)
        do 2680 k=2,kmax-1
        vk=sqrt((ue(i,j)*h(1,j,k))**2+(vinf*h(2,j,k))**2+2.*ue(i,j)
&*h(1,j,k)*vinf*h(2,j,k)*csth(i,j))
        if(j.eq.1.or.j.eq.jmax)vk=ue(i,j)*h(1,j,k)
        vkp1=sqrt((ue(i,j)*h(1,j,k+1))**2+(vinf*h(2,j,k+1))**2+2.
&*ue(i,j)*h(1,j,k+1)*vinf*h(2,j,k+1)*csth(i,j))
        if(j.eq.1.or.j.eq.jmax)vkp1=ue(i,j)*h(1,j,k+1)
        dspth(i,j)=dspth(i,j)+0.5*(2.-vk/(cavd(i,j)
&*roero(j,k))-vkp1/(cavd(i,j)*roero(j,k+1)))*(zact(j,k+1)
&-zact(j,k))
        thmom(i,j)=thmom(i,j)+0.5*((vk/(cavd(i,j)
&*roero(j,k)))*(1.-vk/cavd(i,j))+ (vkp1/(cavd(i,j)*roero(j,k+1)))
&*(1.-vkp1/cavd(i,j)))*(zact(j,k+1)-zact(j,k))

        xki(i,j)=roed(i,j)*vmax(i,j)*blth(i,j)/rmyued(i,j)
        dtdzetw=((dzeta(1)**2-(dzeta(1)+dzeta(2))**2)*td(j,1)
&+(dzeta(1)+dzeta(2))**2*td(j,2)-dzeta(1)**2*td(j,3))
&/(dzeta(1)*(dzeta(1)+dzeta(2))**2-(dzeta(1)+dzeta(2))*dzeta(1)**2)
        qw(i,j)=cp*rmyuw*dtdzetw*sqrt(roed(i,j)*ue(i,j)/rmyued(i,j))
&/(pr*roero(j,1))

2680    continue
    return
end

```

```

c#####
c# subroutine coefbody
c#####
c include 'comblk'
c#####

do 50 j=1,jmax
  teh=0.5*(te(i-1,j)+te(i,j))
  peh=0.5*(pe(i-1,j)+pe(i,j))
  if(mks.eq.1) rmyueh(j)=47.88*(2.28d-8*(1.8*teh)**1.5)
& /(1.8*teh+198.6)
  if(mks.eq.0) rmyueh(j)=(2.28d-8*(teh)**1.5)/(teh+198.6)
  roeh(j)=peh/(rr*teh)
50 continue

do 100 j=1,jmax
  dueds=(ue(i,j)-ue(i-1,j))/(s1(i,j)-s1(i-1,j))
  duedsd(i,j)=dueds
  dh2ds=(h2(i,j)-h2(i-1,j))/(s1(i,j)-s1(i-1,j))
  ups=(ue(i,j)+ue(i-1,j))/2.
  vps=(ve(i,j)+ve(i-1,j))/2.
  h1ps=h1(i,j)
  h2ps=(h2(i-1,j)+h2(i,j))/2.
c      if(i.ge.166) write(1,*)' i=',i,' j=',j,' ups=',ups,' vps=',vps
c      &,'h1ps=',h1ps,' h2ps=',h2ps,' h2(i,j)=',h2(i,j),' h2(i-1,j)=',h2(
c      &i-1,j),' s1(i,j)=',s1(i,j),' s1(i-1,j)=',s1(i-1,j),' ue(i,j)='
c      &,' ue(i-1,j)=',ue(i-1,j)
c      &,' dueds=',dueds,' dh2ds=',dh2ds,' cavad=',cavad(i,j),' cos='
c      &,' costh(i,j)'

      if(j.eq.1.or.j.eq.jmax) go to 10
      dh1dy=((dy(j-1)/dy(j))*(h1(i,j+1)-h1(i,j))+(dy(j)/dy(j-1))
      &*(h1(i,j)-h1(i,j-1)))/(dy(j)+dy(j-1))
      dh2dy=((dy(j-1)/dy(j))*(h2(i,j+1)-h2(i,j))+(dy(j)/dy(j-1))
      &*(h2(i,j)-h2(i,j-1)))/(dy(j)+dy(j-1))
      dcosds=(costh(i,j)-costh(i-1,j))/(s1(i,j)-s1(i-1,j))
      dcosdy=((dy(j-1)/dy(j))*(costh(i,j+1)-costh(i,j))+(dy(j)/dy(j-1))
      &*(costh(i,j)-costh(i,j-1)))/(dy(j)+dy(j-1))
      sinth=sqrt(1-costh(i,j)**2)
      cotth=costh(i,j)/sinth
      ck2=(h1(i,j+1)*costh(i,j+1)-h1(i,j-1)*costh(i,j-1))
      &/((dy(j)+dy(j-1))*h1ps*h2ps*sinth)-dh2ds/(h2ps*sinth)
      ck1=(h2(i,j)*costh(i,j)-h2(i-1,j)*costh(i-1,j))/(h2ps*sinth
      &*(s1(i,j)-s1(i-1,j))-dh1dy/(h1ps*h2ps*sinth)
      ck12=(-ck1+dcosds/sinth+costh(i,j)*(ck2-dcosdy/(h2ps*sinth)))
      &/sinth
      ck21=((1.+costh(i,j)**2)*dh2ds-2.*costh(i,j)*dh1dy/h1ps)
      &/(h2ps*sinth**2)
      sinth1=sqrt(1.-costh(i-1,j)**2)
      m1(j)=0.5*(1.+s1h(i,j)*dueds/ups)+s1h(i,j)*(h2(i,j)*sinth
      &*sqrt(roed(i,j)*rmyued(i,j))-h2(i-1,j)*sinth1*sqrt(roed(i-1,j)
      &*rmyued(i-1,j)))/(dx*h1ps*h2ps*sinth*sqrt(roeh(j)*rmyueh(j)))

      m2(j)=s1h(i,j)*dueds/ups-s1h(i,j)*ck1*cotth
      m3(j)=-s1h(i,j)*cotth*ck2*vinf/ups
      m4(j)=s1h(i,j)*ck21
      duedyd(i,j)=((dy(j-1)/dy(j))*(ue(i,j+1)-ue(i,j))+(dy(j)/dy(j-1)))

```

```

&*(ue(i,j)-ue(i,j-1))/(dy(j)+dy(j-1))
m5(j)=s1h(i,j)*vinf*duedyd(i,j)/(h2ps*ups**2)
&+ck12*s1h(i,j)*vinf/ups
sinp1=sqrt(1.-cosh(i,j+1)**2)
sinml=sqrt(1.-cosh(i,j-1)**2)
dp1=sqrt(roeh(j+1)*rmyueh(j+1)*ue(i,j+1)
& *s1h(i,j+1))*h1(i,j+1)*sinp1*vinf/ue(i,j+1)
dp0=sqrt(roeh(j)*rmyueh(j)*ue(i,j)
& *s1h(i,j))*h1(i,j)*sinth*vinf/ue(i,j)
dml=sqrt(roeh(j-1)*rmyueh(j-1)*ue(i,j-1)
& *s1h(i,j-1))*h1(i,j-1)*sinml*vinf/ue(i,j-1)
drmdy=((dy(j-1)/dy(j))*(dp1-dp0)+(dy(j)/dy(j-1))
&*(dp0-dml))/(dy(j)+dy(j-1))
m6(j)=drmdy*s1h(i,j)/(h1ps*h2ps*sinth)
&*sqrt(roeh(j)*rmyueh(j)*ups*s1h(i,j)))
m7(j)=s1h(i,j)*vinf/(h2ps*ups)
m8(j)=s1h(i,j)*ck2*vinf**2/(ups**2*sinth)
m9(j)=s1h(i,j)*ck1*ups/(vinf*sinth)
m10(j)=s1h(i,j)/h1ps
m11(j)=s1h(i,j)*dueds/ups+s1h(i,j)*vps*duedyd(i,j)
&/(h2ps*ups**2)
&-s1h(i,j)*cotth*ck1+s1h(i,j)*ck2*vps**2/(ups**2*sinth)
&+s1h(i,j)*ck12*vps/ups
dveds=(ve(i,j)-ve(i-1,j))/(s1(i,j)-s1(i-1,j))
dvedy=((dy(j-1)/dy(j))*(ve(i,j+1)-ve(i,j))+(dy(j)/dy(j-1))
&*(ve(i,j)-ve(i,j-1))/(dy(j)+dy(j-1))
m12(j)=s1h(i,j)*dveds/vinf+s1h(i,j)*vps*dvedy/(ups
&*vinf*h2ps)+s1h(i,j)*(-cotth*ck2*vps**2+ck1*ups**2*sinth
&+ck21*ups*vps)/(ups*vinf)
m13(j)=roww(i,j)*sqrt(roed(i,j)*ue(i,j)*s1(i,j)/rmyued(i,j))
&/(roed(i,j)*ue(i,j))
c      if(i.ge.166)write(1,117)i,j,m1(j),m2(j),m3(j),m4(j),m5(j)
c      &,m6(j),m7(j),m8(j),m9(j),m10(j),m11(j),m12(j)
117   format(//,2x,' i=',i3,' j=',i2,' m1=',d9.3,5x,' m2=',d9.3,5x
&,' m3=',d9.3,5x,' m4=',d11.5,
&/,5x,'m5=',d9.3,5x,'m6=',d9.3,5x,'m7=',d9.3,5x,'m8=',d9.3,/
&5x,'m9=',d9.3,5x,'m10=',d9.3,4x,'m11=',d9.3,4x,'m12=',d9.3,/)
go to 100

10    m1(j)=0.5*(1.+s1h(i,j)*dueds/ups)+s1h(i,j)*(h2(i,j)
&*sqrt(roed(i,j)*rmyued(i,j))-h2(i-1,j)*sqrt(roed(i-1,j))
&*rmyued(i-1,j)))/(dx*h1ps*h2ps*sqrt(roeh(j)*rmyueh(j)))
m2(j)=s1h(i,j)*dueds/ups
m3(j)=s1h(i,j)*vinf/(h2ps*ups)
m4(j)=s1h(i,j)*dh2ds/h2ps
m5(j)=0
m6(j)=m3(j)
m7(j)=0
m8(j)=0

if(j.eq.1)then
dvedy=(ve(i,j+1)-ve(i,j))/dy(j)
dvedyl=(ve(i-1,j+1)-ve(i-1,j))/dy(j)
dh1dy=(h1(i,j+1)-h1(i,j))/dy(j)
dh2dy=(h2(i,j+1)-h2(i,j))/dy(j)
dcosdy=(cosh(i,j+1)-cosh(i,j))/dy(j)
dcosdyl=(cosh(i-1,j+1)-cosh(i-1,j))/dy(j)
dcosdys=(dcosdy-dcosdyl)/(s1(i,j)-s1(i-1,j))
dk1dy=-2.*((h1(i,2)-h1(i,1))/(h1ps*h2ps*dy(1)**2)

```

```

&+dh2ds*dcosdy/h2ps+dcosdys
go to 30
endif

if(j.eq.jmax)then
dvedy=(ve(i,j)-ve(i,j-1))/dy(j-1)
dvedy1=(ve(i-1,j)-ve(i-1,j-1))/dy(j-1)
dh1dy=(h1(i,j)-h1(i,j-1))/dy(j-1)
dh2dy=(h2(i,j)-h2(i,j-1))/dy(j-1)
dcosdy=(cosh(i,j)-cosh(i,j-1))/dy(j-1)
dcosdy1=(cosh(i-1,j)-cosh(i-1,j-1))/dy(j-1)
dcosdys=(dcosdy-dcosdy1)/(s1(i,j)-s1(i-1,j))
dk1dy=-2.* (h1(i,jmax-1)-h1(i,jmax))/(h1ps*h2ps*dy(jmax-1)**2)
&+dh2ds*dcosdy/h2ps+dcosdys
endif

30   m9(j)=s1h(i,j)*ups*dk1dy/vinf
m10(j)=s1h(i,j)/h1ps
m11(j)=m2(j)
dveyds=(dvedy-dvedy1)/(s1(i,j)-s1(i-1,j))
m12(j)=s1h(i,j)*dveyds/vinf+s1h(i,j)*dvedy**2/(vinf*ups*h2ps)
& +s1h(i,j)*dh2ds*dvedy/(vinf*h2ps)+s1h(i,j)*ups*dk1dy/vinf
m13(j)=roww(i,j)*sqrt(roed(i,j)*ue(i,j)*s1(i,j)/rmyued(i,j))
&/(roed(i,j)*ue(i,j))

if(dy(1).eq.0)m9(j)=0.
if(dy(1).eq.0)m12(j)=0.

c      if(i.ge.166)write(1,117)i,j,m1(j),m2(j),m3(j),m4(j),m5(j),m6(j)
c      &,m7(j),m8(j),m9(j),m10(j),m11(j),m12(j)

100  continue

      return
end

```

```

c#####
c##### subroutine coefcon
c#####
c##### include 'comblk'
c#####

      thetaco=atan(-zpd(1,1)/xpd(1,1))
      do 10 j=1,jmax
      if(j.eq.1.or.j.eq.jmax)go to 20
      m1(j)=1.5
      m2(j)=0.
      m3(j)=0.
      dvedy=(ve(1,j+1)-ve(1,j-1))/(2.*dy(j-1))
      duedy=(ue(1,j+1)-ue(1,j-1))/(2.*dy(j-1))
      m4(j)=1.0
      m5(j)=vinf*ve(1,j)/ue(1,j)**2
      dromyu=(roed(1,j+1)*rmyued(1,j+1)-roed(1,j-1)
      &*rmyued(1,j-1))/(2.*dy(j-1))
      m6(j)=-0.5*vinf*ve(1,j)/ue(1,j)**2
      &+0.5*vinf*dromyu/(sin(thetaco)*ue(1,j)*roed(1,j)*rmyued(1,j))
      m7(j)=vinf/(ue(1,j)*sin(thetaco))
      m8(j)=- (vinf/ue(1,j))**2
      m9(j)=0.
      m10(j)=0.
      m11(j)=0.
      m12(j)=ve(1,j)/vinf+ve(1,j)*dvedy
      &/(ue(1,j)*vinf*sin(thetaco))

c      write(1,117)i,j,m1(j),m2(j),m3(j),m4(j),m5(j),m6(j)
c      &,m7(j),m8(j),m9(j),m10(j),m11(j),m12(j)
c 117    format(//,2x,' i=',i3,' j=',i2,' m1=',d9.3,5x,' m2=',d9.3,5x
c      &,' m3=',d9.3,5x,' m4=',d11.5,
c      &/,5x,'m5=',d9.3,5x,'m6=',d9.3,5x,'m7=',d9.3,5x,'m8=',d9.3,/
c      &5x,'m9=',d9.3,5x,'m10=',d9.3,4x,'m11=',d9.3,4x,'m12=',d9.3,/)
c

      go to 10

20      m1(j)=1.5
      m2(j)=0.
      m3(j)=vinf/(ue(1,1)*sin(thetaco))
      if(j.eq.1)dvedy=ve(1,2)/dy(1)
      if(j.eq.jmax)dvedy=-ve(1,jmax-1)/dy(jmax-1)
      m4(j)=1.0
      m5(j)=0.
      m6(j)=m3(j)
      m7(j)=0.
      m8(j)=0.
      m9(j)=0.
      m10(j)=0.
      m11(j)=0.
      m12(j)=dvedy**2/(ue(1,1)*vinf*sin(thetaco))+dvedy/vinf
c      write(1,117)i,j,m1(j),m2(j),m3(j),m4(j),m5(j),m6(j)
c      &,m7(j),m8(j),m9(j),m10(j),m11(j),m12(j)
10      continue

      return
      end

```

```

c#####
      subroutine coefstrm
c#####
      include 'comblk'
      do 50 j=1,jmax
      teh=0.5*(te(i-1,j)+te(i,j))
      peh=0.5*(pe(i-1,j)+pe(i,j))
      if(mks.eq.1) rmyueh(j)=47.88*(2.28d-8*(1.8*teh)**1.5)
      /(1.8*teh+198.6)
      if(mks.eq.0) rmyueh(j)=(2.28d-8*(teh)**1.5)/(teh+198.6)
      roeh(j)=peh/(rr*teh)
50    continue
      do 100 j=1,jmax
      dueds=(cavd(i,j)-cavd(i-1,j))/(s1(i,j)-s1(i-1,j))
      duedsd(i,j)=dueds
      dh2ds=(h2(i,j)-h2(i-1,j))/(s1(i,j)-s1(i-1,j))
      cav1=(cavd(i,j)+cavd(i-1,j))/2.
      h2ps=(h2(i,j)+h2(i-1,j))/2.
      if(j.eq.1.or.j.eq.jmax) go to 40
      dueydy(i,j)=((dy(j-1)
      &/dy(j))* (cavd(i,j+1)-cavd(i,j))+(dy(j)/dy(j-1))
      &*(cavd(i,j)-cavd(i,j-1)))/(dy(j)+dy(j-1))
40    continue
      if(j.eq.1)then
      dk1dy=2.* (cavd(i,2)-cavd(i,1))/(h2ps*cav1*dy(1)**2)
      if(jmax.ge.90)dk1dy=2.* (cavd(i,6)-cavd(i,1))/(h2ps*cav1
      &*25.*dy(1)**2)
      endif
      if(j.eq.jmax)then
      dk1dy=2.* (cavd(i,jmax-1)-cavd(i,jmax))/(h2ps*cav1
      &*dy(jmax-1)**2)
      if(jmax.ge.90)dk1dy=2.* (cavd(i,jmax-5)-cavd(i,jmax))/(h2ps*cav1
      &*25.*dy(jmax-1)**2)
      endif
4334    if(j.eq.1.or.j.eq.jmax) go to 8000
      m1(j)=0.5*(1.+s1h(i,j)*dueds/cav1)+s1h(i,j)*cav1*(h2(i,j)
      &*sqrt(roed(i,j)*rmyued(i,j))-h2(i-1,j)*sqrt(roed(i-1,j)
      &*rmyued(i-1,j)))/(dx*vinf*h2ps*sqrt(roeh(j)*rmyueh(j)))
      m2(j)=s1h(i,j)*dueds/cav1
      m3(j)=0
      m4(j)=s1h(i,j)*dh2ds/h2ps
      m5(j)=0
      m6(j)=s1h(i,j)*cav1*((sqrt(roeh(j+1)*rmyueh(j+1)*cavd(i,j+1)
      &*s1h(i,j+1))* (vinf/cavd(i,j+1))**2-sqrt(roeh(j)
      &*rmyueh(j)*cavd(i,j)*s1h(i,j))* (vinf/cavd(i,j))**2)*dy(j-1)/dy(j)
      &+(sqrt(roeh(j)*rmyueh(j)*cavd(i,j)*s1h(i,j))* (vinf/cavd(i,j))**2
      &-sqrt(roeh(j-1)*rmyueh(j-1)*cavd(i,j-1)*s1h(i,j-1))* (vinf
      &/cavd(i,j-1))**2)*dy(j)/dy(j-1)/((dy(j)+dy(j-1))*vinf*h2ps
      &*sqrt(roeh(j)*rmyueh(j)*cav1*s1h(i,j)))
      m7(j)=s1h(i,j)*vinf/(h2ps*cav1)
      m8(j)=-s1h(i,j)*dh2ds*vinf**2/(h2ps*cav1**2)

```

```

      m9(j)=s1h(i,j)*((dy(j-1)/dy(j))
      &*(cavd(i,j+1)-cavd(i,j))+(dy(j)/dy(j-1))
      &*(cavd(i,j)-cavd(i,j-1)))/((dy(j)+dy(j-1))*vinf*h2ps)
      m10(j)=s1h(i,j)*cav1/vinf
      m11(j)=m2(j)
      m12(j)=m9(j)
      m13(j)=roww(i,j)*sqrt(roed(i,j)*cavd(i,j)*s1(i,j)/rmyued(i,j))
      &/(roed(i,j)*cavd(i,j))

c      if(i.ge.99)  write(1,117)i,j,m1(j),m2(j),m3(j),m4(j),m5(j),m6(j)
c      &,m7(j),m8(j),m9(j),m10(j),m11(j),m12(j)
117    format(//,2x,' i=',i3,' j=',i2,' m1=',d9.3,5x,' m2=',d9.3,5x
      &,' m3=',d9.3,5x,' m4=',d11.5,
      &/,5x,' m5=',d9.3,5x,' m6=',d9.3,5x,' m7=',d9.3,5x,' m8=',d9.3,/
      &5x,' m9=',d9.3,5x,' m10=',d9.3,4x,' m11=',d9.3,4x,' m12=',d9.3,/)
      go to 100

8000  m1(j)=0.5*(1.+s1h(i,j)*dueds/cav1)+s1h(i,j)*cav1*(h2(i,j)
      &*sqrt(roed(i,j)*rmyued(i,j))-h2(i-1,j)*sqrt(roed(i-1,j)
      &*rmyued(i-1,j)))/(dx*vinf*h2ps*sqrt(roeh(j)*rmyueh(j)))
      m2(j)=s1h(i,j)*dueds/cav1
      m3(j)=s1h(i,j)*vinf/(h2ps*cav1)
      m4(j)=s1h(i,j)*dh2ds/h2ps
      m5(j)=0
      m6(j)=m3(j)
      m7(j)=0
      m8(j)=0
      m9(j)=s1h(i,j)*dkldy*cav1/vinf
      m10(j)=s1h(i,j)*cav1/vinf
      m11(j)=m2(j)
      m12(j)=m9(j)
      m13(j)=roww(i,j)*sqrt(roed(i,j)*cavd(i,j)*s1(i,j)/rmyued(i,j))
      &/(roed(i,j)*cavd(i,j))

c      if(i.ge.99)  write(1,117)i,j,m1(j),m2(j),m3(j),m4(j),m5(j),m6(j)
c      &,m7(j),m8(j),m9(j),m10(j),m11(j),m12(j)

100   continue
      return
      end

```

```

c#####
c
c      subroutine conoff
c#####
c
c      include 'comblk'
c-----
c
c      cone off the line of symmetry solution
c
c      (blottner's iterative method is used)
c
c-----
c
he=cp*te(1,j)+0.5*cavd(1,j)**2

4100   write(6,*)' j=',j,' kmax=',kmax,' zeta(kmax)=',zeta(kmax)

      do 1031 k=1,kmax
      h(1,j,k)=h(1,j-1,k)
      h(2,j,k)=h(2,j-1,k)
      hs(1,j,k)=hs(1,j-1,k)
      hs(2,j,k)=hs(2,j-1,k)
1031   continue

      it=0
      do 1123 k=1,kmax
      bc(j,k)=bc(j-1,k)
1123   roero(j,k)=roero(j-1,k)

1170   it=it+1
      if(it.gt.30)write(6,*)' iteration for conoff is gt.30',' j=',j
      if(it.gt.30)stop
      do 1110 k=2,kmax-1
      ai(1,k)=(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))
      &           *(dzeta(k)/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
      &           -(bc(j,k)+bc(j,k-1))/(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
      ai(2,k)=0
      ai(3,k)=0
      ai(4,k)=ai(1,k)

      ci(1,k)=-(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))
      &           *(dzeta(k-1)/dzeta(k))/(dzeta(k)+dzeta(k-1))
      &           -(bc(j,k)+bc(j,k+1))/(dzeta(k)*(dzeta(k)+dzeta(k-1)))
      ci(2,k)=0
      ci(3,k)=0
      ci(4,k)=ci(1,k)

      bi(1,k)=-(bc(j,k)+bc(j,k+1))/dzeta(k)+(bc(j,k)+bc(j,k-1))
      &           /dzeta(k-1)/(dzeta(k)+dzeta(k-1))
      &           +(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*(dzeta(k)-dzeta(k-1))
      &           /(dzeta(k)*dzeta(k-1))-m5(j)*h(2,j,k)-m7(j)*h(2,j,k)/dy(j-1)

      bi(2,k)=-m4(j)*h(2,j,k)
      bi(3,k)=-m5(j)*h(1,j,k)-2.*m8(j)*h(2,j,k)
      bi(4,k)=-(bc(j,k)+bc(j,k+1))/dzeta(k)+(bc(j,k)+bc(j,k-1))
      &           /dzeta(k-1)/(dzeta(k)+dzeta(k-1))
      &           +(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*(dzeta(k)-dzeta(k-1))
      &           /(dzeta(k)*dzeta(k-1))-m4(j)*h(1,j,k)-m7(j)*h(2,j,k)/dy(j-1)

```

```

      feta=((dzeta(k-1)/dzeta(k))*(h(1,j,k+1)-h(1,j,k))+(dzeta(k)
      &/dzeta(k-1))*(h(1,j,k)-h(1,j,k-1)))/(dzeta(k)+dzeta(k-1))
      geta=((dzeta(k-1)/dzeta(k))*(h(2,j,k+1)-h(2,j,k))+(dzeta(k)
      &/dzeta(k-1))*(h(2,j,k)-h(2,j,k-1)))/(dzeta(k)+dzeta(k-1))

      as(1,k)=m1(j)*feta
      as(2,k)=m1(j)*geta
      as(3,k)=m6(j)*feta+m7(j)*feta/dy(j-1)
      as(4,k)=m6(j)*geta+m7(j)*geta/dy(j-1)

      di(1,k)=(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*feta-m5(j)*h(1,j,k)
      &*h(2,j,k)-m8(j)*h(2,j,k)**2-m7(j)*h(2,j,k)*h(1,j-1,k)/dy(j-1)
      &+m7(j)*feta*hs(2,j-1,k)/dy(j-1)
      di(2,k)=(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*geta
      &-m4(j)*h(1,j,k)*h(2,j,k)-m12(j)*roero(j,k)
      &-m7(j)*h(2,j,k)*h(2,j-1,k)/dy(j-1)+m7(j)*geta*hs(2,j-1,k)/dy(j-1)

1110  continue

      do 1120 m=1,4
      e(m,kmax)=0
      es(m,kmax)=0
1120  continue
      ds(1,kmax)=1.0
      ds(2,kmax)=ve(1,j)/vinf
      do 1140 m=1,2
      hn(m,j,1)=0
      hsn(m,j,1)=0
1140  continue

      call ntrid

c      do 115 k=1,kmax
c      write(6,*)' it=',it,' k=',k,' hn1=',hn(1,j,k),'hn2=',hn(2,j,k)
c 115  continue

      isat=0

      do 1145 k=2,kmax-1
      er=(h(1,j,k)-hn(1,j,k))/h(1,j,k)
      if(abs(er)-1.d-5)1145,1145,1146
1145  continue

      isat=1

1146  do 1150 k=1,kmax
      do 1150 m=1,2
      h(m,j,k)=hn(m,j,k)
      hs(m,j,k)=hsn(m,j,k)
1150  continue

      do 1151 k=2,kmax-1
      bcom(k)=(bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      & -(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k))
      &/dy(j-1))
      &*dzeta(k)/(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
      dcom(k)=-(bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
      & -(bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      & +(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k))

```

```

&/dy(j-1)
&*dzeta(k)/(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
&-(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k))
&/dy(j-1)
&*dzeta(k-1)/(dzeta(k)*(dzeta(k)+dzeta(k-1)))
&-m7(j)*h(2,j,k)/dy(j-1)
acom(k)=(bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
&+(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k))
&/dy(j-1)
&*dzeta(k-1)/(dzeta(k)*(dzeta(k)+dzeta(k-1)))

feta=((dzeta(k-1)/dzeta(k))*(h(1,j,k+1)-h(1,j,k))+(dzeta(k)
&/dzeta(k-1))* (h(1,j,k)-h(1,j,k-1)))/(dzeta(k)+dzeta(k-1))
geta=((dzeta(k-1)/dzeta(k))*(h(2,j,k+1)-h(2,j,k))+(dzeta(k)
&/dzeta(k-1))* (h(2,j,k)-h(2,j,k-1)))/(dzeta(k)+dzeta(k-1))
cfeta=h(1,j,k)*feta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
&+bc(j,k)*feta**2+bc(j,k)*h(1,j,k)*2.*((h(1,j,k+1)-h(1,j,k))/dzeta
&(k)-(h(1,j,k)-h(1,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
cgeta=h(2,j,k)*geta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
&+bc(j,k)*geta**2+bc(j,k)*h(2,j,k)*2.*((h(2,j,k+1)-h(2,j,k))/dzeta
&(k)-(h(2,j,k)-h(2,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
ccom(k)=-ue(1,j)**2*(1.-1./pr)*(cfeta+cgeta*(vinf/ue(1,j))**2)/he
&-m7(j)*h(2,j,k)*h(3,j-1,k)/dy(j-1)
1151 continue
ccom(kmax-1)=ccom(kmax-1)-acom(kmax-1)

if(kaw.eq.1)dcom(2)=dcom(2)-bcom(2)*(dzeta(1)+dzeta(2))**2
&/ (dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
if(kaw.eq.1)acom(2)=acom(2)+bcom(2)*dzeta(1)**2
&/ (dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
if(kaw.eq.0)ccom(2)=ccom(2)-bcom(2)*cp*twall(1,j)/(cp*te(1,j))
&+0.5*cavd(1,j)**2

call sy(2,kmax-1,bcom,dcom,acom,ccom)

2146 do 1152 k=2,kmax-1
1152 h(3,j,k)=ccom(k)
h(3,j,kmax)=1.

if(kaw.eq.1)h(3,j,1)=(dzeta(1)**2*h(3,j,3)-(dzeta(1)+dzeta(2))**2
&*h(3,j,2))/(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
if(kaw.eq.0)h(3,j,1)=cp*twall(1,j)/(cp*te(1,j)+0.5*cavd(1,j)**2)

do 1153 k=1,kmax
td(j,k)=(he*h(3,j,k)-0.5*(ue(1,j)*h(1,j,k)))**2
&-0.5*(vinf*h(2,j,k))**2/cp
if(td(j,k).le.0)then
  write(6,*)' td(j,k) is le. 0. at k=',k,' j=',j
  &,'he=',he,' h3=',h(3,j,k),' ue(1,j)=' ,ue(1,j), ' h1=',h(1,j,k)
  iend=1
  return
endif

roero(j,k)=td(j,k)/te(1,j)
if(mks.eq.1)bc(j,k)=(te(1,j)/td(j,k))*((1.8*td(j,k))**1.5)
&*(1.8*te(1,j)+198.6)/((1.8*td(j,k)+198.6)*((1.8*te(1,j))**1.5))
if(mks.eq.0)bc(j,k)=(te(1,j)/td(j,k))*(td(j,k)**1.5)*(te(1,j)
&+198.6)/((td(j,k)+198.6)*(te(1,j)**1.5))

```

```

1153 continue

if(isat.eq.1)go to 1160

go to 1170

1160 if(h(1,j,kmax-1).lt.ukmax1)then
  kmax=kmax+1
  h(1,j,kmax)=1.0
  h(2,j,kmax)=ve(1,j)/vinf
  h(3,j,kmax)=1.0
  hs(1,j,kmax)=hs(1,j,kmax-1)+(h(1,j,kmax)+h(1,j,kmax-1))
  &*dzeta(kmax-1)/2.
  hs(2,j,kmax)=hs(2,j,kmax-1)+(h(2,j,kmax)+h(2,j,kmax-1))
  &*dzeta(kmax-1)/2.
  roero(j,kmax)=1.0
  bc(j,kmax)=1.0
  h(1,j-1,kmax)=1.0
  h(2,j-1,kmax)=ve(1,j-1)/vinf
  h(3,j-1,kmax)=1.0
  hs(1,j-1,kmax)=hs(1,j-1,kmax-1)+(h(1,j-1,kmax)+h(1,j-1,kmax-1))
  &*dzeta(kmax-1)/2.
  hs(2,j-1,kmax)=hs(2,j-1,kmax-1)+(h(2,j-1,kmax)+h(2,j-1,kmax-1))
  &*dzeta(kmax-1)/2.
  roero(j-1,kmax)=1.0
  bc(j-1,kmax)=1.0
  go to 4100
endif

return
end

```

```

c#####
c
      subroutine conon
c#####
c
      include 'comblk'
c-----
c
c      cone on the line of symmetry solution
c
c      (blottner's iterative method is used)
c
c-----
c
      he=cp*te(1,j)+0.5*cavd(1,j)**2
c
4100     write(6,*)' j=',j,' kmax=',kmax,' zeta(kmax)=',zeta(kmax)
c
      do 1030 m=1,2
      h(m,j,1)=0
      hs(m,j,1)=0
1030   continue
      do 1031 k=2,kmax
      h(1,j,k)=1.
      if(j.eq.1)h(2,j,k)=ve(1,2)/(vinf*dy(1))
      if(j.eq.jmax)h(2,j,k)=-ve(1,jmax-1)/(vinf*dy(jmax-1))
      hs(1,j,k)=hs(1,j,k-1)+(h(1,j,k)+h(1,j,k-1))*dzeta(k-1)/2.
      hs(2,j,k)=hs(2,j,k-1)+(h(2,j,k)+h(2,j,k-1))*dzeta(k-1)/2.
1031   continue
c
      it=0
      do 1123 k=1,kmax
      bc(j,k)=1.
1123   roero(j,k)=1.
c
1170   it=it+1
      if(it.gt.30)write(6,*)' iteration in conon is gt.30',' j=',j
      if(it.gt.30)stop
      do 1110 k=2,kmax-1
      ai(1,k)=(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))
      &           *(dzeta(k)/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
      &           -(bc(j,k)+bc(j,k-1))/(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
      ai(2,k)=0
      ai(3,k)=0
      ai(4,k)=ai(1,k)
c
      ci(1,k)=-(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))
      &           *(dzeta(k-1)/dzeta(k))/(dzeta(k)+dzeta(k-1))
      &           -(bc(j,k)+bc(j,k+1))/(dzeta(k)*(dzeta(k)+dzeta(k-1)))
      ci(2,k)=0
      ci(3,k)=0
      ci(4,k)=ci(1,k)
c
      bi(1,k)=-(bc(j,k)+bc(j,k+1))/dzeta(k)+(bc(j,k)+bc(j,k-1))
      &           /dzeta(k-1)/(dzeta(k)+dzeta(k-1))
      &           +(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*(dzeta(k)-dzeta(k-1))
      &           /(dzeta(k)*dzeta(k-1))-m5(j)*h(2,j,k)-m7(j)*h(2,j,k)
c
      bi(2,k)=-m4(j)*h(2,j,k)
      bi(3,k)=-m5(j)*h(1,j,k)-2.*m8(j)*h(2,j,k)

```

```

      bi(4,k)=-((bc(j,k)+bc(j,k+1))/dzeta(k)+(bc(j,k)+bc(j,k-1))
&           /dzeta(k-1))/(dzeta(k)+dzeta(k-1))
&           +(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*(dzeta(k)-dzeta(k-1))
&           /(dzeta(k)*dzeta(k-1))-m4(j)*h(1,j,k)-m7(j)*h(2,j,k)
&           -2.*m3(j)*h(2,j,k)

      feta=((dzeta(k-1)/dzeta(k))*(h(1,j,k+1)-h(1,j,k))+(dzeta(k)
&/dzeta(k-1))* (h(1,j,k)-h(1,j,k-1)))/(dzeta(k)+dzeta(k-1))
      geta=((dzeta(k-1)/dzeta(k))*(h(2,j,k+1)-h(2,j,k))+(dzeta(k)
&/dzeta(k-1))* (h(2,j,k)-h(2,j,k-1)))/(dzeta(k)+dzeta(k-1))

      as(1,k)=m1(j)*feta
      as(2,k)=m1(j)*geta
      as(3,k)=m6(j)*feta+m7(j)*feta
      as(4,k)=m6(j)*geta+m7(j)*geta

      di(1,k)=(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*feta-m5(j)*h(1,j,k)
      &*h(2,j,k)-m8(j)*h(2,j,k)**2-m7(j)*h(2,j,k)*h(1,j-1,k)
      &+m7(j)*feta*hs(2,j-1,k)
      di(2,k)=(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*geta
      &-m4(j)*h(1,j,k)*h(2,j,k)-m12(j)*roero(j,k)
      &-m7(j)*h(2,j,k)*h(2,j-1,k)+m7(j)*geta*hs(2,j-1,k)
      &-m3(j)*h(2,j,k)**2

1110  continue

      do 1120 m=1,4
      e(m,kmax)=0
      es(m,kmax)=0
1120  continue
      ds(1,kmax)=1.0
      if(j.eq.1)ds(2,kmax)=ve(1,2)/(vinf*dy(1))
      if(j.eq.jmax)ds(2,kmax)=-ve(1,jmax-1)/(vinf*dy(jmax-1))
      do 1140 m=1,2
      hn(m,j,1)=0
      hsn(m,j,1)=0
1140  continue

      call ntrid

      isat=0

      do 1145 k=2,kmax-1
      er=(h(1,j,k)-hn(1,j,k))/h(1,j,k)
      if(abs(er)-1.d-4)1145,1145,1146
1145  continue

      isat=1

1146  do 1150 k=1,kmax
      do 1150 m=1,2
      h(m,j,k)=hn(m,j,k)
      hs(m,j,k)=hsn(m,j,k)
1150  continue

      do 1151 k=2,kmax-1
      bcom(k)=(bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      & -(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k)))
      &*dzeta(k)/(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
      dcom(k)=-(bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))

```

```

& -(bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
& +(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k)))
& *dzeta(k)/(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
& -(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k)))
& *dzeta(k-1)/(dzeta(k)*(dzeta(k)+dzeta(k-1)))
& -m7(j)*h(2,j,k)
    acom(k)=(bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
& +(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k)+m7(j)*(hs(2,j,k)-hs(2,j-1,k)))
& *dzeta(k-1)/(dzeta(k)*(dzeta(k)+dzeta(k-1)))

    feta=((dzeta(k-1)/dzeta(k))*(h(1,j,k+1)-h(1,j,k))+(dzeta(k)
&/dzeta(k-1))*(h(1,j,k)-h(1,j,k-1)))/(dzeta(k)+dzeta(k-1))
    geta=((dzeta(k-1)/dzeta(k))*(h(2,j,k+1)-h(2,j,k))+(dzeta(k)
&/dzeta(k-1))*(h(2,j,k)-h(2,j,k-1)))/(dzeta(k)+dzeta(k-1))
    cfeta=h(1,j,k)*feta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
& +bc(j,k)*feta**2+bc(j,k)*h(1,j,k)*2.*((h(1,j,k+1)-h(1,j,k))/dzeta
&(k)-(h(1,j,k)-h(1,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
    cgeta=h(2,j,k)*geta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
& +bc(j,k)*geta**2+bc(j,k)*h(2,j,k)*2.*((h(2,j,k+1)-h(2,j,k))/dzeta
&(k)-(h(2,j,k)-h(2,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
    ccom(k)=-ue(1,j)**2*(1.-1./pr)*cfeta/he
& -m7(j)*h(2,j,k)*h(3,j-1,k)

1151 continue
ccom(kmax-1)=ccom(kmax-1)-acom(kmax-1)

    if(kaw.eq.1)dcom(2)=dcom(2)-bcom(2)*(dzeta(1)+dzeta(2))**2
& /(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
    if(kaw.eq.1)acom(2)=acom(2)+bcom(2)*dzeta(1)**2
& /(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
    if(kaw.eq.0)ccom(2)=ccom(2)-bcom(2)*cp*twall(1,j)/(cp*te(1,j)
& +0.5*ue(1,j)**2)
    call sy(2,kmax-1,bcom,dcom,acom,ccom)

    do 1152 k=2,kmax-1
1152 h(3,j,k)=ccom(k)
h(3,j,kmax)=1.

    if(kaw.eq.1)h(3,j,1)=(dzeta(1)**2*h(3,j,3)-(dzeta(1)+dzeta(2))**2
& *h(3,j,2))/(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
    if(kaw.eq.0)h(3,j,1)=cp*twall(1,j)/(cp*te(1,j)+0.5*cavd(1,j)**2)
    do 1153 k=1,kmax
    td(j,k)=(he*h(3,j,k)-0.5*(cavd(1,j)*h(1,j,k))**2)/cp

    if(td(j,k).lt.0)then
        write(6,'*')' td(j,k) is lt. 0. at k=',k,' j=',j
& , 'he=',he,' h3=',h(3,j,k), ' cavd(1,j)=' ,cavd(1,j), ' h1=' ,h(1,j,k)
        iend=1
        return
        endif

        roero(j,k)=td(j,k)/te(1,j)
        if(mks.eq.1)bc(j,k)=(te(1,j)/td(j,k))*((1.8*td(j,k))**1.5)
& *(1.8*te(1,j)+198.6)/((1.8*td(j,k)+198.6)*((1.8*te(1,j))**1.5))
        if(mks.eq.0)bc(j,k)=(te(1,j)/td(j,k))*(td(j,k)**1.5)*(te(1,j)
& +198.6)/((td(j,k)+198.6)*(te(1,j)**1.5))

1153 continue

    if(isat.eq.1)go to 1160

```

```

go to 1170

1160 if(h(1,j,kmax-1).lt.ukmax1)then
kmax=kmax+1
h(1,j,kmax)=1.0
h(2,j,kmax)=ve(1,2)/(vinf*dy(1))
if(j.eq.1)h(2,j,kmax)=ve(1,2)/(vinf*dy(1))
if(j.eq.jmax)h(2,j,kmax)=-ve(1,jmax-1)/(vinf*dy(jmax-1))
hs(1,j,kmax)=hs(1,j,kmax-1)+(h(1,j,kmax)+h(1,j,kmax-1))
&*dzeta(kmax-1)/2.
hs(2,j,kmax)=hs(2,j,kmax-1)+(h(2,j,kmax)+h(2,j,kmax-1))
&*dzeta(kmax-1)/2.
roero(j,kmax)=1.0
bc(j,kmax)=1.0
go to 4100
endif

return
end

```

```

c#####
      subroutine correct

c#####
      include 'comblk'

      do 1257 k=1,kmax
      b1(j,k)=bcb(j,k)
      b2(j,k)=0.
      b3(j,k)=0.
      b4(j,k)=bcb(j,k)
1257  continue

c-----
c      to calculate ak, bk, ck, ak, and dk
c-----

1256  do 5300 k=2,kmax-1

      de=dzeta(k)+dzeta(k-1)

      ai(1,k)=-0.5*(b1(j,k)+b1(j,k-1))/(de*dzeta(k-1))
      ai(2,k)=-0.5*(b2(j,k)+b2(j,k-1))/(de*dzeta(k-1))
      ai(3,k)=-0.5*(b3(j,k)+b3(j,k-1))/(de*dzeta(k-1))
      ai(4,k)=-0.5*(b4(j,k)+b4(j,k-1))/(de*dzeta(k-1))

      ci(1,k)=-0.5*(b1(j,k)+b1(j,k+1))/(de*dzeta(k))
      ci(2,k)=-0.5*(b2(j,k)+b2(j,k+1))/(de*dzeta(k))
      ci(3,k)=-0.5*(b3(j,k)+b3(j,k+1))/(de*dzeta(k))
      ci(4,k)=-0.5*(b4(j,k)+b4(j,k+1))/(de*dzeta(k))

      bi(1,k)=-0.5*((b1(j,k)+b1(j,k+1))/dzeta(k)+(b1(j,k)+b1(j,k-1))
      &/dzeta(k-1))/de-m10(j)*hb(1,j,k)/dx
      bi(2,k)=-0.5*((b2(j,k)+b2(j,k+1))/dzeta(k)+(b2(j,k)+b2(j,k-1))
      &/dzeta(k-1))/de
      bi(3,k)=-0.5*((b3(j,k)+b3(j,k+1))/dzeta(k)+(b3(j,k)+b3(j,k-1))
      &/dzeta(k-1))/de
      bi(4,k)=-0.5*((b4(j,k)+b4(j,k+1))/dzeta(k)+(b4(j,k)+b4(j,k-1))
      &/dzeta(k-1))/de-m10(j)*hb(1,j,k)/dx

      fbeta=(hb(1,j,k+1)-hb(1,j,k-1))/(dzeta(k)+dzeta(k-1))
      gbeta=(hb(2,j,k+1)-hb(2,j,k-1))/(dzeta(k)+dzeta(k-1))

      as(1,k)=m10(j)*fbeta/dx
      as(2,k)=m10(j)*gbeta/dx
      as(3,k)=0
      as(4,k)=0

      di(1,k)=(0.5*(b1(j,k)+b1(j,k+1))*(h(1,j,k)-h(1,j,k+1))
      &/dzeta(k)+0.5*(b1(j,k)+b1(j,k-1))*(h(1,j,k)-h(1,j,k-1))
      &/dzeta(k-1))/de+(0.5*(b3(j,k)+b3(j,k+1))*(h(2,j,k)-h(2,j,k+1))
      &/dzeta(k)+0.5*(b3(j,k)+b3(j,k-1))*(h(2,j,k)-h(2,j,k-1))
      &/dzeta(k-1))/de-m1(j)*hsb(1,j,k)*fbeta+m2(j)*hb(1,j,k)**2
      &+m5(j)*hb(1,j,k)*hb(2,j,k)-m6(j)*hsb(2,j,k)*fbeta
      &+m8(j)*hb(2,j,k)**2-m11(j)*roerob(j,k)
      &+m10(j)*hb(1,j,k)*(-h(1,j,k))/dx+m10(j)*hs(1,j,k)*fbeta/dx

```

```

&+m13(j)*fbeta
di(2,k)=(0.5*(b4(j,k)+b4(j,k+1))*(h(2,j,k)-h(2,j,k+1))
&/dzeta(k)+0.5*(b4(j,k)+b4(j,k-1))*(h(2,j,k)-h(2,j,k-1))
&/dzeta(k-1))/de+(0.5*(b2(j,k)+b2(j,k+1))*(h(1,j,k)-h(1,j,k+1))
&/dzeta(k)+0.5*(b2(j,k)+b2(j,k-1))*(h(1,j,k)-h(1,j,k-1))
&/dzeta(k-1))/de-m1(j)*hsb(1,j,k)*gbeta+m4(j)*hb(1,j,k)*hb(2,j,k)
&+m3(j)*hb(2,j,k)**2-m6(j)*hsb(2,j,k)*gbeta
&+m9(j)*hb(1,j,k)**2-m12(j)*roerob(j,k)+m10(j)*hb(1,j,k)*
&(-h(2,j,k))/dx+m10(j)*hs(1,j,k)*gbeta/dx+m13(j)*gbeta
if(j.eq.1.or.j.eq.jmax)go to 5300
db=dy(j)+dy(j-1)

if(j.eq.2)save(1,k)=hb(2,j-1,k)
if(j.eq.2)save(2,k)=hsb(2,j-1,k)
if(j.eq.jmax-1)save(3,k)=hb(2,j+1,k)
if(j.eq.jmax-1)save(4,k)=hsb(2,j+1,k)

if(j.eq.2)hb(2,j-1,k)=0
if(j.eq.2)hsb(2,j-1,k)=0
if(j.eq.jmax-1)hb(2,j+1,k)=0
if(j.eq.jmax-1)hsb(2,j+1,k)=0

fby=((dy(j-1)/dy(j))*(hb(1,j+1,k)-hb(1,j,k))
&+(dy(j)/dy(j-1))*(hb(1,j,k)-hb(1,j-1,k)))/db
sgby=((dy(j-1)/dy(j))*(hsb(2,j+1,k)-hsb(2,j,k)))
&+(dy(j)/dy(j-1))*(hsb(2,j,k)-hsb(2,j-1,k)))/db
gby=((dy(j-1)/dy(j))*(hb(2,j+1,k)-hb(2,j,k))
&+(dy(j)/dy(j-1))*(hb(2,j,k)-hb(2,j-1,k)))/db

if(kterm.eq.1.and.j.eq.jmaxt)then
fby=(3.*hb(1,j,k)-4.*hb(1,j-1,k)+hb(1,j-2,k))/(2.*dy(j-1))
gby=(3.*hb(2,j,k)-4.*hb(2,j-1,k)+hb(2,j-2,k))/(2.*dy(j-1))
sgby=(3.*hsb(2,j,k)-4.*hsb(2,j-1,k)+hsb(2,j-2,k))/(2.*dy(j-1))
endif

di(1,k)=di(1,k)
&+m7(j)*(hb(2,j,k)*fby-fbeta*sgby)
di(2,k)=di(2,k)
&+m7(j)*(hb(2,j,k)*gby-gbeta*sgby)

if(j.eq.2)hb(2,j-1,k)=save(1,k)
if(j.eq.2)hsb(2,j-1,k)=save(2,k)
if(j.eq.jmax-1)hb(2,j+1,k)=save(3,k)
if(j.eq.jmax-1)hsb(2,j+1,k)=save(4,k)

5300 continue

do 5320 m=1,4
e(m,kmax)=0
es(m,kmax)=0
5320 continue
ds(1,kmax)=1.0
ds(2,kmax)=ve(i,j)/vinf
if(j.eq.1)ds(2,kmax)=ve(i,2)/(vinf*dy(1))
if(j.eq.jmax)ds(2,kmax)=-ve(i,jmax-1)/(vinf*dy(jmax-1))

do 5340 m=1,2
hn(m,j,1)=0
hsn(m,j,1)=0
5340 continue

```

```
c-----  
c      To solve the block tridiagonal matrix equation, call ntrid  
c-----.  
  
call ntrid  
  
c      do 33 k=1,kmax  
c 33   write(6,*)'corr i,j,k=',i,j,k,'h1=',hn(1,j,k),'h2=',hn(2,j,k)  
  
return  
end
```

```
c#####
#####
```

```
    subroutine correng
```

```
c#####
#####
```

```
    include 'comblk'
```

```
    he=cp*te(i,j)+0.5*cavd(i,j)**2
```

```
    do 7151 k=2,kmax-1
```

```
      bcom(k)=0.5*(bcb(j,k)+bcb(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))
      & *dzeta(k-1))
      dcom(k)=-0.5*(bcb(j,k)+bcb(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))
      & *dzeta(k))
      & -0.5*(bcb(j,k)+bcb(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      & -m10(j)*hb(1,j,k)/dx
      acom(k)=0.5*(bcb(j,k)+bcb(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))
      & *dzeta(k))
      fbeta=((dzeta(k-1)/dzeta(k))*(hb(1,j,k+1)-hb(1,j,k))+(dzeta(k)
      &/dzeta(k-1))*(hb(1,j,k)-hb(1,j,k-1)))/(dzeta(k)+dzeta(k-1))
      gbeta=((dzeta(k-1)/dzeta(k))*(hb(2,j,k+1)-hb(2,j,k))+(dzeta(k)
      &/dzeta(k-1))*(hb(2,j,k)-hb(2,j,k-1)))/(dzeta(k)+dzeta(k-1))
      ebeta=((dzeta(k-1)/dzeta(k))*(hb(3,j,k+1)-hb(3,j,k))+(dzeta(k)
      &/dzeta(k-1))*(hb(3,j,k)-hb(3,j,k-1)))/(dzeta(k)+dzeta(k-1))
```

```
      if(j.eq.1.or.j.eq.jmax)then
```

```
        sgbry=0.
```

```
        eby=0.
```

```
        go to 322
```

```
      endif
```

```
      sgbry=((dy(j-1)/dy(j))*(hsb(2,j+1,k)-hsb(2,j,k))
      & +(dy(j)/dy(j-1))*(hsb(2,j,k)-hsb(2,j-1,k)))/(dy(j)+dy(j-1))
      if(j.eq.2)sgby=((dy(j-1)/dy(j))*(hsb(2,j+1,k)-hsb(2,j,k))
      & +(dy(j)/dy(j-1))*hsb(2,j,k))/(dy(j)+dy(j-1))
      if(j.eq.jmax-1)sgby=((dy(j-1)/dy(j))*(-hsb(2,j,k))
      & +(dy(j)/dy(j-1))*(hsb(2,j,k)-hsb(2,j-1,k)))/(dy(j)+dy(j-1))
      eby=((dy(j-1)/dy(j))*(hb(3,j+1,k)-hb(3,j,k))
      & +(dy(j)/dy(j-1))*(hb(3,j,k)-hb(3,j-1,k)))/(dy(j)+dy(j-1))
```

```
322    if(kterm.eq.1.and.j.eq.jmaxt)then
        sgbry=(3.*hsb(2,j,k)-4.*hsb(2,j-1,k)+hsb(2,j-2,k))/(2.*dy(j-1))
        eby=(3.*hb(3,j,k)-4.*hb(3,j-1,k)+hb(3,j-2,k))/(2.*dy(j-1))
        endif
```

```
        cfbeta=hb(1,j,k)*fbeta*(bcb(j,k+1)-bcb(j,k-1))/(dzeta(k)
        & +dzeta(k-1))+bcb(j,k)*fbeta**2+bcb(j,k)*hb(1,j,k)*2.
        & *((hb(1,j,k+1)-hb(1,j,k))/dzeta(k)-(hb(1,j,k)-hb(1,j,k-1))
        & /dzeta(k-1))/(dzeta(k)+dzeta(k-1))
        cgbeta=hb(2,j,k)*gbeta*(bcb(j,k+1)-bcb(j,k-1))/(dzeta(k)
        & +dzeta(k-1))+bcb(j,k)*gbeta**2+bcb(j,k)*hb(2,j,k)*2.
        & *((hb(2,j,k+1)-hb(2,j,k))/dzeta(k)-(hb(2,j,k)-hb(2,j,k-1))
        & /dzeta(k-1))/(dzeta(k)+dzeta(k-1))
        cfgb=hb(1,j,k)*gbeta*(bcb(j,k+1)-bcb(j,k-1))/(dzeta(k)
        & +dzeta(k-1))+bcb(j,k)*fbeta*gbeta+bcb(j,k)*hb(1,j,k)*2.
        & *((hb(2,j,k+1)-hb(2,j,k))/dzeta(k)-(hb(2,j,k)-hb(2,j,k-1))
        & /dzeta(k-1))/(dzeta(k)+dzeta(k-1))
        cgfb=hb(2,j,k)*fbeta*(bcb(j,k+1)-bcb(j,k-1))/(dzeta(k)
```

```

& +dzeta(k-1))+bcb(j,k)*fbeta*gbeta+bcb(j,k)*hb(2,j,k)**2.
&*((hb(1,j,k+1)-hb(1,j,k))/dzeta(k)-(hb(1,j,k)-hb(1,j,k-1))
&/dzeta(k-1))/(dzeta(k)+dzeta(k-1))

if(j.eq.1.or.j.eq.jmax)cgbeta=0.
if(j.eq.1.or.j.eq.jmax)cfgb=0.
if(j.eq.1.or.j.eq.jmax)cgbf=0.
ccom(k)=-0.5*(bcb(j,k)+bcb(j,k+1))*(h(3,j,k+1)
&-h(3,j,k))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
&+0.5*(bcb(j,k)+bcb(j,k-1))*(h(3,j,k)-h(3,j,k-1))
&/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
&-(m1(j)*hsb(1,j,k)+m6(j)*hsb(2,j,k))*ebeta
&-ue(i,j)**2*(1.-1./pr)*(cfbeta+(vinf/ue(i,j))**2*cgbeta+vinf
&*costh(i,j)*(cfgb+cgbf)/ue(i,j))/he
&-m10(j)*(hb(1,j,k)*h(3,j,k)-ebeta*(hs(1,j,k)-hsp(1,j,k)))/dx
&+m7(j)*(hb(2,j,k)*ebeta*sgby)+m13(j)*ebeta
c      write(1,*)"i,k,j=' ,i,k,j,'corr',cfbeta,cgbeta, cfgb,cgbf,ccom(k)
7151 continue
ccom(kmax-1)=ccom(kmax-1)-acom(kmax-1)
if(kaw.eq.1)dcom(2)=dcom(2)-bcom(2)*(dzeta(1)+dzeta(2))**2
&/(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)

c      for the exact adiabatic wall b.c.
if(kaw.eq.1)ccom(2)=ccom(2)-0.5*acom(2)*((dzeta(1)+dzeta(2))**2
&*(hb(1,j,2)**2*cavd(i,j)**2)-dzeta(1)**2*hb(1,j,3)**2
&*cavd(i,j)**2)/(he*(dzeta(1)**2-(dzeta(1)+dzeta(2))**2))

if(kaw.eq.1)acom(2)=acom(2)+bcom(2)*dzeta(1)**2/(dzeta(1)**2
&-(dzeta(1)+dzeta(2))**2)
if(kaw.eq.0)ccom(2)=ccom(2)-bcom(2)*cp*twall(i,j)/he

call sy(2,kmax-1,bcom,dcom,acom,ccom)

do 7152 k=2,kmax-1
h(3,j,k)=ccom(k)
7152 continue
h(3,j,kmax)=1.

if(kaw.eq.1)h(3,j,1)=(dzeta(1)**2*h(3,j,3)-(dzeta(1)+dzeta(2))**2
&*h(3,j,2))/(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
if(kaw.eq.0)h(3,j,1)=cp*twall(i,j)/he

c      do 33 k=1,kmax
c 33   write(6,*)"corr i,j,k=' ,i,j,k,'h3=' ,h(3,j,k)

do 7153 k=1,kmax
td(j,k)=(he*h(3,j,k)-0.5*((ue(i,j)
&*h(1,j,k))**2+(vinf*h(2,j,k))**2+2.*ue(i,j)*vinf*h(1,j,k)
&*h(2,j,k)*costh(i,j)))/cp
if(j.eq.1.or.j.eq.jmax)td(j,k)=(he*h(3,j,k)-0.5*(ue(i,j)
&*h(1,j,k))**2)/cp

if(td(j,k).lt.0)then
write(6,*)" td(j,k) is lt.0 at i=' ,i,' j=' ,j,' k=' ,k
iend=1
return
endif

7153 continue

```

```
do 7154 k=1,kmax
  roero(j,k)=td(j,k)/te(i,j)
  if(mks.eq.1)bc(j,k)=(te(i,j)/td(j,k))*((1.8*td(j,k))**1.5)
  &*(1.8*te(i,j)+198.6)/((1.8*td(j,k)+198.6)*((1.8*te(i,j))**1.5))
  if(mks.eq.0)bc(j,k)=(te(i,j)/td(j,k))*(td(j,k)**1.5)*(te(i,j)
  &+198.6)/((td(j,k)+198.6)*(te(i,j)**1.5))
7154  continue

  return
end
```

```

c#####
c
      subroutine inbub
c#####
c
      include 'comblk'
c
      to calculate initial velocity profile at i=1
c
      do 35 j=1,jmax
      xp=xpd(1,j)
      yp=ypd(1,j)
      zp=zpd(1,j)

      ystar=yp
      xstar=cos(theta)* (zp-zps)-sin(theta)* (xp-xps)

      if(j.eq.1.or.j.eq.jmax)go to 81
      do 8 k=1,kmax
      h(1,j,k)=(-astar*xstar*hn(1,1,k)*cos(yd(j))+bstar*ystar*hn(2,1,k)
      &*sin(yd(j)))/(-astar*xstar*cos(yd(j))+bstar*ystar*sin(yd(j)))
      h(2,j,k)=(astar*xstar*hn(1,1,k)*sin(yd(j))+bstar*ystar
      &*hn(2,1,k)*cos(yd(j)))/vinf
      hs(1,j,k)=(-astar*xstar*hsn(1,1,k)*cos(yd(j))+bstar*ystar
      &*hsn(2,1,k)*sin(yd(j)))
      &/(-astar*xstar*cos(yd(j))+bstar*ystar*sin(yd(j)))
      hs(2,j,k)=(astar*xstar*hsn(1,1,k)*sin(yd(j))+bstar*ystar
      &*hsn(2,1,k)*cos(yd(j)))/vinf
      8   continue
      go to 135

81    do 82 k=1,kmax
      h(1,j,k)=hn(1,1,k)
      hs(1,j,k)=hsn(1,1,k)
      h(2,j,k)=(-astar*abs(xstar)*hn(1,1,k)+bstar*h2(1,j)*hn(2,1,k))
      &/vinf
      hs(2,j,k)=(-astar*abs(xstar)*hsn(1,1,k)+bstar*h2(1,j)*hsn(2,1,k))
      &/vinf
      82  continue

135   do 140 k=1,kmax
      h(3,j,k)=h(3,1,k)
      he=cp*te(1,j)+0.5*cavd(1,j)**2
      td(j,k)=(he*h(3,j,k)-0.5*(cavd(1,j)*h(1,j,k))**2)/cp
      roero(j,k)=td(j,k)/te(1,j)
      if(mks.eq.1)bc(j,k)=(te(1,j)/td(j,k))*((1.8*td(j,k))**1.5)
      & *(1.8*te(1,j)+198.6)/((1.8*td(j,k)+198.6)*((1.8*te(1,j))**1.5))
      if(mks.eq.0)bc(j,k)=(te(1,j)/td(j,k))*(td(j,k)**1.5)*(te(1,j)
      & +198.6)/((td(j,k)+198.6)*(te(1,j)**1.5))

140   continue
35    continue
      return
      end

```

```

c#####
c##### subroutine inbus
c#####
c##### include 'comblk'
c      to calculate initial velocity profile at i=1
do 35 j=1,jmax
xp=xpd(1,j)
yp=ypd(1,j)
zp=zpd(1,j)

ystar=yp
xstar=cos(theta)* (zp-zps)-sin(theta)* (xp-xps)

if(j.eq.1.or.j.eq.jmax)go to 81
do 8 k=1,kmax
h(1,j,k)=(hn(1,1,k)+hn(2,1,k)*cstar**2*(ystar/xstar)**2)
&           /(1.+cstar**2*(ystar/xstar)**2)
hs(1,j,k)=(hsn(1,1,k)+hsn(2,1,k)*cstar**2*(ystar/xstar)**2)
&           /(1.+cstar**2*(ystar/xstar)**2)

h(2,j,k)=bstar*xstar*ystar*(hn(1,1,k)-hn(2,1,k))/(vinf
&           *sqrt(xstar**2+cstar**2*ystar**2))
hs(2,j,k)=bstar*xstar*ystar*(hsn(1,1,k)-hsn(2,1,k))
&           /(vinf*sqrt(xstar**2+cstar**2*ystar**2))
8   continue
go to 135

81   do 82 k=1,kmax
h(1,j,k)=hn(1,1,k)
hs(1,j,k)=hsn(1,1,k)
h(2,j,k)=h2(1,j)*bstar*(hn(2,1,k)-hn(1,1,k))/vinf
hs(2,j,k)=h2(1,j)*bstar*(hsn(2,1,k)-hsn(1,1,k))/vinf
82   continue

135  do 140 k=1,kmax
h(3,j,k)=h(3,1,k)
he=cp*te(1,j)+0.5*cavd(1,j)**2
td(j,k)=(he*h(3,j,k)-0.5*(cavd(1,j)*h(1,j,k))**2)/cp
roero(j,k)=td(j,k)/te(1,j)
if(mks.eq.1)bc(j,k)=(te(1,j)/td(j,k))*((1.8*td(j,k))**1.5)
& *(1.8*te(1,j)+198.6)/((1.8*td(j,k)+198.6)*((1.8*te(1,j))**1.5))
if(mks.eq.0)bc(j,k)=(te(1,j)/td(j,k))*(td(j,k)**1.5)*(te(1,j)
& +198.6)/((td(j,k)+198.6)*(te(1,j)**1.5))

140  continue
35   continue
      return
      end

```

```

c#####
c##### subroutine inpos
c#####
c##### include 'comblk'
c      to calculate initial velocity profile at i=1 based on the
c      streamline coordinate system
do 35 j=2,jmax-1
do 8 k=1,kmax
h1t=h(1,j,k)
hs1t=hs(1,j,k)
h2t=h(2,j,k)
hs2t=hs(2,j,k)
h(1,j,k)=(ue(1,j)**2*h1t+ve(1,j)*vinf*h2t)
&/(ue(1,j)**2+ve(1,j)**2)
hs(1,j,k)=(ue(1,j)**2*hs1t+ve(1,j)*vinf*hs2t)
&/(ue(1,j)**2+ve(1,j)**2)
h(2,j,k)=(ue(1,j)*vinf*h2t-ue(1,j)*ve(1,j)*h1t)
&/(vinf*sqrt(ue(1,j)**2+ve(1,j)**2))
hs(2,j,k)=(ue(1,j)*vinf*hs2t-ue(1,j)*ve(1,j)*hs1t)
&/(vinf*sqrt(ue(1,j)**2+ve(1,j)**2))
c      write(6,*)'inpos, j,k=',j,k,'h1=',h(1,j,k)
8      continue
35      continue
do 9 k=1,kmax
h(2,1,k)=h(2,2,k)/dy(1)
hs(2,1,k)=hs(2,2,k)/dy(1)
h(2,jmax,k)=h(2,jmax-1,k)/dy(jmax-1)
hs(2,jmax,k)=hs(2,jmax-1,k)/dy(jmax-1)
9      continue
return
end

```

```

c#####
c##### subroutine input
c#####
c##### include 'comblk'
c#####

mks=1

inc=0

kpoint=0

kbody=1

kcpgivn=1

kmax=16

kaw=1

krow=0

ksymstg=1

iw=80
ini=50
jni=1

gamma=1.4

if(mks.eq.0)rr=1716.
if(mks.eq.1)rr=287.

pr=0.72

rminf=0.3

pinf=101324

tinf=288.

ukmax1=0.9995

c      read the boundary-layer edge conditions from either BCC or SCC

if(kbody.eq.1)then

if(kpoint.eq.1.or.ksymstg.eq.1)go to 33

rewind 25
read(25,1112)xps,zps,thetar,astar,bstar,cstar
rewind 22
33   read(22,463)imax,jmax
      read(22,461)(xd(i),i=1,imax)

```

```

        read(22,461) (yd(j),j=1,jmax)
        do 60 i=1,imax
        do 60 j=1,jmax
        read(22,462)itr,itr,xpd(i,j),ypd(i,j),zpd(i,j),s1(i,j),ue(i,j)
        &,ve(i,j),h1(i,j),h2(i,j),costh(i,j),cpd(i,j)
60      continue
461      format(5(1x,e13.6))
462      format(2i4,5(1x,e13.6)/8x,5(1x,e13.6))
463      format(2i10)

        go to 1115
        endif

        if(kbody.eq.0)then
        rewind 25
        read(25,1112)xps,zps,thetar,astar,bstar,cstar
        read(25,463)imax,jmax
        read(25,461)(xd(i),i=1,imax)
        read(25,461)(yd(j),j=1,jmax)
        do 160 i=1,imax
        do 160 j=1,jmax
        read(25,464)itr,itr,xpd(i,j),ypd(i,j),zpd(i,j),s1(i,j),ue(i,j)
        &,ve(i,j),h2(i,j),cpd(i,j)
160      continue
464      format(2i4,4(1x,e14.7)/8x,4(1x,e14.7))
1112      format(6e13.6)
        endif

1115      continue

c      zeta distribution is specified

        dzetas=0.2
        zeta(1)=0.
        dzeta(1)=dzetas
        do 25 k=2,kmaxf
        dzeta(k)=dzetas
c        dzeta(k)=dzeta(k-1)*1.05
        zeta(k)=zeta(k-1)+dzeta(k)
25      continue

c      wall condition is given if necessary

        if(krow.eq.0.and.kaw.eq.1) return
        if(krow.eq.0)go to 270
        do 176 i=1,imax
        do 176 j=1,jmax
        roww(i,j)=0.001
176      continue
270      if(kaw.eq.1) return
        do 276 i=1,imax
        do 276 j=1,jmax
        twall(i,j)=309.7
276      continue

        return
end

```

```

c#####
subroutine insym

c#####
include 'comblk'

c      to calculate initial velocity profile at i=1

do 35 j=1,jmax

do 8 k=1,kmax
h(1,j,k)=hn(1,1,k)
h(2,j,k)=hn(2,1,k)*ve(i,j)/vinf
hs(1,j,k)=hsn(1,1,k)
hs(2,j,k)=hsn(2,1,k)*ve(i,j)/vinf
h(3,j,k)=h(3,1,k)
he=cp*te(1,j)+0.5*cavd(1,j)**2
td(j,k)=(he*h(3,j,k)-0.5*(cavd(1,j)*h(1,j,k))**2)/cp
roero(j,k)=td(j,k)/te(1,j)
if(mks.eq.1)bc(j,k)=(te(1,j)/td(j,k))*((1.8*td(j,k))**1.5)
& *(1.8*te(1,j)+198.6)/((1.8*td(j,k)+198.6)*((1.8*te(1,j))**1.5))
if(mks.eq.0)bc(j,k)=(te(1,j)/td(j,k))*(td(j,k)**1.5)*(te(1,j)
& +198.6)/((td(j,k)+198.6)*(te(1,j)**1.5))
8   continue

35  continue
      return
      end

```

```

c#####
c
      subroutine ntrid
c      (block tridiagonal matrix eqn. solver)
c#####
c
      include 'comblk'
      dimension r(4,kmaxf),pil(4,kmaxf),p(4,kmaxf),den(kmaxf)
      &,cds(2,kmaxf)

      do 10 k=kmax-1,2,-1
      do 20 m=1,2
      do 20 lj=1,2
      l=m+2*(lj-1)
      r(l,k)=as(l,k)-ci(m,k)*es(2*lj-1,k+1)-ci(m+2,k)*es(2*lj,k+1)
      p(l,k)=bi(l,k)-ci(m,k)*e(2*lj-1,k+1)-ci(m+2,k)*e(2*lj,k+1)
      &+r(l,k)*dzeta(k-1)/2.
10    continue

c      invert matrix p
      den(k)=p(1,k)*p(4,k)-p(2,k)*p(3,k)
      pil(1,k)=p(4,k)/den(k)
      pil(2,k)=-p(2,k)/den(k)
      pil(3,k)=-p(3,k)/den(k)
      pil(4,k)=p(1,k)/den(k)

      do 30 m=1,2
      cds(m,k)=ci(m,k)*ds(1,k+1)+ci(m+2,k)*ds(2,k+1)+di(m,k)
30    continue

      do 40 m=1,2
      ds(m,k)=pil(m,k)*cds(1,k)+pil(m+2,k)*cds(2,k)
40    continue

      do 50 m=1,2
      do 50 lj=1,2
      l=m+2.*(lj-1)
      es(l,k)=-pil(m,k)*r(2*lj-1,k)-pil(m+2,k)*r(2*lj,k)
      e(l,k)=pil(m,k)*ai(2*lj-1,k)+pil(m+2,k)*ai(2*lj,k)+es(l,k)
      &      *dzeta(k-1)/2.
50    continue
10    continue

      do 60 k=2,kmax
      do 60 m=1,2
      hn(m,j,k)=e(m,k)*hn(1,j,k-1)+e(m+2,k)*hn(2,j,k-1)
      &      +es(m,k)*hsn(1,j,k-1)+es(m+2,k)*hsn(2,j,k-1)+ds(m,k)
      hsn(m,j,k)=hsn(m,j,k-1)+(hn(m,j,k)+hn(m,j,k-1))*dzeta(k-1)/2.
60    continue
      return
      end

```

```

c#####
subroutine output

c#####
include 'comblk'

il=i
if(il.gt.imax)il=imax

rewind 30
write(30,*)'      '
write(30,*)'      '
write(30,*)'      '
write(30,*)'      '
write(30,*)'***** input echo *****'
write(30,*)'      '
write(30,*)'mks=',mks
write(30,*)'inc=',inc
write(30,*)'kpoint=',kpoint
write(30,*)'kbody=',kbody
write(30,*)'kcpgivn=',kcpgivn
write(30,*)'kmax=',kmax
write(30,*)'kaw=',kaw
write(30,*)'krow=',krow
write(30,*)'ksymstg=',ksymstg
write(30,*)'iw=',iw
write(30,*)'ini=',ini
write(30,*)'jni=',jni
write(30,*)'gamma=',gamma
write(30,*)'rr=',rr
write(30,*)'pr=',pr
write(30,*)'rminf=',rminf
write(30,*)'pinf=',pinf
write(30,*)'tinf=',tinf
write(30,*)'ukmaxl=',ukmaxl

write(30,*)'      '
write(30,*)'***** other free-stream conditions *****'
write(30,*)'      '
write(30,*)'cp=',cp
write(30,*)'roinf=',roinf
write(30,*)'rmyuinf=',rmyuinf
write(30,*)'rnuiinf=',rnuiinf
write(30,*)'ss=',ss
write(30,*)'vinf=',vinf

write(30,*)'      '
write(30,*)'*****'
write(30,*)'      '

write(30,*)'il=',il
write(30,*)'jmaxl=',jmaxl

write(30,*)'      '
if(ksep.eq.0)write(30,*)"the flow is not separated yet "
if(ksep.eq.1)write(30,*)"the flow is separated at i=",il

```

```

        write(30,'   '
        write(30,'***** velocity profiles ***** '
do 400 j=1,jmax

        write(30,'   '
        write(30,'   '
        write(30,401)il,j,xpd(il,j),ypd(il,j),zpd(il,j)
401    format(' i=',i5,3x,' j=',i5,3x,' (xp=',f10.4,2x,' yp=',f10.4,
&2x,'zp=',f10.4,' )')
        write(30,'   '
        if(j.eq.1.or.j.eq.jmax)then
        write(30,402)
402    format(2(3x,'k',2x,'zeta',4x,'u/ue',3x,'vy/vinf',4x,'t/te'))
else
        write(30,403)
403    format(2(3x,'k',2x,'zeta',4x,'u/ue',4x,'v/vinf',4x,'t/te'))
endif

        write(30,'   '
        write(30,404)(k,zeta(k),h(1,j,k),h(2,j,k),roero(j,k),k=1,kmax)
400    continue

404    format(2(1x,i3,f6.2,f9.5,e10.3,f7.4))

        write(30,'   '
        write(30,'***** boundary-layer parameters***** '
        write(30,'   '
        if(kaw.eq.0)write(30,405)
405    format(3x,'i',1x,2x,'j',6x,'xpd',11x,'ypd',11x,'zpd',11x,'cfx'
&,11x,'cfy',/14x,'blth',10x,'dspth',9x,'thmom',10x,'qw')
        if(kaw.eq.1)write(30,406)
406    format(3x,'i',1x,2x,'j',6x,'xpd',11x,'ypd',11x,'zpd',11x,'cfx'
&,11x,'cfy',/14x,'blth',10x,'dspth',9x,'thmom',8x,'twall')
        write(30,'   '
        do 560 i=1,il
        do 560 j=1,jmax
        if(kaw.eq.0)write(30,561)i,j,xpd(i,j),ypd(i,j),zpd(i,j),cfx(i,j)
&,cfy(i,j),blth(i,j),dspth(i,j),thmom(i,j),qw(i,j)
        if(kaw.eq.1)write(30,561)i,j,xpd(i,j),ypd(i,j),zpd(i,j),cfx(i,j)
&,cfy(i,j),blth(i,j),dspth(i,j),thmom(i,j),twall(i,j)
560    continue
561    format(2i4,5(1x,e13.6)/8x,4(1x,e13.6))

c      rewind 40
c      do 41 i=1,il
c      do 41 j=1,jmax
c      write(40,*)twall(i,j)
c 41    continue

return
end

```

```

c#####
      subroutine predict
c#####

      include 'comblk'
      dimension tb(jmaxf,kmaxf)

      he=cp*te(i,j)+0.5*cavd(i,j)**2

255    do 257 k=1,kmax
         b1(j,k)=bc(j,k)
         b2(j,k)=0.
         b3(j,k)=0.
         b4(j,k)=bc(j,k)

257    continue

c-----
c      to calculate ai, bi, ci, ai, and di
c-----

256    do 5110 k=2,kmax-1

       de=dzeta(k)+dzeta(k-1)

       ai(1,k)=-(b1(j,k)+b1(j,k-1))/(de*dzeta(k-1))
       ai(2,k)=-(b2(j,k)+b2(j,k-1))/(de*dzeta(k-1))
       ai(3,k)=-(b3(j,k)+b3(j,k-1))/(de*dzeta(k-1))
       ai(4,k)=-(b4(j,k)+b4(j,k-1))/(de*dzeta(k-1))

       ci(1,k)=-(b1(j,k)+b1(j,k+1))/(de*dzeta(k))
       ci(2,k)=-(b2(j,k)+b2(j,k+1))/(de*dzeta(k))
       ci(3,k)=-(b3(j,k)+b3(j,k+1))/(de*dzeta(k))
       ci(4,k)=-(b4(j,k)+b4(j,k+1))/(de*dzeta(k))

       bi(1,k)=-( (b1(j,k)+b1(j,k+1))/dzeta(k)+(b1(j,k)+b1(j,k-1))
&/dzeta(k-1) )/de-m10(j)*h(1,j,k)/dxh
       bi(2,k)=-( (b2(j,k)+b2(j,k+1))/dzeta(k)+(b2(j,k)+b2(j,k-1))
&/dzeta(k-1) )/de
       bi(3,k)=-( (b3(j,k)+b3(j,k+1))/dzeta(k)+(b3(j,k)+b3(j,k-1))
&/dzeta(k-1) )/de
       bi(4,k)=-( (b4(j,k)+b4(j,k+1))/dzeta(k)+(b4(j,k)+b4(j,k-1))
&/dzeta(k-1) )/de-m10(j)*h(1,j,k)/dxh

       feta=(h(1,j,k+1)-h(1,j,k-1))/(dzeta(k)+dzeta(k-1))
       geta=(h(2,j,k+1)-h(2,j,k-1))/(dzeta(k)+dzeta(k-1))

       as(1,k)=m10(j)*feta/dxh
       as(2,k)=m10(j)*geta/dxh
       as(3,k)=0
       as(4,k)=0

       di(1,k)=-m1(j)*hs(1,j,k)*feta+m2(j)*h(1,j,k)**2+m5(j)*h(1,j,k)
&*h(2,j,k)-m6(j)*hs(2,j,k)*feta+m8(j)*h(2,j,k)**2-m11(j)*roero(j,k)
&+m13(j)*feta
       di(2,k)=-m1(j)*hs(1,j,k)*geta+m4(j)*h(1,j,k)*h(2,j,k)

```

```

&+m3(j)*h(2,j,k)**2-m6(j)*hs(2,j,k)*geta+m9(j)*h(1,j,k)**2
&-m12(j)*roero(j,k)+m13(j)*geta

if(j.eq.1.or.j.eq.jmax) go to 9500

db=dy(j)+dy(j-1)

if(j.eq.2) save(1,k)=h(2,j-1,k)
if(j.eq.2) save(2,k)=hs(2,j-1,k)
if(j.eq.jmax-1) save(3,k)=h(2,j+1,k)
if(j.eq.jmax-1) save(4,k)=hs(2,j+1,k)

if(j.eq.2) h(2,j-1,k)=0
if(j.eq.2) hs(2,j-1,k)=0
if(j.eq.jmax-1) h(2,j+1,k)=0
if(j.eq.jmax-1) hs(2,j+1,k)=0

fcap=h(1,j,k)
sfcap=hs(1,j,k)
gcap=h(2,j,k)

fy=((dy(j-1)/dy(j))*(h(1,j+1,k)-h(1,j,k))
&+(dy(j)/dy(j-1))*(h(1,j,k)-h(1,j-1,k)))/db
sgy=((dy(j-1)/dy(j))*(hs(2,j+1,k)-hs(2,j,k))+(dy(j)
&/dy(j-1))*(hs(2,j,k)-hs(2,j-1,k)))/db
gy=((dy(j-1)/dy(j))*(h(2,j+1,k)-h(2,j,k))
&+(dy(j)/dy(j-1))*(h(2,j,k)-h(2,j-1,k)))/db

if(kterm.eq.1.and.j.eq.jmaxt)then
fy=(3.*h(1,j,k)-4.*h(1,j-1,k)+h(1,j-2,k))/(2.*dy(j-1))
gy=(3.*h(2,j,k)-4.*h(2,j-1,k)+h(2,j-2,k))/(2.*dy(j-1))
sgy=(3.*hs(2,j,k)-4.*hs(2,j-1,k)+hs(2,j-2,k))/(2.*dy(j-1))
endif

di(1,k)=di(1,k)+m10(j)*h(1,j,k)*(-fcap)/dxh
&+m10(j)*feta*sfcap/dxh+m7(j)*(h(2,j,k)*fy-feta*sgy)

di(2,k)=di(2,k)+m10(j)*h(1,j,k)*(-gcap)/dxh
&+m10(j)*geta*sfcap/dxh+m7(j)*(h(2,j,k)*gy-geta*sgy)

if(j.eq.2) h(2,j-1,k)=save(1,k)
if(j.eq.2) hs(2,j-1,k)=save(2,k)
if(j.eq.jmax-1) h(2,j+1,k)=save(3,k)
if(j.eq.jmax-1) hs(2,j+1,k)=save(4,k)

go to 5110

9500 di(1,k)=di(1,k)+m10(j)*h(1,j,k)*(-h(1,j,k))/dxh
&+m10(j)*hs(1,j,k)*feta/dxh
di(2,k)=di(2,k)+m10(j)*h(1,j,k)*(-h(2,j,k))/dxh
&+m10(j)*hs(1,j,k)*geta/dxh

5110 continue

do 5140 m=1,4
e(m,kmax)=0
es(m,kmax)=0
5140 continue
ds(1,kmax)=1.0
ds(2,kmax)=ve(i,j)/vinf

```

```

        if(j.eq.1)ds(2,kmax)=ve(i,2)/(vinf*dy(1))
        if(j.eq.jmax)ds(2,kmax)=-ve(i,jmax-1)/(vinf*dy(jmax-1))
        do 5160 m=1,2
          hn(m,j,1)=0
          hsn(m,j,1)=0
5160    continue

c-----
c      To solve the block tridiagonal matrix equation, call ntrid
c-----

      call ntrid

      do 5200 k=1,kmax
      do 5200 m=1,2
        hb(m,j,k)=hn(m,j,k)
        hsb(m,j,k)=hsn(m,j,k)
5200    continue

      if(inc.eq.1)then
      do 5250 k=1,kmax
        hb(3,j,k)=1.0
        roerob(j,k)=1.0
        bcb(j,k)=1.0
5250    continue
      return
      endif

      do 6151 k=2,kmax-1
      bcom(k)=(bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      dcom(k)=- (bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
      & - (bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      & -m10(j)*h(1,j,k)/dxh
      acom(k)=(bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
      feta=((dzeta(k-1)/dzeta(k))*(h(1,j,k+1)-h(1,j,k))+(dzeta(k)
      &/dzeta(k-1))*(h(1,j,k)-h(1,j,k-1)))/(dzeta(k)+dzeta(k-1))
      geta=((dzeta(k-1)/dzeta(k))*(h(2,j,k+1)-h(2,j,k))+(dzeta(k)
      &/dzeta(k-1))*(h(2,j,k)-h(2,j,k-1)))/(dzeta(k)+dzeta(k-1))
      eeta=((dzeta(k-1)/dzeta(k))*(h(3,j,k+1)-h(3,j,k))+(dzeta(k)
      &/dzeta(k-1))*(h(3,j,k)-h(3,j,k-1)))/(dzeta(k)+dzeta(k-1))

      if(j.eq.1.or.j.eq.jmax)then
        sgy=0.
        ey=0.
        go to 222
      endif

      sgy=((dy(j-1)/dy(j))*(hs(2,j+1,k)-hs(2,j,k))+(dy(j)
      &/dy(j-1))*(hs(2,j,k)-hs(2,j-1,k)))/(dy(j)+dy(j-1))
      if(j.eq.2)sgy=((dy(j-1)/dy(j))*(hs(2,j+1,k)-hs(2,j,k))+(dy(j)
      &/dy(j-1))*hs(2,j,k))/(dy(j)+dy(j-1))
      if(j.eq.jmax-1)sgy=((dy(j-1)/dy(j))*(-hs(2,j,k))+(dy(j)
      &/dy(j-1))*(hs(2,j,k)-hs(2,j-1,k)))/(dy(j)+dy(j-1))
      ey=((dy(j-1)/dy(j))*(h(3,j+1,k)-h(3,j,k))
      & +(dy(j)/dy(j-1))*(h(3,j,k)-h(3,j-1,k)))/(dy(j)+dy(j-1))

222    if(kterm.eq.1.and.j.eq.jmaxt)then
      sgy=(3.*hs(2,j,k)-4.*hs(2,j-1,k)+hs(2,j-2,k))/(2.*dy(j-1))

```

```

ey=(3.*h(3,j,k)-4.*h(3,j-1,k)+h(3,j-2,k))/(2.*dy(j-1))
endif

cfeta=h(1,j,k)*feta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
& +bc(j,k)*feta**2+bc(j,k)*h(1,j,k)*2.*((h(1,j,k+1)-h(1,j,k))/dzeta
&(k)-(h(1,j,k)-h(1,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
cgeta=h(2,j,k)*geta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
& +bc(j,k)*geta**2+bc(j,k)*h(2,j,k)*2.*((h(2,j,k+1)-h(2,j,k))/dzeta
&(k)-(h(2,j,k)-h(2,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
cfg=h(1,j,k)*geta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
& +bc(j,k)*feta*geta+bc(j,k)*h(1,j,k)*2.*((h(2,j,k+1)-h(2,j,k))/dzeta
&/dzeta(k)-(h(2,j,k)-h(2,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))
cfg=h(2,j,k)*feta*(bc(j,k+1)-bc(j,k-1))/(dzeta(k)+dzeta(k-1))
& +bc(j,k)*feta*geta+bc(j,k)*h(2,j,k)*2.*((h(1,j,k+1)-h(1,j,k))/dzeta
&/dzeta(k)-(h(1,j,k)-h(1,j,k-1))/dzeta(k-1))/(dzeta(k)+dzeta(k-1))

if(j.eq.1.or.j.eq.jmax)cgeta=0.
if(j.eq.1.or.j.eq.jmax)cfg=0.
if(j.eq.1.or.j.eq.jmax)cfg=0.
ecap=h(3,j,k)
sfcap=hs(1,j,k)
sgcap=hs(2,j,k)
ccom(k)=-(m1(j)*hs(1,j,k)+m6(j)*hs(2,j,k))*eeta
&-ue(i,j)**2*(1.-1./pr)*(cfeta+cgeta*(vinf/ue(i,j))**2+costh(i,j)
&*vinf*(cfg+cfg)/ue(i,j))/he
&-m10(j)*(h(1,j,k)*ecap-eeta*(hsb(1,j,k)-sfcap))/dxh
&+m7(j)*(h(2,j,k)*ey-eeta*sgy)+m13(j)*eeta
C      write(1,*)"i,k,j=' ,i,k,j,'pred',cfeta,cgeta,cfg,ccom(k)
6151 continue
ccom(kmax-1)=ccom(kmax-1)-acom(kmax-1)
if(kaw.eq.1)dcom(2)=dcom(2)-bcom(2)*(dzeta(1)+dzeta(2))**2
&/(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)

C      for the exact adiabatic wall b.c.
if(kaw.eq.1)ccom(2)=ccom(2)-0.5*acom(2)*((dzeta(1)+dzeta(2))**2
&*(h(1,j,2)**2*cavd(i,j)**2-dzeta(1)**2*h(1,j,3)**2*cavd(i,j)**2)
&/(he*(dzeta(1)**2-(dzeta(1)+dzeta(2))**2))

if(kaw.eq.1)acom(2)=acom(2)+bcom(2)*dzeta(1)**2/(dzeta(1)**2
&-(dzeta(1)+dzeta(2))**2)
if(kaw.eq.0)ccom(2)=ccom(2)-bcom(2)*cp*twall(i,j)/he

call sy(2,kmax-1,bcom,dcom,acom,ccom)

do 6152 k=2,kmax-1
hb(3,j,k)=ccom(k)
6152 continue
hb(3,j,kmax)=1.

if(kaw.eq.1)hb(3,j,1)=(dzeta(1)**2*hb(3,j,3)-(dzeta(1)+dzeta(2))
&**2*hb(3,j,2))/(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
if(kaw.eq.0)hb(3,j,1)=cp*twall(i,j)/he

C      do 6159 k=1,kmax
C      write(6,*)"i,j,k=' ,i,j,k,'hb3=' ,hb(3,j,k)
C 6159 continue

do 6153 k=1,kmax
tb(j,k)=(he*hb(3,j,k)-0.5*((ue(i,j)
&*hb(1,j,k))**2+(vinf*hb(2,j,k))**2+2.*ue(i,j)*vinf*hb(1,j,k)

```

```

&*hb(2,j,k)*cosh(i,j)))/cp
  if(j.eq.1.or.j.eq.jmax)tb(j,k)=(he*hb(3,j,k)-0.5*(ue(i,j)
&*hb(1,j,k))**2)/cp
    roerob(j,k)=tb(j,k)/te(i,j)

  if(roerob(j,k).lt.0)then
    write(6,*)' roerob(j,k) is lt.0 at i=',i,' j=',j,' k=',k
    iend=1
    return
  endif

6153 continue

  do 6157 k=1,kmax
    if(mks.eq.1)bcb(j,k)=(te(i,j)/tb(j,k))*((1.8*tb(j,k))**1.5)
    & *(1.8*te(i,j)+198.6)/((1.8*tb(j,k)+198.6)*((1.8*te(i,j))**1.5))
    if(mks.eq.0)bcb(j,k)=(te(i,j)/tb(j,k))*(tb(j,k)**1.5)*(te(i,j)
    &+198.6)/((tb(j,k)+198.6)*(te(i,j)**1.5))
6157 continue

  return
end

```

```

c#####
subroutine profile

c#####
include 'comblk'

  icheck=(i/ini)*ini-i
  if(icheck.eq.0)then
  write(iw,*)'
  write(iw,*)' profiles (i, j, k, u/ue, v/vinf (vy/vinf if j=1 or
& j=jmax), t/te, z (ft))'
  write(iw,*)'

  do 71 j=1,jmaxt,jni
  write(iw,*)kmax
  write(iw,72)(i,j,k,h(1,j,k),h(2,j,k),roero(j,k),zact(j,k)
&,k=1,kmax)
71  continue
  endif
72  format(3i5,4e13.6)
  return
end

```

```

c#####
c
c      subroutine stagpt
c#####
c
c      include 'comblk'
c-----
c
c      the stagnation point solution
c
c      (blottner's iterative method is used)
c
c-----
c
      write(6,*)' cstar=',cstar

      j=1

      testag=tinf*(1.+0.5*(gamma-1.)*rminf**2)
      he=cp*testag

4100  kmax=kmax+1
      write(6,*)' kmax=',kmax,' zeta(kmax)=',zeta(kmax)

      do 1030 m=1,2
      h(m,j,1)=0
      hs(m,j,1)=0
      do 1030 k=2,kmax
      h(m,j,k)=1.
      hs(m,j,k)=hs(m,j,k-1)+(h(m,j,k)+h(m,j,k-1))*dzeta(k-1)/2.
1030  continue

      it=0
      do 1123 k=1,kmax
      bc(j,k)=1.
1123  roero(j,k)=1.

      1170 it=it+1
      if(it.gt.10)write(6,*)' iteration for stag. pt. soln is gt.10'
      if(it.gt.10)stop
      do 1110 k=2,kmax-1
      ai(1,k)=(hs(1,j,k)+cstar*hs(2,j,k))/(dzeta(k)+dzeta(k-1))
      &           *(dzeta(k)/dzeta(k-1))
      &           -(bc(j,k)+bc(j,k-1))/(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
      ai(2,k)=0
      ai(3,k)=0
      ai(4,k)=ai(1,k)

      ci(1,k)=-(hs(1,j,k)+cstar*hs(2,j,k))/(dzeta(k)+dzeta(k-1))
      &           *(dzeta(k-1)/dzeta(k))
      &           -(bc(j,k)+bc(j,k+1))/(dzeta(k)*(dzeta(k)+dzeta(k-1)))
      ci(2,k)=0
      ci(3,k)=0
      ci(4,k)=ci(1,k)

      bi(1,k)=-(bc(j,k)+bc(j,k+1))/dzeta(k)+(bc(j,k)+bc(j,k-1))
      &           /dzeta(k-1)/(dzeta(k)+dzeta(k-1))-2.*h(1,j,k)
      &           -(cstar*hs(2,j,k)+hs(1,j,k))*(dzeta(k-1)/dzeta(k))

```



```

&           / (dzeta(k)+dzeta(k-1))
&           + (cstar*hs(2,j,k)+hs(1,j,k))*(dzeta(k)/dzeta(k-1))
&           / (dzeta(k)+dzeta(k-1))

bi(4,k)=-((bc(j,k)+bc(j,k+1))/dzeta(k)+(bc(j,k)+bc(j,k-1))
&           /dzeta(k-1))/(dzeta(k)+dzeta(k-1))-2.*cstar*h(2,j,k)
&           -(cstar*hs(2,j,k)+hs(1,j,k))*(dzeta(k-1)/dzeta(k))
&           / (dzeta(k)+dzeta(k-1))
&           +(cstar*hs(2,j,k)+hs(1,j,k))*(dzeta(k)/dzeta(k-1))
&           / (dzeta(k)+dzeta(k-1))

bi(2,k)=0
bi(3,k)=0

do 1115 m=1,2

as(m,k)=((dzeta(k-1)/dzeta(k))* (h(m,j,k+1)-h(m,j,k))
&           +(dzeta(k)/dzeta(k-1))* (h(m,j,k)-h(m,j,k-1)))
&           / (dzeta(k)+dzeta(k-1))

as(m+2,k)=cstar*((dzeta(k-1)/dzeta(k))* (h(m,j,k+1)-h(m,j,k))
&           +(dzeta(k)/dzeta(k-1))* (h(m,j,k)-h(m,j,k-1)))
&           / (dzeta(k)+dzeta(k-1))

1115      continue
di(1,k)=-roero(j,k)-h(1,j,k)**2+(hs(1,j,k)+cstar*hs(2,j,k))*(
&           ((dzeta(k-1)/dzeta(k))* (h(1,j,k+1)-h(1,j,k))
&           +(dzeta(k)/dzeta(k-1))* (h(1,j,k)-h(1,j,k-1)))
&           / (dzeta(k)+dzeta(k-1))

di(2,k)=-cstar*(roero(j,k)+h(2,j,k)**2)+(cstar*hs(2,j,k)*
&           +hs(1,j,k))*((dzeta(k-1)/dzeta(k))* (h(2,j,k+1)-h(2,j,k))
&           +(dzeta(k)/dzeta(k-1))* (h(2,j,k)-h(2,j,k-1)))
&           / (dzeta(k)+dzeta(k-1))

1110      continue

do 1120 m=1,4
e(m,kmax)=0
es(m,kmax)=0
1120  continue
do 1130 m=1,2
ds(m,kmax)=1.0
1130  continue
do 1140 m=1,2
hn(m,j,1)=0
hsn(m,j,1)=0
1140  continue

call ntrid

do 1145 k=2,kmax-1
er=(h(1,j,k)-hn(1,j,k))/h(1,j,k)
if(abs(er)-1.d-4)1145,1145,1146
1145  continue

go to 1160

1146 do 1150 m=1,2
do 1150 k=1,kmax

```

```

      h(m,j,k)=hn(m,j,k)
      hs(m,j,k)=hsn(m,j,k)
1150  continue
1100  continue

      do 1151 k=2,kmax-1
      bcom(k)=(bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      & -(hs(1,j,k)+cstar*hs(2,j,k))*dzeta(k)
      & /(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
      dcom(k)==-(bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
      & -(bc(j,k)+bc(j,k-1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k-1))
      & +(hs(1,j,k)+cstar*hs(2,j,k))*dzeta(k)
      & /(dzeta(k-1)*(dzeta(k)+dzeta(k-1)))
      & -(hs(1,j,k)+cstar*hs(2,j,k))*dzeta(k-1)
      & /(dzeta(k)*(dzeta(k)+dzeta(k-1)))

      acom(k)=(bc(j,k)+bc(j,k+1))/(pr*(dzeta(k)+dzeta(k-1))*dzeta(k))
      & +(hs(1,j,k)+cstar*hs(2,j,k))*dzeta(k-1)
      & /(dzeta(k)*(dzeta(k)+dzeta(k-1)))
      ccom(k)=0.
1151  continue
      ccom(kmax-1)=-acom(kmax-1)

      if(kaw.eq.1)dcom(2)=dcom(2)-bcom(2)*(dzeta(1)+dzeta(2))**2
      & /(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
      if(kaw.eq.1)acom(2)=acom(2)+bcom(2)*dzeta(1)**2
      & /(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
      if(kaw.eq.0)ccom(2)=-bcom(2)*twall(1,j)/testag

      call sy(2,kmax-1,bcom,dcom,acom,ccom)

      do 1152 k=2,kmax-1
1152  h(3,j,k)=ccom(k)
      h(3,j,kmax)=1.

      if(kaw.eq.1)h(3,j,1)=(dzeta(1)**2*h(3,j,3)-(dzeta(1)+dzeta(2))**2
      & *h(3,j,2))/(dzeta(1)**2-(dzeta(1)+dzeta(2))**2)
      if(kaw.eq.0)h(3,j,1)=twall(1,j)/testag

      do 1153 k=1,kmax
      td(j,k)=testag*h(3,j,k)
      roero(j,k)=td(j,k)/testag
      if(mks.eq.1)bc(j,k)=(testag/td(j,k))*((1.8*td(j,k))**1.5)
      & *(1.8*testag+198.6)/((1.8*td(j,k)+198.6)*((1.8*testag)**1.5))
      if(mks.eq.0)bc(j,k)=(testag/td(j,k))*(td(j,k)**1.5)*(testag
      & +198.6)/((td(j,k)+198.6)*(testag**1.5))
1153  continue
      go to 1170

1160  if(h(1,j,kmax-1).lt.ukmax1)go to 4100
      write(6,*)' it=',it
      return
      end

```

```

c#####
c subroutine sy(il,iu,bb,dd,aa,cc)
c      (tridiagonal matrix eqn. solver)
c#####

dimension aa(1),bb(1),cc(1),dd(1)
lp=il+1
do 10 i=lp,iu
r=bb(i)/dd(i-1)
dd(i)=dd(i)-r*aa(i-1)
cc(i)=cc(i)-r*cc(i-1)
10 continue
cc(iu)=cc(iu)/dd(iu)
do 20 i=lp,iu
k=iu-i+il
20 cc(k)=(cc(k)-aa(k)*cc(k+1))/dd(k)
return
end

```

PART 2.
BODY-ORIENTED COORDINATE PROGRAM (BCC)

2.1 Program Description

Program BCC is used for the generation of the boundary-layer edge conditions based on the body-oriented coordinates for the general fuselage. This code reads the numerical inviscid solution based on the Cartesian coordinates (x' , y' , z' , $u_{x'}/V_\infty$, $u_{y'}/V_\infty$, $u_{z'}/V_\infty$, C_p) on the inviscid grid and calculates the boundary-layer edge conditions (x' , y' , z' , u_e/V_∞ , v_e/V_∞ , s , h_1 , h_2 , $\cos \theta$, C_p) on the body-oriented boundary-layer grid.

A geometry program which defines the fuselage is required to run the BCC code. This code is written to be generally applied, so any geometry routine, which returns the body radius r for given axial coordinate X and angle ϕ , can be used. Because the raw data defining the sample case general aviation fuselage were nonsmooth, a semi-analytic geometry program specially made for this fuselage by Raymond L. Barger at the NASA Langley Research Center is used. It should be noted that the angle ϕ must be defined as $-\pi/2$ and $\pi/2$ on the windward and leeward lines of symmetry, respectively, in this geometry routine.

To obtain the boundary-layer edge conditions on the boundary-layer grid, BCC uses a bidirectional cubic spline-under-tension interpolation subroutine. There is no subroutine other than those related to the geometry and the interpolation. All the input and output are given or written by the main program.

2.2 Structure of Main Program BCMAIN

The flow chart for the main program BCMAIN is presented in Figure 4. The x and y distribution for the boundary-layer grid are given in the main program BCMAIN. The numerical inviscid solution based on the Cartesian coordinates (x' , y' , z' , $u_{x'}/V_\infty$, $u_{y'}/V_\infty$, $u_{z'}/V_\infty$, Cp) on the inviscid grid are read. Then, $\cos \theta$ on the inviscid grid is calculated using the geometry programs. The calculation of u_e/V_∞ and v_e/V_∞ on the inviscid grid follows. The inviscid properties (u_e/V_∞ , Cp) along the lines of symmetry are extrapolated. Then u_e/V_∞ , v_e/V_∞ , $\cos \theta$, Cp on the boundary-layer grid are interpolated using a bidirectional cubic spline-under-tension interpolation subroutine. The calculations of x' , y' , z' , s , h_1 , and h_2 on the boundary-layer grid follow next. Finally, the the boundary-layer edge conditions (x' , y' , z' , u_e/V_∞ , v_e/V_∞ , s , h_1 , h_2 , $\cos \theta$, Cp) on the body-oriented boundary-layer grid are written in the file fort.22.

Parameters IM and JM provide the flexibility of changing the dimensions of the inviscid grid to be read. The parameter IM must be the same as the number of the inviscid grid points in the streamwise direction, i.e., IM=NT. The parameter JM should be the number of the inviscid grid points in the crosswise direction plus 2, i.e., JM=NP+2. Parameters IMAXD and JMAXD provide the flexibility of changing the dimensions of the boundary-layer grid in the streamwise and crosswise directions. IMAXD may be different from IMAX, but must be greater or equal to IMAX. Also, JMAXD may be different from JMAX, but must be greater or equal to JMAX. The dimensions of the variable arrays are controlled by changing these parameters, IM, JM, IMAXD, and JMAXD.




Fig. 4. Flow Chart for the Main Program BCMAIN.

2.3 Subroutine Description

Subroutine DUDY(X1, X2, X3, Y1, Y2, Y3)

- Called by main program BCMAIN.
- Used to obtain the inviscid properties (u_e/V_∞ and C_p) on the lines of symmetry.
- Calculates Y_3 at X_3 by the second order Lagrangian extrapolation, utilizing the symmetry condition at X_3 and with given (X_1, Y_1) and (X_2, Y_2) .

Subroutine STIBI

- Called by the main program BCMAIN.
- Available as a mathematical library routine at NASA Langley Research Center.
- Interpolates the spline-under-tension approximation to one function of two independent variables. Input values of the function are specified at all nodes of a rectangular grid. Output values may be requested at one or more individual points or at all nodes of a second rectangular grid. In BCC, the two independent variables for the interpolation are X and ϕ .

Subroutine VAL(X, ϕ, r, rx, N)

- Called by main program BCMAIN.
- This is a geometry subroutine to interrogate the radius(r) for a given X and ϕ .
- Output: r only if $N=0$; r and $rx(=\partial r/\partial x)$ if $N=1$
- Must be supplied by the user.

2.4 Parameter and Variable Directory

CAVT(I,J)	V_e/V_∞ , inviscid total velocity on the inviscid grid
COSTH(I,J)	$\cos \theta$ on the boundary-layer grid
COSTHT(I,J)	$\cos \theta$ on the inviscid grid
CPD(I,J)	C_p , pressure coefficient on the boundary-layer grid
DXPDY	$\partial x'/\partial y$
DY(J)	Δy
DYPDY	$\partial y'/\partial y$
DZPDY	$\partial z'/\partial y$

ENDX1,ENDXN,ENDY1,ENDYN,ENDXY

Arguments of the interpolation subroutine STIBI

H1(I,J)	h_1 on the boundary-layer grid
H2(I,J)	h_2 on the boundary-layer grid
IM	number of inviscid grid points in the x -direction, including the nose point
IMAX	actual number of boundary-layer grid points in the x -direction
IMAXD	maximum possible number of boundary-layer grid points in the x -direction (given as a parameter, $IMAXD \geq IMAX$)

IENDSW, IERR, IOPT, IW, LINOUT

Arguments of the interpolation subroutine STIBI

JM	number of inviscid grid points in the y -direction, including the lines of symmetry
JMAX	actual number of boundary-layer grid points in the y -direction
JMAXD	maximum possible number of boundary-layer grid points in the y -direction (given as a parameter, $JMAXD \geq JMAX$)
NP	number of inviscid grid points in the y -direction in the numerical inviscid data
NPI	number of inviscid grid points in the y -direction, including the lines of

	symmetry (NPI=NP+2)
NT	number of inviscid grid points in the x -direction in the numerical inviscid data
NTI	number of inviscid grid points in the x -direction (NTI=NT)
PI	π
PCOEF(I,J)	C_p , pressure coefficient on the inviscid grid
PHIT(J)	ϕ on the inviscid grid
RX,RP	$\partial r/\partial X, \partial r/\partial \phi$
SIGMA	argument of the interpolation subroutine STIBI
S1(I,J)	s on the boundary-layer grid
UE(I,J)	u_e/V_∞ on the boundary-layer grid
UET(I,J)	u_e/V_∞ on the inviscid grid
VE(I,J)	v_e/V_∞ on the boundary-layer grid
VET(I,J)	v_e/V_∞ on the inviscid grid
VX(I,J)	$u_{x'}/V_\infty$ on the inviscid grid
VY(I,J)	$u_{y'}/V_\infty$ on the inviscid grid
VZ(I,J)	$u_{z'}/V_\infty$ on the inviscid grid
WK	argument of the interpolation subroutine STIBI
X(I)	x_i for the boundary-layer grid
XO(I,J)	x' on the inviscid grid
XPD(I,J)	x' on the boundary-layer grid
XX(I)	X on the inviscid grid
Y(J)	y_j for the boundary-layer grid
YO(I,J)	y' on the inviscid grid
YPD(I,J)	y' on the boundary-layer grid
ZO(I,J)	z' on the inviscid grid
ZPD(I,J)	z' on the boundary-layer grid

2.5 Input

The inputs to BCC are given or read in the main program BCMAIN, as follows:

- (1) In the main program BCMAIN, the x and y distributions for the body-oriented boundary-layer grid are specified.

First, IMAX and $x(i)$ for $i=1,2,\dots,IMAX$ are set.

In this (body-oriented) coordinate system, x has the same value as X . For the blunted nose body, $x_{i=1}$ must be at least greater than x' , which can be obtained from SCC. If the inviscid solution near the nose is not accurate, $x_{i=1}$ must not be too small. In the sample case, using the inviscid solution from the Hess code(which is not accurate near the nose), $x_{i=1} = 0.004$ was found to be adequate. The x distribution can be given arbitrarily. However, the stepsizes(Δx) near the nose must be small to obtain nonoscillating boundary-layer parameters.

Next, JMAX and $y(j)$ for $j=1,2,\dots,JMAX$ are set.

In this coordinate system, y has the same value as ϕ . Therefore, $y(1)=0$ on the windward line of symmetry, and $y(JMAX)=\pi$ on the leeward line of symmetry. The y -distribution can be given arbitrarily. However, a uniform distribution of grid points in the y direction is recommended to obtain a nearly uniform grid distribution downstream.

- (2) The numerical inviscid solution based on the Cartesian coordinates is read also by the main program BCMAIN. This sets the values of

$x', y', z', u_x'/V_\infty, u_y'/V_\infty, u_z'/V_\infty, Cp$ for $i=1,2,\dots,NT, j=1,2,\dots,NP$.

It is to be noted that j is increasing from the windward line of symmetry to the leeward line of symmetry.

2.6 Output

The output from BCC, which is to be used as input for 3DBLC, is written by the main program BCMAIN on file fort.22. The output lists the boundary-layer edge conditions including the following.

$x(i)$ for $i=1,2,\dots,IMAX$

$y(j)$ for $j=1,2,\dots,JMAX$

$x', y', z', u_e/V_\infty, v_e/V_\infty, s, h_1, h_2, \cos \theta, Cp$ for $i=1,2,\dots,IMAX, j=1,2,\dots,JMAX$

The quantities, $x'_s, z'_s, \theta_r, A, B$, and C^* , which are needed only for the blunted nose body, are not obtained using BCC.

2.7 Sample Case

For a sample case, the boundary-layer edge conditions on the body-oriented boundary-layer grid over a general aviation fuselage at an angle of attack 3° are calculated. The inviscid solution was obtained using $53 \times 36(I \times J)$ inviscid grid from the Hess code [1] for the compressible flow ($M_\infty = 0.3$). To reduce the input data, only the first $15 \times 36(I \times J)$ inviscid grid solution is used for this sample case. Also, to reduce the size of the output data, only a $20 \times 31(I \times J)$ body-oriented boundary-layer grid is generated. For this case, parameters are given as $IM=15$, $JM=38$ ($=36+2$), $IMAXD=100$ (≥ 20), $JMAXD=51$ (≥ 31).

For the sample case input, the FORTRAN statement (in the BCMAIN) for generating x and y distributions for the boundary-layer grid and the inviscid solution (for first 15×36 inviscid grid) from the Hess code are presented. The output written on file fort.22 is presented for a sample case output, which is input for 3DBLC.

2.7.1 Sample Case Input

```
imax=20
jmax=31

x(1)=0.004
do 5000 i=2,imax
if(i.le.3)dx=0.0005
if(i.gt.3.and.i.le.20)dx=0.002
x(i)=x(i-1)+dx
write(6,*)' i=',i,' x=',x(i)
5000 continue

pi=acos(-1.)
pio2=pi/2.

do 5200 j=1,jmax
y(j)=pi*(j-1.)/(jmax-1.)
5200 continue
```

~~ORIGINAL PAGE IS
OF POOR QUALITY~~

Numerical Inviscid Solution

1	1	36
0.100000E-020.403333E-03-.923000E-02-.920655E-010.390607E-02-.562156E-010.101052E+01 0.100000E-020.120667E-02-.916667E-02-.920748E-010.121826E-01-.552482E-010.101049E+01 0.100000E-020.200333E-02-.904333E-02-.920683E-010.208146E-01-.534518E-010.101040E+01 0.100000E-020.279333E-02-.885667E-02-.920530E-010.286157E-01-.508697E-010.101028E+01 0.100000E-020.356667E-02-.860667E-02-.920420E-010.364627E-01-.472657E-010.101012E+01 0.100000E-020.432000E-02-.829667E-02-.920288E-010.443194E-01-.427402E-010.100989E+01 0.100000E-020.505000E-02-.792333E-02-.919519E-010.524400E-01-.370829E-010.100955E+01 0.100000E-020.574667E-02-.749000E-02-.918834E-010.594662E-01-.310275E-010.100918E+01 0.100000E-020.641000E-02-.699667E-02-.917573E-010.664914E-01-.237627E-010.100869E+01 0.100000E-020.703333E-02-.644333E-02-.916123E-010.728345E-01-.157926E-010.100812E+01 0.100000E-020.761000E-02-.583667E-02-.914207E-010.786035E-01-.726155E-020.100745E+01 0.100000E-020.813000E-02-.517667E-02-.911079E-010.841406E-010.270953E-020.100662E+01 0.100000E-020.859000E-02-.447000E-02-.908611E-010.883522E-010.123918E-010.100575E+01 0.100000E-020.898667E-02-.372000E-02-.904194E-010.924065E-010.236300E-010.100465E+01 0.100000E-020.931000E-02-.293333E-02-.899712E-010.953665E-010.347393E-010.100348E+01 0.100000E-020.955667E-02-.211667E-02-.893958E-010.975739E-010.468261E-010.100211E+01 0.100000E-020.972333E-02-.127667E-02-.887937E-010.987836E-010.589367E-010.100063E+01 0.100000E-020.980667E-02-.426667E-03-.880488E-010.992010E-010.718757E-010.998917E+00 0.100000E-020.981333E-020.430000E-03-.874377E-010.986932E-010.839554E-010.997168E+00 0.100000E-020.974000E-020.128333E-02-.864698E-010.972453E-010.971707E-010.995140E+00 0.100000E-020.956667E-020.212000E-02-.852386E-010.947582E-010.109988E+000.993087E+00 0.100000E-020.928333E-020.292333E-02-.837142E-010.911711E-010.122583E+000.990993E+00 0.100000E-020.889000E-020.367667E-02-.820928E-010.866046E-010.134322E+000.988973E+00 0.100000E-020.840333E-020.437000E-02-.805616E-010.813468E-010.144899E+000.987071E+00 0.100000E-020.784333E-020.499333E-02-.790106E-010.754187E-010.154609E+000.985264E+00 0.100000E-020.722333E-020.554000E-02-.774365E-010.688190E-010.163457E+000.983577E+00 0.100000E-020.656333E-020.601000E-02-.761332E-010.623940E-010.170617E+000.982169E+00 0.100000E-020.587667E-020.640667E-02-.747962E-010.551793E-010.177287E+000.980843E+00 0.100000E-020.517333E-020.673667E-02-.737804E-010.484672E-010.182527E+000.979758E+00 0.100000E-020.446667E-020.700667E-02-.728406E-010.414593E-010.187007E+000.978832E+00 0.100000E-020.376333E-020.722000E-02-.720702E-010.346765E-010.190526E+000.978101E+00 0.100000E-020.306333E-020.738667E-02-.715116E-010.283443E-010.193177E+000.977540E+00 0.100000E-020.237000E-020.751333E-02-.710670E-010.220083E-010.195240E+000.977103E+00 0.100000E-020.168667E-020.760333E-02-.707659E-010.159155E-010.196649E+000.976812E+00 0.100000E-020.101000E-020.765667E-02-.705070E-010.897701E-020.197735E+000.976583E+00 0.100000E-020.336667E-030.768000E-02-.704315E-010.334137E-020.198127E+000.976505E+00		
1	2	36
0.262936E-020.796024E-03-.182172E-01-.442675E-010.857746E-02-.191989E+000.982071E+00 0.262976E-020.238310E-02-.180996E-01-.444561E-010.253185E-01-.190245E+000.982157E+00 0.263029E-020.396044E-02-.178628E-01-.447416E-010.422311E-01-.186802E+000.982293E+00 0.262859E-020.552038E-02-.174957E-01-.451721E-010.588075E-01-.181597E+000.982506E+00 0.263053E-020.705411E-02-.170202E-01-.457258E-010.754291E-01-.174515E+000.982757E+00 0.262961E-020.854850E-02-.164147E-01-.463699E-010.908698E-01-.165967E+000.983053E+00 0.263043E-020.100031E-01-.156932E-01-.471133E-010.106806E+00-.155113E+000.983330E+00 0.263075E-020.113960E-01-.148505E-01-.478856E-010.121312E+00-.142977E+000.983575E+00 0.263059E-020.127245E-01-.138865E-01-.486663E-010.135334E+00-.128880E+000.983740E+00 0.263112E-020.139787E-01-.128049E-01-.494071E-010.148454E+00-.113056E+000.983774E+00 0.263122E-020.151374E-01-.116098E-01-.499856E-010.160477E+00-.957663E-010.983606E+00 0.263183E-020.161918E-01-.103084E-01-.504723E-010.171399E+00-.766432E-010.983213E+00 0.263162E-020.171260E-01-.891138E-02-.508752E-010.180371E+00-.569296E-010.982624E+00 0.263187E-020.179295E-01-.742311E-02-.508694E-010.188675E+00-.343559E-010.981577E+00 0.263232E-020.185888E-01-.585826E-02-.507072E-010.194721E+00-.123930E-010.980246E+00 0.263197E-020.190920E-01-.423128E-02-.501877E-010.199283E+000.118164E-010.978440E+00 0.263237E-020.194353E-01-.255653E-02-.494072E-010.201818E+000.359161E-010.976259E+00		

0.263334E-020.196104E-01-.855847E-03-.481336E-010.202576E+000.617052E-010.973442E+00
 0.263196E-020.196252E-010.858192E-03-.472247E-010.201449E+000.843724E-010.970553E+00
 0.263359E-020.194979E-010.256762E-02-.454013E-010.198167E+000.110841E+000.966707E+00
 0.263273E-020.191560E-010.424542E-02-.426374E-010.192438E+000.137681E+000.962337E+00
 0.263354E-020.185994E-010.585882E-02-.390092E-010.184288E+000.163926E+000.957593E+00
 0.263308E-020.178213E-010.737407E-02-.348968E-010.174017E+000.188435E+000.952743E+00
 0.263328E-020.168548E-010.876763E-02-.303815E-010.162173E+000.210910E+000.947845E+00
 0.263281E-020.157299E-010.100145E-01-.255367E-010.149166E+000.231139E+000.943028E+00
 0.263267E-020.144865E-010.111066E-01-.207009E-010.135267E+000.248847E+000.938524E+00
 0.263406E-020.131636E-010.120499E-01-.162116E-010.121365E+000.263738E+000.934462E+00
 0.263306E-020.117798E-010.128420E-01-.120357E-010.107090E+000.276463E+000.930821E+00
 0.263273E-020.103682E-010.134977E-01-.821140E-020.928806E-010.287086E+000.927626E+00
 0.263289E-020.894964E-020.140327E-01-.509204E-020.796782E-010.295358E+000.925025E+00
 0.263429E-020.753828E-020.144624E-01-.230959E-020.658518E-010.302343E+000.922794E+00
 0.263160E-020.613079E-020.147846E-01-.365310E-030.535113E-010.307299E+000.921187E+00
 0.263364E-020.474544E-020.150407E-010.135399E-020.405353E-010.311386E+000.919824E+00
 0.263221E-020.337396E-020.152087E-010.268183E-020.280762E-010.314260E+000.918837E+00
 0.263332E-020.201950E-020.153167E-010.354129E-020.156276E-010.316128E+000.918171E+00
 0.263219E-020.672157E-030.153613E-010.378156E-020.533098E-020.316774E+000.917968E+00

***** For brevity, inviscid data for i=3,4,...,14 are deleted. *****

1	15	36
---	----	----

0.321581E+000.872099E-02-.199535E+000.927619E+000.544486E-02-.257310E+000.734057E-01
 0.321584E+000.262031E-01-.198821E+000.927110E+000.164166E-01-.257759E+000.738801E-01
 0.321585E+000.438005E-01-.197358E+000.926009E+000.279428E-01-.258777E+000.748860E-01
 0.321591E+000.615761E-01-.195087E+000.924247E+000.404108E-01-.260299E+000.765103E-01
 0.321593E+000.795842E-01-.191927E+000.921834E+000.541335E-01-.262069E+000.787498E-01
 0.321603E+000.978590E-01-.187778E+000.918702E+000.695334E-01-.263877E+000.816696E-01
 0.321607E+000.116399E+00-.182503E+000.914710E+000.870987E-01-.265530E+000.853770E-01
 0.321613E+000.135164E+00-.175943E+000.909732E+000.107335E+00-.266465E+000.900447E-01
 0.321621E+000.154062E+00-.167922E+000.903628E+000.130682E+00-.266091E+000.957803E-01
 0.321629E+000.172927E+00-.158255E+000.896291E+000.157627E+00-.263429E+000.102657E+00
 0.321633E+000.191502E+00-.146749E+000.887744E+000.188471E+00-.257000E+000.110614E+00
 0.321638E+000.209427E+00-.133236E+000.878105E+000.222843E+00-.245150E+000.119494E+00
 0.321638E+000.226242E+00-.117611E+000.867727E+000.259765E+00-.226038E+000.128850E+00
 0.321640E+000.241408E+00-.998548E-010.857238E+000.297378E+00-.197882E+000.137978E+00
 0.321641E+000.254333E+00-.800799E-010.847732E+000.332383E+00-.159817E+000.145806E+00
 0.321639E+000.264471E+00-.585512E-010.840390E+000.360853E+00-.112937E+000.151288E+00
 0.321638E+000.271412E+00-.356817E-010.835964E+000.379623E+00-.606036E-010.153908E+00
 0.321638E+000.275039E+00-.119861E-010.834246E+000.387878E+00-.760883E-020.154058E+00
 0.321638E+000.276037E+000.120769E-010.833639E+000.388666E+000.358414E-010.153225E+00
 0.321642E+000.275727E+000.363597E-010.831833E+000.387891E+000.685396E-010.153423E+00
 0.321643E+000.274072E+000.608228E-010.828364E+000.383992E+000.112419E+000.154258E+00
 0.321648E+000.269850E+000.851295E-010.824694E+000.373235E+000.162692E+000.154642E+00
 0.321650E+000.262265E+000.108643E+000.822758E+000.352006E+000.215510E+000.153242E+00
 0.321651E+000.251013E+000.130626E+000.824259E+000.319198E+000.264835E+000.149070E+00
 0.321653E+000.236261E+000.150419E+000.829531E+000.277831E+000.304725E+000.142284E+00
 0.321655E+000.218570E+000.167567E+000.837334E+000.233827E+000.332443E+000.134080E+00
 0.321660E+000.198724E+000.181905E+000.846150E+000.192099E+000.348978E+000.125696E+00
 0.321663E+000.177532E+000.193514E+000.854545E+000.155561E+000.357398E+000.118133E+00
 0.321666E+000.155695E+000.202650E+000.861858E+000.124717E+000.360777E+000.111766E+00
 0.321665E+000.133738E+000.209657E+000.867935E+000.991650E-010.361277E+000.106589E+00
 0.321667E+000.112014E+000.214896E+000.872626E+000.779487E-010.360661E+000.102607E+00
 0.321667E+000.907100E-010.218696E+000.876202E+000.599057E-010.359654E+000.995533E-01
 0.321666E+000.698886E-010.221345E+000.878848E+000.443014E-010.358623E+000.972642E-01
 0.321664E+000.495275E-010.223077E+000.880700E+000.303237E-010.357783E+000.956443E-01
 0.321664E+000.295469E-010.224085E+000.881882E+000.175828E-010.357222E+000.945684E-01
 0.321663E+000.981894E-020.224528E+000.882450E+000.563722E-020.356955E+000.940319E-01

2.7.2 Sample Case Output

	20	31					
	0.400000E-02	0.450000E-02	0.500000E-02	0.700000E-02	0.900000E-02		
	0.110000E-01	0.130000E-01	0.150000E-01	0.170000E-01	0.190000E-01		
	0.210000E-01	0.230000E-01	0.250000E-01	0.270000E-01	0.290000E-01		
	0.310000E-01	0.330000E-01	0.350000E-01	0.370000E-01	0.390000E-01		
	0.000000E+00	0.104720E+00	0.209440E+00	0.314159E+00	0.418879E+00		
	0.523599E+00	0.628319E+00	0.733038E+00	0.837758E+00	0.942478E+00		
	0.104720E+01	0.115192E+01	0.125664E+01	0.136136E+01	0.146608E+01		
	0.157080E+01	0.167552E+01	0.178024E+01	0.188496E+01	0.198968E+01		
	0.209439E+01	0.219911E+01	0.230383E+01	0.240856E+01	0.251327E+01		
	0.261799E+01	0.272271E+01	0.282743E+01	0.293215E+01	0.303687E+01		
	0.314159E+01						
1	1	0.400000E-02	-0.148836E-07	-0.232644E-01	0.236058E-01	0.250007E+00	
		0.000000E+00	0.590144E+01	0.232644E-01	0.000000E+00	0.964495E+00	
1	2	0.400000E-02	0.243383E-02	-0.231564E-01	0.236250E-01	0.249811E+00	
		-0.140179E-02	0.590625E+01	0.232634E-01	0.102811E-01	0.964641E+00	
1	3	0.400000E-02	0.485302E-02	-0.228317E-01	0.236821E-01	0.249152E+00	
		-0.253219E-02	0.592052E+01	0.233286E-01	0.246516E-01	0.964944E+00	
1	4	0.400000E-02	0.724221E-02	-0.222893E-01	0.237752E-01	0.248002E+00	
		-0.305573E-02	0.594381E+01	0.234343E-01	0.376655E-01	0.965482E+00	
1	5	0.400000E-02	0.958455E-02	-0.215273E-01	0.239016E-01	0.246458E+00	
		-0.293748E-02	0.597540E+01	0.235753E-01	0.492020E-01	0.96214E+00	
1	6	0.400000E-02	0.118611E-01	-0.205440E-01	0.240570E-01	0.244544E+00	
		-0.210847E-02	0.601426E+01	0.237455E-01	0.587947E-01	0.967030E+00	
1	7	0.400000E-02	0.140503E-01	-0.193386E-01	0.242362E-01	0.242450E+00	
		0.182996E-03	0.605906E+01	0.239373E-01	0.657850E-01	0.967897E+00	
1	8	0.400000E-02	0.161280E-01	-0.179120E-01	0.244326E-01	0.240201E+00	
		0.323252E-02	0.610815E+01	0.241413E-01	0.701368E-01	0.968749E+00	
1	9	0.400000E-02	0.180669E-01	-0.162675E-01	0.246382E-01	0.238143E+00	
		0.815048E-02	0.615956E+01	0.243481E-01	0.714157E-01	0.969436E+00	
1	10	0.400000E-02	0.198374E-01	-0.144127E-01	0.248445E-01	0.236453E+00	
		0.138459E-01	0.621112E+01	0.245479E-01	0.694549E-01	0.969848E+00	
1	11	0.400000E-02	0.214084E-01	-0.123601E-01	0.250418E-01	0.235392E+00	
		0.208390E-01	0.626044E+01	0.247318E-01	0.635639E-01	0.969890E+00	
1	12	0.400000E-02	0.227483E-01	-0.101282E-01	0.252204E-01	0.235199E+00	
		0.298814E-01	0.630509E+01	0.248918E-01	0.547637E-01	0.969390E+00	
1	13	0.400000E-02	0.238273E-01	-0.774197E-02	0.253708E-01	0.236326E+00	
		0.383833E-01	0.634269E+01	0.250217E-01	0.426212E-01	0.968436E+00	
1	14	0.400000E-02	0.246190E-01	-0.523294E-02	0.254848E-01	0.238730E+00	
		0.492255E-01	0.637121E+01	0.251171E-01	0.281493E-01	0.966547E+00	
1	15	0.400000E-02	0.251028E-01	-0.263842E-02	0.255560E-01	0.242999E+00	
		0.598276E-01	0.638900E+01	0.251747E-01	0.106124E-01	0.963918E+00	
1	16	0.400000E-02	0.252644E-01	0.000000E+00	0.255791E-01	0.247625E+00	
		0.698607E-01	0.639476E+01	0.252369E-01	0.107769E-01	0.960271E+00	
1	17	0.400000E-02	0.251809E-01	0.264661E-02	0.256337E-01	0.254166E+00	
		0.793903E-01	0.640841E+01	0.252352E-01	0.688476E-02	0.955619E+00	
1	18	0.400000E-02	0.247446E-01	0.525963E-02	0.256117E-01	0.265902E+00	
		0.923270E-01	0.640293E+01	0.251921E-01	-0.397059E-01	0.950264E+00	
1	19	0.400000E-02	0.238921E-01	0.776299E-02	0.254381E-01	0.281280E+00	
		0.104250E+00	0.635952E+01	0.251134E-01	-0.985603E-01	0.943952E+00	

1	20	0.400000E-02	0.226377E-01	0.100789E-01	0.251008E-01	0.298495E+00
		0.114168E+00	0.627520E+01	0.249739E-01	-0.154656E+00	0.937161E+00
1	21	0.400000E-02	0.210391E-01	0.121469E-01	0.246210E-01	0.315926E+00
		0.121089E+00	0.615525E+01	0.247314E-01	-0.200431E+00	0.930387E+00
1	22	0.400000E-02	0.191770E-01	0.139329E-01	0.240392E-01	0.331608E+00
		0.123761E+00	0.600979E+01	0.243500E-01	-0.230828E+00	0.923777E+00
1	23	0.400000E-02	0.171360E-01	0.154293E-01	0.234031E-01	0.344599E+00
		0.122036E+00	0.585077E+01	0.238257E-01	-0.246230E+00	0.917558E+00
1	24	0.400000E-02	0.149911E-01	0.166493E-01	0.227581E-01	0.354280E+00
		0.115570E+00	0.568952E+01	0.231892E-01	-0.246601E+00	0.912179E+00
1	25	0.400000E-02	0.128007E-01	0.176186E-01	0.221421E-01	0.360999E+00
		0.105573E+00	0.553553E+01	0.224937E-01	-0.235283E+00	0.907764E+00
1	26	0.400000E-02	0.106047E-01	0.183678E-01	0.215832E-01	0.365092E+00
		0.918703E-01	0.539579E+01	0.217974E-01	-0.213841E+00	0.904107E+00
1	27	0.400000E-02	0.842718E-02	0.189277E-01	0.211016E-01	0.367212E+00
		0.757737E-01	0.527539E+01	0.211522E-01	-0.184084E+00	0.901169E+00
1	28	0.400000E-02	0.627944E-02	0.193261E-01	0.207106E-01	0.368181E+00
		0.585943E-01	0.517765E+01	0.206002E-01	-0.147437E+00	0.898929E+00
1	29	0.400000E-02	0.416331E-02	0.195868E-01	0.204200E-01	0.368245E+00
		0.398796E-01	0.510500E+01	0.201732E-01	-0.104913E+00	0.897520E+00
1	30	0.400000E-02	0.207367E-02	0.197295E-01	0.202374E-01	0.367920E+00
		0.206593E-01	0.505935E+01	0.198979E-01	-0.576419E-01	0.896751E+00
1	31	0.400000E-02	0.620667E-08	0.197717E-01	0.201723E-01	0.367597E+00
		0.000000E+00	0.504307E+01	0.198060E-01	0.000000E+00	0.896493E+00
2	1	0.450000E-02	-0.158292E-07	-0.247425E-01	0.251661E-01	0.265181E+00
		0.000000E+00	0.312070E+01	0.247428E-01	0.000000E+00	0.954012E+00
2	2	0.450000E-02	0.258853E-02	-0.246283E-01	0.251872E-01	0.264981E+00
		-0.186515E-02	0.312440E+01	0.247431E-01	0.107155E-01	0.954188E+00
2	3	0.450000E-02	0.516194E-02	-0.242851E-01	0.252498E-01	0.264246E+00
		-0.346922E-02	0.313547E+01	0.248152E-01	0.254391E-01	0.954573E+00
2	4	0.450000E-02	0.770432E-02	-0.237115E-01	0.253520E-01	0.262961E+00
		-0.439319E-02	0.315358E+01	0.249321E-01	0.387918E-01	0.955257E+00
2	5	0.450000E-02	0.101981E-01	-0.229053E-01	0.254908E-01	0.261226E+00
		-0.473907E-02	0.317830E+01	0.250880E-01	0.506322E-01	0.956192E+00
2	6	0.450000E-02	0.126233E-01	-0.218643E-01	0.256615E-01	0.259074E+00
		-0.420289E-02	0.320892E+01	0.252764E-01	0.605659E-01	0.957254E+00
2	7	0.450000E-02	0.149575E-01	-0.205872E-01	0.258585E-01	0.256696E+00
		-0.216411E-02	0.324454E+01	0.254885E-01	0.678072E-01	0.958404E+00
2	8	0.450000E-02	0.171745E-01	-0.190742E-01	0.260745E-01	0.254083E+00
		0.652706E-03	0.328387E+01	0.257142E-01	0.722809E-01	0.959560E+00
2	9	0.450000E-02	0.192453E-01	-0.173286E-01	0.263010E-01	0.251635E+00
		0.557891E-02	0.332547E+01	0.259429E-01	0.736809E-01	0.960551E+00
2	10	0.450000E-02	0.211382E-01	-0.153578E-01	0.265283E-01	0.249488E+00
		0.111430E-01	0.336765E+01	0.261640E-01	0.717078E-01	0.961260E+00
2	11	0.450000E-02	0.228193E-01	-0.131748E-01	0.267460E-01	0.247978E+00
		0.183400E-01	0.340843E+01	0.263670E-01	0.657245E-01	0.961552E+00
2	12	0.450000E-02	0.242544E-01	-0.107988E-01	0.269432E-01	0.247376E+00
		0.275728E-01	0.344563E+01	0.265435E-01	0.566467E-01	0.961261E+00
2	13	0.450000E-02	0.254109E-01	-0.825654E-02	0.271094E-01	0.248064E+00
		0.362584E-01	0.347720E+01	0.266867E-01	0.441718E-01	0.960441E+00
2	14	0.450000E-02	0.262600E-01	-0.558176E-02	0.272355E-01	0.250112E+00
		0.474849E-01	0.350126E+01	0.267918E-01	0.292633E-01	0.958595E+00
2	15	0.450000E-02	0.267791E-01	-0.281461E-02	0.273142E-01	0.254107E+00
		0.584786E-01	0.351631E+01	0.268551E-01	0.111631E-01	0.955900E+00
2	16	0.450000E-02	0.269524E-01	0.000000E+00	0.273396E-01	0.258499E+00
		0.688537E-01	0.352116E+01	0.269244E-01	0.112628E-01	0.952126E+00
2	17	0.450000E-02	0.268663E-01	0.282374E-02	0.274005E-01	0.264792E+00
		0.786456E-01	0.353364E+01	0.269257E-01	0.828914E-02	0.947242E+00
2	18	0.450000E-02	0.264059E-01	0.561275E-02	0.273822E-01	0.276313E+00
		0.922146E-01	0.354095E+01	0.268816E-01	-0.377897E-01	0.941458E+00

2	19	0.450000E-02	0.255010E-01	0.828576E-02	0.272022E-01	0.291668E+00
		0.104683E+00	0.352813E+01	0.267998E-01	-0.967838E-01	0.934577E+00
2	20	0.450000E-02	0.241656E-01	0.107592E-01	0.268464E-01	0.309073E+00
		0.115255E+00	0.349121E+01	0.266543E-01	-0.153230E+00	0.927090E+00
2	21	0.450000E-02	0.224608E-01	0.129677E-01	0.263370E-01	0.326773E+00
		0.122805E+00	0.343209E+01	0.263995E-01	-0.199220E+00	0.919559E+00
2	22	0.450000E-02	0.204730E-01	0.148745E-01	0.257173E-01	0.342777E+00
		0.125813E+00	0.335630E+01	0.259960E-01	-0.229987E+00	0.912225E+00
2	23	0.450000E-02	0.182931E-01	0.164712E-01	0.250385E-01	0.356062E+00
		0.124464E+00	0.327089E+01	0.254382E-01	-0.245476E+00	0.905306E+00
2	24	0.450000E-02	0.160021E-01	0.177721E-01	0.243496E-01	0.366009E+00
		0.117946E+00	0.318295E+01	0.247584E-01	-0.246159E+00	0.899347E+00
2	25	0.450000E-02	0.136626E-01	0.188049E-01	0.236913E-01	0.372876E+00
		0.107911E+00	0.309838E+01	0.240141E-01	-0.234915E+00	0.894447E+00
2	26	0.450000E-02	0.113174E-01	0.196023E-01	0.230939E-01	0.377037E+00
		0.939484E-01	0.302137E+01	0.232679E-01	-0.213509E+00	0.890411E+00
2	27	0.450000E-02	0.899269E-02	0.201979E-01	0.225791E-01	0.379217E+00
		0.775102E-01	0.295504E+01	0.225757E-01	-0.183789E+00	0.887182E+00
2	28	0.450000E-02	0.670025E-02	0.206212E-01	0.221613E-01	0.380223E+00
		0.599501E-01	0.290132E+01	0.219835E-01	-0.147171E+00	0.884720E+00
2	29	0.450000E-02	0.444202E-02	0.208980E-01	0.218507E-01	0.380218E+00
		0.405319E-01	0.286143E+01	0.215252E-01	-0.104712E+00	0.883190E+00
2	30	0.450000E-02	0.221240E-02	0.210494E-01	0.216557E-01	0.379829E+00
		0.208467E-01	0.283653E+01	0.212297E-01	-0.574984E-01	0.882371E+00
2	31	0.450000E-02	0.662182E-08	0.210942E-01	0.215861E-01	0.379516E+00
		0.000000E+00	0.282770E+01	0.211310E-01	0.000000E+00	0.882095E+00

***** For brevity, output for i=3,4,...,19 is deleted. *****

20	1	0.390000E-01	-0.475658E-07	-0.743496E-01	0.861731E-01	0.685748E+00
		0.000000E+00	0.138152E+01	0.743850E-01	0.000000E+00	0.543562E+00
20	2	0.390000E-01	0.778423E-02	-0.740622E-01	0.862742E-01	0.685165E+00
		-0.143568E-01	0.138320E+01	0.744878E-01	0.178137E-01	0.544749E+00
20	3	0.390000E-01	0.155578E-01	-0.731938E-01	0.865754E-01	0.683438E+00
		-0.279416E-01	0.138820E+01	0.749428E-01	0.379004E-01	0.547554E+00
20	4	0.390000E-01	0.233056E-01	-0.717272E-01	0.870711E-01	0.680559E+00
		-0.407296E-01	0.139651E+01	0.756813E-01	0.567094E-01	0.552411E+00
20	5	0.390000E-01	0.310040E-01	-0.696362E-01	0.877522E-01	0.676345E+00
		-0.520173E-01	0.140806E+01	0.766733E-01	0.740519E-01	0.559298E+00
20	6	0.390000E-01	0.386171E-01	-0.668870E-01	0.886049E-01	0.670756E+00
		-0.611592E-01	0.142273E+01	0.778776E-01	0.893371E-01	0.567953E+00
20	7	0.390000E-01	0.460921E-01	-0.634403E-01	0.896087E-01	0.663836E+00
		-0.673612E-01	0.144038E+01	0.792400E-01	0.101946E+00	0.578215E+00
20	8	0.390000E-01	0.533553E-01	-0.592571E-01	0.907358E-01	0.655563E+00
		-0.706555E-01	0.146061E+01	0.806923E-01	0.111085E+00	0.589841E+00
20	9	0.390000E-01	0.603084E-01	-0.543020E-01	0.919476E-01	0.645979E+00
		-0.699325E-01	0.148289E+01	0.821580E-01	0.115855E+00	0.602586E+00
20	10	0.390000E-01	0.668283E-01	-0.485536E-01	0.931964E-01	0.635488E+00
		-0.647821E-01	0.150637E+01	0.835560E-01	0.115706E+00	0.615796E+00
20	11	0.390000E-01	0.727661E-01	-0.420116E-01	0.944228E-01	0.624662E+00
		-0.553089E-01	0.152993E+01	0.848106E-01	0.109097E+00	0.628571E+00
20	12	0.390000E-01	0.779553E-01	-0.347080E-01	0.955596E-01	0.614301E+00
		-0.411998E-01	0.155222E+01	0.858620E-01	0.966681E-01	0.640082E+00
20	13	0.390000E-01	0.822223E-01	-0.267157E-01	0.965362E-01	0.605464E+00
		-0.234702E-01	0.157164E+01	0.866756E-01	0.775878E-01	0.649431E+00
20	14	0.390000E-01	0.854039E-01	-0.181532E-01	0.972862E-01	0.599182E+00
		-0.306474E-02	0.158670E+01	0.872446E-01	0.532809E-01	0.655450E+00
20	15	0.390000E-01	0.873683E-01	-0.918281E-02	0.977571E-01	0.596398E+00
		0.190340E-01	0.159619E+01	0.876000E-01	0.221946E-01	0.657675E+00
20	16	0.390000E-01	0.880632E-01	0.000000E+00	0.979440E-01	0.595588E+00

		0.389856E-01	0.160004E+01	0.880107E-01	0.220268E-01	0.656822E+00
20	17	0.390000E-01	0.879284E-01	0.924159E-02	0.982531E-01	0.595936E+00
		0.510731E-01	0.160534E+01	0.883377E-01	0.387339E-01	0.653686E+00
20	18	0.390000E-01	0.868571E-01	0.184620E-01	0.985790E-01	0.599896E+00
		0.739315E-01	0.161506E+01	0.883924E-01	0.932750E-02	0.647450E+00
20	19	0.390000E-01	0.843374E-01	0.274028E-01	0.984452E-01	0.609807E+00
		0.101843E+00	0.162015E+01	0.882820E-01	-0.438659E-01	0.636418E+00
20	20	0.390000E-01	0.802721E-01	0.357394E-01	0.976922E-01	0.626105E+00
		0.129797E+00	0.161657E+01	0.880476E-01	-0.102442E+00	0.620516E+00
20	21	0.390000E-01	0.748054E-01	0.431888E-01	0.963326E-01	0.646648E+00
		0.152814E+00	0.160334E+01	0.875636E-01	-0.154077E+00	0.601819E+00
20	22	0.390000E-01	0.682358E-01	0.495762E-01	0.944974E-01	0.667418E+00
		0.167856E+00	0.158183E+01	0.865853E-01	-0.190672E+00	0.581962E+00
20	23	0.390000E-01	0.609184E-01	0.548512E-01	0.923767E-01	0.685324E+00
		0.173449E+00	0.155496E+01	0.849584E-01	-0.209656E+00	0.562584E+00
20	24	0.390000E-01	0.531855E-01	0.590685E-01	0.901667E-01	0.699112E+00
		0.169254E+00	0.152592E+01	0.827323E-01	-0.213841E+00	0.545546E+00
20	25	0.390000E-01	0.452934E-01	0.623409E-01	0.880286E-01	0.708247E+00
		0.156728E+00	0.149736E+01	0.801225E-01	-0.204416E+00	0.531567E+00
20	26	0.390000E-01	0.374166E-01	0.648073E-01	0.860827E-01	0.713664E+00
		0.137704E+00	0.147137E+01	0.773966E-01	-0.185507E+00	0.520345E+00
20	27	0.390000E-01	0.296542E-01	0.666043E-01	0.844094E-01	0.716398E+00
		0.114226E+00	0.144903E+01	0.748133E-01	-0.158965E+00	0.511634E+00
20	28	0.390000E-01	0.220461E-01	0.678509E-01	0.830575E-01	0.717387E+00
		0.879869E-01	0.143113E+01	0.725774E-01	-0.126559E+00	0.505200E+00
20	29	0.390000E-01	0.145915E-01	0.686478E-01	0.820585E-01	0.717351E+00
		0.593864E-01	0.141796E+01	0.708396E-01	-0.893690E-01	0.501022E+00
20	30	0.390000E-01	0.726007E-02	0.690744E-01	0.814354E-01	0.716944E+00
		0.301647E-01	0.140982E+01	0.697191E-01	-0.483743E-01	0.498686E+00
20	31	0.390000E-01	0.217225E-07	0.691985E-01	0.812158E-01	0.716659E+00
		0.000000E+00	0.140699E+01	0.693382E-01	0.000000E+00	0.497821E+00

2.8 FORTRAN Listing of BCC

Subroutines STIBI and VAL are not presented here. Subroutine DUDY can be found in Section 3.8.

```
#####
program bcmain
#####
c**      obtain the boundary-layer edge conditions
c**      on the body-oriented boundary-layer grids.

parameter(im=15,jm=38,imaxd=100,jmaxd=51)
dimension xo(im,jm),yo(im,jm),zo(im,jm)
&,vx(im,jm),vy(im,jm),vz(im,jm),pcoef(im,jm)
dimension phit(jm),cavt(im,jm),xx(im)
dimension cavl(im),cavw(im),costht(im,jm),uet(im,jm)
&,vet(im,jm),cpl(im),cpw(im)
integer iendsw(8),ierr,iopt(3),iw,mx,my,mz
real endyl(im),endyn(im),sigma
real wk(5*im*jm)
dimension x(imaxd),y(jmaxd),ue(imaxd,jmaxd),ve(imaxd,jmaxd)
&,costh(imaxd,jmaxd),cpd(imaxd,jmaxd)
dimension xpd(imaxd,jmaxd),YPD(imaxd,jmaxd),ZPD(imaxd,jmaxd)
dimension h1(imaxd,jmaxd),s1(imaxd,jmaxd),h2(imaxd,jmaxd)
&,dy(jmaxd)

imax=20
jmax=31

x(1)=0.004
do 5000 i=2,imax
if(i.le.3)dx=0.0005
if(i.gt.3.and.i.le.20)dx=0.002
x(i)=x(i-1)+dx
write(6,*)' i=',i,' x=',x(i)
5000 continue

pi=acos(-1.)
pio2=pi/2.

do 5200 j=1,jmax
y(j)=pi*(j-1.)/(jmax-1.)
5200 continue

if(imax.gt.imaxd)write(6,*)"change parameter imaxd greater or
&equal to',imax
if(jmax.gt.jmaxd)write(6,*)"change parameter jmaxd greater or
&equal to',jmax
if(imax.gt.imaxd.or.jmax.gt.jmaxd)stop

c
c      read inviscid data
```

```

c
      rewind 2
100  read(2,410,end=1000)is,lk,ksorce

      do 800 k=1,ksorce
      read(2,411)xo(lk,k),yo(lk,k),zo(lk,k),vx(lk,k),
&vy(lk,k),vz(lk,k),pcoef(lk,k)
      cavr(lk,k)=sqrt(vx(lk,k)**2+vy(lk,k)**2+vz(lk,k)**2)
      if(yo(lk,k).lt.0)yo(lk,k)=1.e-7
      if(lk.eq.3)phit(k)=atan(zo(lk,k)/yo(lk,k))+pio2
800  continue
      xx(lk)=xo(lk,1)
410  format(3i5)
411  format(7e12.6)
      go to 100

c      to give values on the lines of symmetry

1000 nt=lk
      np=ksorce

      if(nt.ne.im)then
      write(6,*)"im is not same as nt, change parameter im to',nt
      stop
      endif

      if(np+2.ne.jm)then
      write(6,*)"jm is not same as np+2 , change parameter jm to', np+2
      stop
      endif

c      to obtain costht

      do 3000 i=1,nt
      do 3100 k=1,np
      ph1=phit(k)-pio2
      call val(xo(i,k),ph1,r1,rx,0)
      x1=xo(i,k)
      y1=-r1*(-cos(ph1))
      z1=r1*sin(ph1)

      x2=xo(i,k)+0.01
      call val(x2,ph1,r2,rx,0)
      y2=-r2*(-cos(ph1))
      z2=r2*sin(ph1)

      ph3=ph1+0.01
      call val(xo(i,k),ph3,r3,rx,0)
      x3=xo(i,k)
      y3=-r3*(-cos(ph3))
      z3=r3*sin(ph3)

      costht(i,k)=((y2-y1)*(y3-y1)+(z2-z1)*(z3-z1)+(x2-x1)*(x3-x1))
      & / (sqrt((y3-y1)**2+(z3-z1)**2+(x3-x1)**2)
      & *sqrt((y2-y1)**2+(z2-z1)**2+(x2-x1)**2))

      delta=acos(((x3-x1)*vx(i,k)+(y3-y1)*vy(i,k)+(z3-z1)*vz(i,k)))
      &/ (sqrt((x3-x1)**2+(y3-y1)**2+(z3-z1)**2)*cavt(i,k)))
      gamma=acos(costht(i,k))-delta

```

```

        vet(i,k)=cavt(i,k)*sin(gamma)/sqrt(1.-costht(i,k)**2)
        uet(i,k)=-vet(i,k)*costht(i,k)+cavt(i,k)*cos(gamma)
3100    continue

3000    continue

        do 2600 lk=1,nt
        call dudy(phit(np-1),phit(np),pi,uet(lk,np-1)
&,uet(lk,np),cavl(lk))
        call dudy(phit(np-1),phit(np),pi,pcoef(lk,np-1)
&,pcoef(lk,np),cp1(lk))

        call dudy(phit(2),phit(1),0.,uet(lk,2),uet(lk,1),cavw(lk))
        call dudy(phit(2),phit(1),0.,pcoef(lk,2),pcoef(lk,1),cpw(lk))
2600    continue

        do 2100 lk=1,nt
        do 1200 k=ksorce,1,-1
        uet(lk,k+1)=uet(lk,k)
        vet(lk,k+1)=vet(lk,k)
        costht(lk,k+1)=costht(lk,k)
        pcoef(lk,k+1)=pcoef(lk,k)
1200    continue
2100    continue

        do 1300 k=ksorce,1,-1
        phit(k+1)=phit(k)
1300    continue

        phit(1)=0.
        phit(np+2)=pi

        npi=np+2
        nti=nt

        do 3300 lk=1,nti
        uet(lk,1)=cavw(lk)
        uet(lk,npi)=cavl(lk)
        vet(lk,1)=0.
        vet(lk,npi)=0.
        costht(lk,1)=0.
        costht(lk,npi)=0.
        pcoef(lk,1)=cpw(lk)
        pcoef(lk,npi)=cp1(lk)
3300    continue

c      bivariate spline under tension

        iendsw(1)=2
        iendsw(2)=2
        iendsw(3)=0
        iendsw(4)=0

        do 50 ii=1,nti
        endy1(ii)=0.
50      endyn(ii)=0.
        sigma=2.0

        iopt(1)=3

```

```

iopt(2)=3
mx=1
my=1
mz=1
iw=0

do 7000 i=1,imax
do 7000 j=1,jmax
call stibi(iopt,im,jm,xx,phit,im,uet,iendsw,endx1
&,endxn,endyl,endyn,endxy,sigma,mx,my,x(i),y(j),iw,mz,ues,
&linout,wk,ierr)
if(ierr.gt.0)write(6,*)" ***** ierr is gt.0 (stibi) ierr=' ,ierr
ue(i,j)=ues
7000 continue

do 7500 i=1,imax
do 7500 j=1,jmax
call stibi(iopt,im,jm,xx,phit,im,pcoef,iendsw,endx1
&,endxn,endyl,endyn,endxy,sigma,mx,my,x(i),y(j),iw,mz,cps,
&linout,wk,ierr)
if(ierr.gt.0)write(6,*)" ***** ierr is gt.0 (stibi) ierr=' ,ierr
cpd(i,j)=cps
7500 continue

iw=0
iendsw(3)=2
iendsw(4)=2

do 8000 i=1,imax
do 8000 j=1,jmax
call stibi(iopt,im,jm,xx,phit,im,vet,iendsw,endx1
&,endxn,endyl,endyn,endxy,sigma,mx,my,x(i),y(j),iw,mz,ves,
&linout,wk,ierr)
if(ierr.gt.0)write(6,*)" ***** ierr is gt.0 (stibi) ierr=' ,ierr
ve(i,j)=ves
8000 continue

iw=0

do 9000 i=1,imax
do 9000 j=1,jmax
call stibi(iopt,im,jm,xx,phit,im,costht,iendsw,endx1
&,endxn,endyl,endyn,endxy,sigma,mx,my,x(i),y(j),iw,mz,cosths,
&linout,wk,ierr)
if(ierr.gt.0)write(6,*)" ***** ierr is gt.0 (stibi) ierr=' ,ierr
costh(i,j)=cosths
9000 continue

do 6000 i=1,imax
do 6000 j=1,jmax
ph5=y(j)-pio2
call val(x(i),ph5,r5,rx,0)
xpd(i,j)=x(i)
YPD(i,j)=-r5*(-cos(ph5))
ZPD(i,j)=r5*sin(ph5)
6000 continue

c      obtain h1 and s1

      do 600 j=1,jmax

```

```

      s1(1,j)=sqrt(xpd(1,j)**2+ypd(1,j)**2+zpd(1,j)**2)
      h1(1,j)=s1(1,j)/x(1)
      do 610 i=2,imax
      ds1=sqrt((xpd(i,j)-xpd(i-1,j))**2+(ypd(i,j)-ypd(i-1,j))**2
      & +(zpd(i,j)-zpd(i-1,j))**2)
      s1(i,j)=s1(i-1,j)+ds1
      h1(i,j)=ds1/(x(i)-x(i-1))
  610  continue
  600  continue

c      obtain h2 by f-d

      do 790 n=1,jmax-1
      dy(n)=y(n+1)-y(n)
  790  continue

      do 2200 l=1,imax
      do 840 n=1,jmax
      dxpdy=(dy(n-1)**2*xpd(l,n+1)-(dy(n-1)**2-dy(n)**2)
      & *xpd(l,n)-dy(n)**2*xpd(l,n-1))/(dy(n)*dy(n-1)*(dy(n)
      & +dy(n-1)))
      dypdy=(dy(n-1)**2*ypd(l,n+1)-(dy(n-1)**2-dy(n)**2)
      & *ypd(l,n)-dy(n)**2*ypd(l,n-1))/(dy(n)*dy(n-1)*(dy(n)
      & +dy(n-1)))
      dzpdy=(dy(n-1)**2*zpd(l,n+1)-(dy(n-1)**2-dy(n)**2)
      & *zpd(l,n)-dy(n)**2*zpd(l,n-1))/(dy(n)*dy(n-1)*(dy(n)
      & +dy(n-1)))

      if(n.eq.1)then
      dxpdy=(xpd(l,2)-xpd(l,1))/dy(1)
      dypdy=(ypd(l,2)-ypd(l,1))/dy(1)
      dzpdy=(zpd(l,2)-zpd(l,1))/dy(1)
      endif

      if(n.eq.jmax)then
      dxpdy=(xpd(l,jmax)-xpd(l,jmax-1))/dy(jmax-1)
      dypdy=(ypd(l,jmax)-ypd(l,jmax-1))/dy(jmax-1)
      dzpdy=(zpd(l,jmax)-zpd(l,jmax-1))/dy(jmax-1)
      endif

      h2(l,n)=sqrt(dxpdy**2+dypdy**2+dzpdy**2)
  840  continue
  2200 continue

      rewind 22
      write(22,463)imax,jmax
      write(22,461)(x(i),i=1,imax)
      write(22,461)(y(j),j=1,jmax)
      do 460 i=1,imax
      do 460 j=1,jmax
      write(22,462)i,j,xpd(i,j),ypd(i,j),zpd(i,j),s1(i,j),ue(i,j)
      &,ve(i,j),h1(i,j),h2(i,j),costh(i,j),cpd(i,j)
  460  continue
  461  format(5(1x,e13.6))
  462  format(2i4,5(1x,e13.6)/8x,5(1x,e13.6))
  463  format(2i10)

      stop
      end

```

PART 3.
STREAMLINE COORDINATE PROGRAM (SCC)

3.1 Program Description

Program SCC is used for the generation of the boundary-layer edge conditions based on the streamline coordinates for the general fuselage. This code reads the numerical inviscid solution based on the Cartesian coordinates (x' , y' , z' , $u_{x'}/V_\infty$, $u_{y'}/V_\infty$, $u_{z'}/V_\infty$, C_p) on the inviscid grid and calculates the boundary-layer edge conditions (x' , y' , z' , u_e/V_∞ , v_e/V_∞ , s , h_2 , C_p) on the streamline boundary-layer grid.

A geometry program which defines the fuselage is required to run the SCC code. This code is written to be generally applied, so any geometry routine, which returns the body radius r for given axial coordinate X and angle ϕ , can be used. Because the raw data defining the sample case general aviation fuselage were nonsmooth, a semi-analytic geometry program specially made for this fuselage by Raymond L. Barger at the NASA Langley Research Center is used. It should be noted that the angle ϕ must be defined as $-\pi/2$ and $\pi/2$ on the windward and leeward lines of symmetry, respectively, in this geometry routine.

To calculate the streamline coordinates, a method developed by Hamilton et al. [3] is used (for detail, see Appendix D.2 of Volume I). Program SCC is modified from the code developed by Hamilton et al.. A fourth order Runge-Kutta method is used for the integration, and a bidirectional cubic spline-under-tension subroutine is used for the interpolation.

3.2 Structure of Main Program SCMAIN

The flow chart for the main program SCMAIN is in Fig. 5. The program first calls subroutine INPUT. The x and y distributions for the boundary-layer grid are given in subroutine INPUT. Subroutine INVDAT is called to read the inviscid solution from the inviscid code. The calculation of the inviscid velocity components based on the spherical coordinates from those based on the Cartesian coordinates is done in this subroutine. Subroutine INVDAT also includes the extrapolation of the inviscid properties (like u_e , C_p , u_R , u_Θ) on the lines of symmetry.

If the nose of the body is blunted, subroutine STAGLO is called to locate the stagnation point. The values of x'_s and z'_s are obtained in this subroutine; subroutine ECON is then called to locate the initial locations of the streamlines; the angle θ_r and the velocity gradients at the stagnation point (A , B , C^*) are calculated in the main program. However, if the nose of the body is sharp, no subroutine is required to locate the initial streamline locations, and x'_s , z'_s , θ_r , A , B , and C^* are not calculated.

To generate the orthogonal streamline coordinates, the initial locations of the streamlines are readjusted by integration along the streamlines to an $x = \text{const}$ plane. Then, the integration along the streamlines for each streamline is performed using the fourth order Runge-Kutta method. For the integration, subprogram KRUNGE, subroutine FCN, and geometry subroutine VAL (CSGEOM when using QUICK geometry program [2]) are used. Each step (for each i-th and j-th step), x' , y' , z' , u_e/V_∞ , s , h_1 ($= V_\infty/u_e$), and C_p are saved. After the integrations are finished, the metric coefficient h_2 is calculated. For a sharp nose body, the velocity components (u_e/V_∞ , v_e/V_∞) based on the body-oriented coordinate system are calculated for $i=1$. Finally, the outputs, which are to be used as inputs to the boundary-layer code, are written in the file fort.25.

Parameters IM and JM provide the flexibility of changing the dimensions of the inviscid grid to be read. These parameters are given in the main program SCMAIN and subroutines INVDAT, FCN, STAGLO. The parameter IM should be the number of inviscid grid points

in the streamwise direction plus 1, i.e., $IM=NT+1$. The parameter JM should be the number of inviscid grid points in the crosswise direction plus 2, i.e., $JM=NP+2$. The parameters IM and JM must be same for all subroutines which use these parameters.

Parameters $IMAXD$ and $JMAXD$ provide the flexibility of changing the dimensions of the boundary-layer grid in the streamwise and crosswise directions. These parameters are given in the main program SCMAIN and subroutine INPUT. $IMAXD$ may be different from $IMAX$, but should be greater or equal to $IMAX$. Also, $JMAXD$ may be different from $JMAX$, but should be greater or equal to $JMAX$. The dimensions of the common blocks and the local variable arrays are controlled by changing these parameters, IM , JM , $IMAXD$, and $JMAXD$.




Fig. 5. Flow Chart for the Main Program SCMAIN.

3.3 Subroutine Description

Subroutine DUDY(X1, X2, X3, Y1, Y2, Y3)

- Called by subroutine INVDAT.
- Used to obtain the inviscid properties ($u_e/V_\infty, Cp, R, u_R/V_\infty, u_\Theta/V_\infty$) on the lines of symmetry.
- Calculates Y3 at X3 by the second order Lagrangian extrapolation, utilizing the symmetry condition at X3 and with given (X1,Y1) and (X2, Y2).

Subroutine ECON(TH, XOSP, PHI, X)

- Called by the main program SCMAIN and calls subroutine CSGEOM.
- Used to obtain X from given X_{osp} , Θ and ϕ on the ϵ -cone using Newton's method.

Subroutine FCN

- Called by the main program SCMAIN and calls subroutine STIBI.
- Parameters IM and JM are given.
- Calculates $u_e/V_\infty, u_R/V_\infty, u_\Theta/V_\infty, u_\phi/V_\infty$ and Cp on the surface for given X and ϕ and follows with the calculation of the derivatives of X, ϕ and s with respect to x , i.e., F(1), F(2), and F(4).

Subroutine IUNI

- Called by subroutine STAGLO.
- Available as a mathematical library routine at NASA Langley Research Center.
- Interpolates one function of one independent variable at a single value of each of the independent variables at each call. Conventional first- or second-order Lagrangian interpolation is used. In SCC, the independent variable is $\pi - \Theta$.

Subroutine INPUT

- Called by the main program SCMAIN.
- Parameters IMAXD and JMAXD are given.
- IMAX and JMAX are given.
- The x -distributions are given for $i=1,2,\dots,IMAX$.
- The y -distribution is given for $j=1,2,\dots,JMAX$.

Subroutine INVDAT

- Called by the main program SCMAIN and calls subroutine DUDY.
- Parameters IM and JM are given.
- Reads the numerical inviscid solution based on the Cartesian coordinates (x' , y' , z' , $u_{x'}/V_\infty$, $u_{y'}/V_\infty$, $u_{z'}/V_\infty$, and Cp) on the inviscid grid.
- Then calculates the inviscid velocity components in the spherical coordinates (u_R/V_∞ , u_Θ/V_∞ , u_ϕ/V_∞) and spherical coordinates (R , Θ , ϕ) on the inviscid grid.

- Extrapolates the inviscid velocity in the spherical coordinates (u_R/V_∞ , u_Θ/V_∞ , and u_e/V_∞), Cp , and R on the lines of symmetry, utilizing the symmetry condition along these lines.
- Adds one array in the x -direction and two arrays in the y -direction for the nose point and for the two (windward and leeward) lines of symmetry.

Function KRUNGE (Y, F, X, H, N, MR)

- Called by the main program SCMAIN.
- Integrates along the streamlines using 4-th order Runge-Kutta method.
- Returns KRUNGE =1 while the integration is being done.

KRUNGE=2 when the integration is finished.

- Arguments are

Y: Array of N dependent variables

F: Array of the N derivatives of the variable Y

X: Independent variable

H: Stepsize ΔX

N: Number of differential equations to be solved (N=4 for SCC)

MR: index for the following options

MR=0; variable stepsize 4-th order Runge-Kutta method. Using this option,

the stepsize H is automatically determined for accurate integration.

(not currently used in this code.)

MR=2; original predetermined stepsize 4-th order Runge-Kutta method.

Subroutine LAGEXT(X1, X2, X3, Y1, Y2, Y3, C1)

- Called by subroutine INVDAT.
- Used to obtain the inviscid properties ($u_e/V_\infty, Cp, R, u_R/V_\infty, u_\Theta/V_\infty$) at nose point.
- Calculates C1 at X=0 by second order Lagrangian extrapolation with given (X1,Y1), (X2, Y2) and (X3, Y3).

Subroutine STAGLO

- Called by the main program SCMAIN and calls subroutine IUNI.
- Parameters IM and JM are given.
- Locates the stagnation point from the inviscid data. The location of the stagnation point is assumed to be where u_Θ is zero.
- Interpolates R at the stagnation point and calculates x'_* and z'_* .

Subroutine STIBI

- Called by subroutine FCN.
- Available as a mathematical library routine at NASA Langley Research Center.
- Interpolates the spline under tension approximation to one function of two independent variables. Input values of the function are specified at all nodes of a rectangular grid. Output values may be requested at one or more individual points or at all nodes of a second rectangular grid. In SCC, the two independent variables for the interpolation are X and ϕ .

Subroutine VAL(X, ϕ, r, rx, N)

- Called by main program SCMAIN and subroutine ECON.
- This is a geometry subroutine to interrogate the radius(r) for a given X and ϕ .
- Output: r only if $N=0$; r and $rx(= \partial r / \partial x)$ if $N=1$
- Must be supplied by the user.

3.4 Parameter and Variable Directory

ASTAR	A , stagnation point velocity gradient in the x^* direction
BSTAR	B , stagnation point velocity gradient in the y^* direction
CAVT(I,J)	V_e/V_∞ , inviscid total velocity on the inviscid grid
CPP	C_p , pressure coefficient
CPD(I,J)	C_p , pressure coefficient on the boundary-layer grid
CSTAR	$C^*(=B/A)$
CTH	$\cos \Theta$
DXPDY	$\partial x'/\partial y$
DY(J)	Δy
DYPDY	$\partial y'/\partial y$
DZPDY	$\partial z'/\partial y$
ENDX1,ENDXN,ENDY1,ENDYN,ENDXY	
	Arguments of the interpolation subroutine STIBI
EOR	ϵ , small angle to locate the initial streamlines near the stagnation point
F(1)	DX/Dx
F(2)	$D\phi/Dx$
F(4)	Ds/Dx
H1(I,J)	h_1 on the boundary-layer grid
H2(I,J)	h_2 on the boundary-layer grid
IM	number of inviscid grid points in the x -direction including the nose point
IMAX	actual number of boundary-layer grid points in the x -direction
IMAXD	maximum possible number of boundary-layer grid points in the x -direction ($IMAXD \geq IMAX$)
IENDSW, IERR, IOPT, IW	
	Arguments of the interpolation subroutine STIBI

IORDER, IPT, IERR

Arguments of the interpolation subroutine IUNI

JM	number of inviscid grid points in the y -direction, including the lines of symmetry
JMAX	actual number of boundary-layer grid points in the y -direction
JMAXD	maximum possible number of boundary-layer grid points in the y -direction ($JMAXD \geq JMAX$)
KPOINT	=1 when the shape of nose is sharp =0 when the shape of nose is blunted
LINOUT	Argument of the interpolation subroutine STIBI
NP	number of grid points in the y -direction in the numerical inviscid data
NPI	number of inviscid grid points in the y -direction, including the lines of symmetry ($NPI = NP + 2$)
NT	number of grid points in the x -direction in the numerical inviscid data
NTI	number of inviscid grid points in the x -direction, including the nose point ($NTI = NT + 1$)
PI	π
RT(I,J)	R on the inviscid grid
PCOEF(I,J)	C_p on the inviscid grid
PHIT(J)	ϕ on the inviscid grid
RADIUS(I,J)	r on the boundary-layer grid
RXSTAG	$\partial r / \partial X$ at the stagnation point
RX,RP	$\partial r / \partial X, \partial r / \partial \phi$
SIGMA	Arguments of the interpolation subroutine STIBI
SR	r
STH	$\sin \Theta$
THETAR	θ_r

THSTAG	θ_s
UE(I,J)	u_e/V_∞ on the boundary-layer grid
UPT(I,J)	u_ϕ/V_∞ on the inviscid grid
URT(I,J)	u_R/V_∞ on the inviscid grid
U3T(I,J)	u_Θ/V_∞ on the inviscid grid
V	u_e/V_∞
VE(1,J)	v_e/V_∞ based on the body-oriented coordinate system at i=1
VP	u_ϕ/V_∞
VR	u_R/V_∞
VT	u_Θ/V_∞
VX(I,J)	$u_{x'}/V_\infty$ on the inviscid grid
VY(I,J)	$u_{y'}/V_\infty$ on the inviscid grid
VZ(I,J)	$u_{z'}/V_\infty$ on the inviscid grid
WK	Arguments of the interpolation subroutine STIBI
X(I)	x_i
XIN(I)	X on the inviscid grid
XO(I,J)	x' on the inviscid grid
XOSP	X_{osp} , X of the origin of the spherical coordinates ($X_{osp} = 1$ is used in this code)
XPD(I,J)	x' on the boundary-layer grid
XPS	x'_s , x' of the stagnation point
X3TP(I)	$\pi - \Theta$ on the inviscid grid along the windward line of symmetry
Y(J)	y_j for the boundary-layer grid
YY(1)	X
YY(2)	ϕ
YY(4)	s
YO(I,J)	y' on the inviscid grid

YPD(I,J) y' on the boundary-layer grid

ZO(I,J) z' on the inviscid grid

ZPD(I,J) z' on the boundary-layer grid

ZPS z'_s, z' of the stagnation point

3.5 Input

The input to SCC is given or read through subroutine INPUT and INVDAT, as follows:

- (1) In subroutine INPUT, the following quantities are given instead of being read from a file.

KPOINT =1 when the shape of nose is sharp.

=0 when the shape of nose is blunted.

EOR = ϵ , small angle to locate the initial streamlines near the stagnation point, typically 0.01. It should be noted that if the inviscid solution near the stagnation point (or near the nose) is not accurate, this value should be increased. EOR is needed only if KPOINT is 0, i.e., for the blunted nose body.

The x and y distributions for the streamline boundary-layer grid are specified.

First, IMAX and $x(i)$ for $i=1,2,\dots,IMAX$ are set.

For the blunted nose body, $x_{i=1}$ is not used and does not affect the boundary-layer solution. Therefore, $x_{i=1}$ can be given as zero or another small value like 0.01. Initial locations of the streamlines are determined by EOR. For the sharp nose body, $x_{i=1}$ is nearly the same as $X_{i=1}$, and $x_{i=1}$ should not be so small that it restricts the next step sizes (Δx). The x distribution can be given arbitrarily. However, the stepsizes(Δx) near the nose must be small to obtain nonoscillating boundary-layer parameters.

Next, JMAX and $y(j)$ for $j=1,2,\dots,JMAX$ are set,

where $Y(1)=0$ on the windward line of symmetry, and $Y(JMAX)=\pi$ on the leeward line of symmetry. In this coordinate system, the y distribution is used to locate the initial streamlines near the stagnation point or near the nose tip. This y -distribution can be given arbitrarily. Even when a uniform grid distribution in the y direction is given, the downstream grid spacings will generally become nonuniform.

(2) The numerical inviscid solution based on the Cartesian coordinates are read through subroutine INVDAT. This sets the values of

$$x', y', z', u_{x'}/V_\infty, u_{y'}/V_\infty, u_{z'}/V_\infty, Cp \text{ for } i=1,2,\dots,NT, j=1,2,\dots,NP.$$

It is to be noted that j is increasing from the windward line of symmetry to the leeward line of symmetry.

3.6 Output

The output from SCC, which can be used as input for 3DBLC, is written by the main program SCMAIN on file fort.25. The output lists the boundary-layer edge conditions including the following:

$$x'_s, z'_s, \theta_r, A, B, C^*$$

(These quantities are given only for the blunted nose body; for the sharp nose body, they are not given.)

$$x(i) \text{ for } i=1,2,\dots,\text{IMAX}$$

$$y(j) \text{ for } j=1,2,\dots,\text{JMAX}$$

$$x', y', z', u_e/V_\infty, v_e/V_\infty, s, h_2, Cp \text{ for } i=1,2,\dots,\text{IMAX}, j=1,2,\dots,\text{JMAX}$$

Here, h_1 is not necessary; it will be defined as V_∞/u_e in 3DBLC. Because the streamline coordinates system is used, v_e and $\cos \theta$ are zero throughout the field. However, it should be noted that the velocity components based on the body-oriented coordinate system are calculated for $i=1$ when using the streamline coordinates on the sharp nose body; therefore v_e for $i=1$ may not be zero in this case.

3.7 Sample Case

For a sample case, the boundary-layer edge conditions on the streamline boundary-layer grid on a general aviation fuselage at an angle of attack 3° are calculated. The inviscid solution was obtained using a $53 \times 36(I \times J)$ inviscid grid from the Hess code [1] for a compressible flow ($M_\infty = 0.3$). To reduce the input data, only the first $15 \times 36(I \times J)$ inviscid grid solution is used for this sample case. The input data for the inviscid solution is the same as that used for the calculation of the body-oriented boundary-layer grid in Part 2. Also, to reduce the size of the output data, only a $20 \times 31(I \times J)$ streamline boundary-layer grid is generated, i.e., 31 streamlines are integrated for 20 steps. For this case, parameters are given as $IM=16(=15+1)$, $JM=38(=36+2)$, $IMAXD=100 (\geq 20)$, $JMAXD=51 (\geq 31)$.

For the sample case input, the subroutine INPUT program is presented. Since the inviscid solution used for this code is the same as that used for BCC, the inviscid solution is not listed here. The output written on file fort.25 is presented for a sample case output.

3.7.1 Sample Case Input

```
c#####
c subroutine input
c#####
c**                                         **
c** subroutine to read input data          **
c**                                         **
parameter(im=16,jm=38,imaxd=100,jmaxd=51)
common/com1/pi,pio2,dtr,rtd
common/com2/ir,iw
common/point/kpoint
common/com5/imax,jmax
common/com6/eor
common/sll/x(imaxd),y(jmaxd)

ir=10
iw=6

c*****
c      description of inputs
c      imax= no.of steps in the streamline direction
c      jmax=number of streamlines to be computed
c      eor=ratio of epsilon to r on starting circle
c          (approx.value=.01, but, if the inviscid solution near the
c          stagnation point is not accurate, this value should be
c          increased up to 0.05)
c
c*****
imax=20
jmax=31

kpoint=0
eor=0.05

c      x-distribution is given
c
x(1)=0.001
do 250 i=2,imax
if(i.le.5)dx=0.0005
if(i.gt.5.and.i.le.20)dx=0.002
if(i.gt.20.and.i.le.80)dx=0.01
if(i.gt.80)dx=0.04
x(i)=x(i-1)+dx
write(6,*)'i=',i,'x=',x(i)
250 continue

c      y-distribution is given
c
pi=acos(-1.)
```

```
do 270 i=1,jmax
y(i)=pi*(1.-(jmax-i)/(jmax-1.))
270 continue

if(imax.gt.imaxd)write(6,*)"change imaxd to',imax
if(jmax.gt.jmaxd)write(6,*)"change jmaxd to',jmax

pio2=pi/2.
dtr=pi/180.
rtd=180/pi

return
end
```

3.7.2 Sample Case Output

```

0.588477E-03 -0.613555E-02 0.168517E+00 0.110475E+02 0.801237E+01 0.725267E+00
      20       31
0.100000E-02 0.150000E-02 0.200000E-02 0.250000E-02 0.300000E-02
0.500000E-02 0.700000E-02 0.900000E-02 0.110000E-01 0.130000E-01
0.150000E-01 0.170000E-01 0.190000E-01 0.210000E-01 0.230000E-01
0.250000E-01 0.270000E-01 0.290000E-01 0.310000E-01 0.330000E-01
0.000000E+00 0.104720E+00 0.209440E+00 0.314159E+00 0.418879E+00
0.523599E+00 0.628319E+00 0.733038E+00 0.837758E+00 0.942478E+00
0.104720E+01 0.115192E+01 0.1256C4E+01 0.136136E+01 0.146608E+01
0.157080E+01 0.167552E+01 0.178024E+01 0.188496E+01 0.198968E+01
0.209440E+01 0.219911E+01 0.230383E+01 0.240856E+01 0.251327E+01
0.261799E+01 0.272271E+01 0.282743E+01 0.293215E+01 0.303687E+01
0.314159E+01
1   1 0.2131660E-01 0.1727211E-07 -0.5502135E-01 0.5309875E-01
      0.5565680E+00 0.0000000E+00 0.4906141E-01 0.7011493E+00
1   2 0.2140342E-01 0.5136549E-02 -0.5495409E-01 0.5331881E-01
      0.5568949E+00 0.0000000E+00 0.4909295E-01 0.7007861E+00
1   3 0.2150218E-01 0.1026911E-01 -0.5454088E-01 0.5372070E-01
      0.5562661E+00 0.0000000E+00 0.4925086E-01 0.7015188E+00
1   4 0.2161471E-01 0.1538245E-01 -0.5378032E-01 0.5430236E-01
      0.5546848E+00 0.0000000E+00 0.4949043E-01 0.7033401E+00
1   5 0.2173857E-01 0.2046011E-01 -0.5266307E-01 0.5505227E-01
      0.5522384E+00 0.0000000E+00 0.4986230E-01 0.7061423E+00
1   6 0.2187476E-01 0.2549301E-01 -0.5117871E-01 0.5596325E-01
      0.5490109E+00 0.0000000E+00 0.5038423E-01 0.7098241E+00
1   7 0.2201824E-01 0.3046072E-01 -0.4930693E-01 0.5701629E-01
      0.5448820E+00 0.0000000E+00 0.5114413E-01 0.7144900E+00
1   8 0.2217211E-01 0.3536104E-01 -0.4702277E-01 0.5820671E-01
      0.5400218E+00 0.0000000E+00 0.5223080E-01 0.7199321E+00
1   9 0.2233158E-01 0.4017415E-01 -0.4428529E-01 0.5951577E-01
      0.5344703E+00 0.0000000E+00 0.5378800E-01 0.7260934E+00
1  10 0.2249721E-01 0.4489562E-01 -0.4103163E-01 0.6093723E-01
      0.5283826E+00 0.0000000E+00 0.5586878E-01 0.7327759E+00
1  11 0.2265898E-01 0.4947086E-01 -0.3718742E-01 0.6243951E-01
      0.5218853E+00 0.0000000E+00 0.5859625E-01 0.7398231E+00
1  12 0.2281635E-01 0.5385179E-01 -0.3264734E-01 0.6400758E-01
      0.5152732E+00 0.0000000E+00 0.6222019E-01 0.7469040E+00
1  13 0.2296127E-01 0.5793228E-01 -0.2728133E-01 0.6560361E-01
      0.5088928E+00 0.0000000E+00 0.6659305E-01 0.7536401E+00
1  14 0.2307175E-01 0.6149529E-01 -0.2098388E-01 0.6713897E-01
      0.5036086E+00 0.0000000E+00 0.7128835E-01 0.7591636E+00
1  15 0.2312814E-01 0.6423390E-01 -0.1374677E-01 0.6849790E-01
      0.5003346E+00 0.0000000E+00 0.7593352E-01 0.7625557E+00
1  16 0.2309866E-01 0.6578106E-01 -0.5668722E-02 0.6952745E-01
      0.4999020E+00 0.0000000E+00 0.7778996E-01 0.7629762E+00
1  17 0.2290910E-01 0.6580716E-01 0.2467883E-02 0.7002008E-01
      0.5015913E+00 0.0000000E+00 0.7722396E-01 0.7612140E+00
1  18 0.2243826E-01 0.6459934E-01 0.1044825E-01 0.7018203E-01
      0.5043224E+00 0.0000000E+00 0.8050317E-01 0.7583557E+00
1  19 0.2193052E-01 0.6172913E-01 0.1879850E-01 0.6991190E-01
      0.5133672E+00 0.0000000E+00 0.8181310E-01 0.7488213E+00
1  20 0.2140341E-01 0.5727113E-01 0.2590239E-01 0.6884533E-01
      0.5262801E+00 0.0000000E+00 0.7560533E-01 0.7349193E+00
1  21 0.2091940E-01 0.5207658E-01 0.3131036E-01 0.6728679E-01
      0.5397345E+00 0.0000000E+00 0.6744111E-01 0.7200801E+00

```

1	22	0.2049985E-01	0.4676031E-01	0.3529478E-01	0.6557029E-01
		0.5519031E+00	0.0000000E+00	0.6052845E-01	0.7063442E+00
1	23	0.2015039E-01	0.4152218E-01	0.3829034E-01	0.6387818E-01
		0.5621388E+00	0.0000000E+00	0.5584310E-01	0.6945565E+00
1	24	0.1986676E-01	0.3636179E-01	0.4061095E-01	0.6228216E-01
		0.5708042E+00	0.0000000E+00	0.5299279E-01	0.6844117E+00
1	25	0.1964075E-01	0.3123998E-01	0.4243757E-01	0.6081343E-01
		0.5781351E+00	0.0000000E+00	0.5137400E-01	0.6757129E+00
1	26	0.1946770E-01	0.2611776E-01	0.4387778E-01	0.5949702E-01
		0.5842409E+00	0.0000000E+00	0.5058524E-01	0.6683841E+00
1	27	0.1934543E-01	0.2096435E-01	0.4500046E-01	0.5836282E-01
		0.5891426E+00	0.0000000E+00	0.5028610E-01	0.6624448E+00
1	28	0.1927176E-01	0.1577314E-01	0.4584524E-01	0.5744440E-01
		0.5931574E+00	0.0000000E+00	0.5025856E-01	0.6575512E+00
1	29	0.1924171E-01	0.1053746E-01	0.4643896E-01	0.5677200E-01
		0.5961660E+00	0.0000000E+00	0.5033484E-01	0.6538659E+00
1	30	0.1924910E-01	0.5274452E-02	0.4680067E-01	0.5637625E-01
		0.5980836E+00	0.0000000E+00	0.5037227E-01	0.6515038E+00
1	31	0.1928287E-01	0.1473854E-07	0.4695051E-01	0.5628153E-01
		0.5989781E+00	0.0000000E+00	0.5038835E-01	0.6504023E+00
2	1	0.2179582E-01	0.1746645E-07	-0.5564045E-01	0.5399316E-01
		0.5614840E+00	0.0000000E+00	0.4944862E-01	0.6955535E+00
2	2	0.2188341E-01	0.5177084E-02	-0.5557247E-01	0.5421271E-01
		0.5617936E+00	0.0000000E+00	0.4947965E-01	0.6952044E+00
2	3	0.2198177E-01	0.1035001E-01	-0.5515593E-01	0.5461563E-01
		0.5611313E+00	0.0000000E+00	0.4964374E-01	0.6959769E+00
2	4	0.2209350E-01	0.1550486E-01	-0.5439013E-01	0.5519986E-01
		0.5595186E+00	0.0000000E+00	0.4989476E-01	0.6978442E+00
2	5	0.2221626E-01	0.2062491E-01	-0.5326578E-01	0.5595375E-01
		0.5570349E+00	0.0000000E+00	0.5028460E-01	0.7007080E+00
2	6	0.2235098E-01	0.2570241E-01	-0.5177131E-01	0.5687005E-01
		0.5537605E+00	0.0000000E+00	0.5082739E-01	0.7044712E+00
2	7	0.2249260E-01	0.3071575E-01	-0.4988643E-01	0.5792999E-01
		0.5495713E+00	0.0000000E+00	0.5161476E-01	0.7092392E+00
2	8	0.2264402E-01	0.3566447E-01	-0.4758431E-01	0.5912866E-01
		0.5446277E+00	0.0000000E+00	0.5274067E-01	0.7148145E+00
2	9	0.2280058E-01	0.4052821E-01	-0.4482339E-01	0.6044734E-01
		0.5389879E+00	0.0000000E+00	0.5435222E-01	0.7211205E+00
2	10	0.2296276E-01	0.4530410E-01	-0.4153778E-01	0.6187959E-01
		0.5327720E+00	0.0000000E+00	0.5649966E-01	0.7279949E+00
2	11	0.2312056E-01	0.4993540E-01	-0.3765205E-01	0.6339371E-01
		0.5261195E+00	0.0000000E+00	0.5930579E-01	0.7352641E+00
2	12	0.2327308E-01	0.5437367E-01	-0.3305676E-01	0.6497413E-01
		0.5193416E+00	0.0000000E+00	0.6304157E-01	0.7425752E+00
2	13	0.2341231E-01	0.5851100E-01	-0.2761688E-01	0.6658244E-01
		0.5127575E+00	0.0000000E+00	0.6754267E-01	0.7495749E+00
2	14	0.2351658E-01	0.6212427E-01	-0.2122543E-01	0.6812823E-01
		0.5072691E+00	0.0000000E+00	0.7237005E-01	0.7553512E+00
2	15	0.2356654E-01	0.6489927E-01	-0.1387259E-01	0.6949377E-01
		0.5038256E+00	0.0000000E+00	0.7714403E-01	0.7589430E+00
2	16	0.2353099E-01	0.6645918E-01	-0.5660761E-02	0.7052428E-01
		0.5032874E+00	0.0000000E+00	0.7898599E-01	0.7594743E+00
2	17	0.2333421E-01	0.6647235E-01	0.2593581E-02	0.7101363E-01
		0.5049234E+00	0.0000000E+00	0.7835972E-01	0.7577574E+00
2	18	0.2285100E-01	0.6523132E-01	0.1069070E-01	0.7117021E-01
		0.5076409E+00	0.0000000E+00	0.8180487E-01	0.7548980E+00
2	19	0.2233290E-01	0.6228468E-01	0.1917689E-01	0.7088262E-01
		0.5167842E+00	0.0000000E+00	0.8317882E-01	0.7452024E+00
2	20	0.2180382E-01	0.5773133E-01	0.2637959E-01	0.6979209E-01
		0.5299179E+00	0.0000000E+00	0.7673556E-01	0.7309731E+00

2	21	0.2132332E-01	0.5244737E-01	0.3184580E-01	0.6820989E-01
		0.5435712E+00	0.0000000E+00	0.6829768E-01	0.7158163E+00
2	22	0.2090963E-01	0.4705848E-01	0.3586122E-01	0.6647301E-01
		0.5558765E+00	0.0000000E+00	0.6116609E-01	0.7018342E+00
2	23	0.2056615E-01	0.4176251E-01	0.3887227E-01	0.6476444E-01
		0.5661590E+00	0.0000000E+00	0.5633678E-01	0.6899129E+00
2	24	0.2028803E-01	0.3655468E-01	0.4120019E-01	0.6315500E-01
		0.5748472E+00	0.0000000E+00	0.5339361E-01	0.6796736E+00
2	25	0.2006708E-01	0.3139344E-01	0.4302998E-01	0.6167526E-01
		0.5821734E+00	0.0000000E+00	0.5170918E-01	0.6709223E+00
2	26	0.1989845E-01	0.2623774E-01	0.4447069E-01	0.6034990E-01
		0.5882506E+00	0.0000000E+00	0.5087377E-01	0.6635808E+00
2	27	0.1977963E-01	0.2105517E-01	0.4559236E-01	0.5920864E-01
		0.5931367E+00	0.0000000E+00	0.5054139E-01	0.6576238E+00
2	28	0.1970879E-01	0.1583813E-01	0.4643583E-01	0.5828453E-01
		0.5971373E+00	0.0000000E+00	0.5049000E-01	0.6527157E+00
2	29	0.1968082E-01	0.1057891E-01	0.4702801E-01	0.5760792E-01
		0.6001134E+00	0.0000000E+00	0.5054935E-01	0.6490469E+00
2	30	0.1968937E-01	0.5294103E-02	0.4738881E-01	0.5720951E-01
		0.6020176E+00	0.0000000E+00	0.5056964E-01	0.6466888E+00
2	31	0.1972364E-01	0.1492296E-07	0.4753799E-01	0.5711355E-01
		0.6029072E+00	0.0000000E+00	0.5057577E-01	0.6455870E+00

***** For brevity, output for i=3,4,...,19 is deleted. *****

20	1	0.5339842E-01	0.2722279E-07	-0.8671987E-01	0.1013265E+00
		0.7477883E+00	0.0000000E+00	0.6669593E-01	0.4452463E+00
20	2	0.5348459E-01	0.6982815E-02	-0.8659786E-01	0.1015430E+00
		0.7476993E+00	0.0000000E+00	0.6683928E-01	0.4453836E+00
20	3	0.5356924E-01	0.1398360E-01	-0.8609015E-01	0.1020083E+00
		0.7468434E+00	0.0000000E+00	0.6734782E-01	0.4466891E+00
20	4	0.5365556E-01	0.2101623E-01	-0.8518595E-01	0.1027191E+00
		0.7451553E+00	0.0000000E+00	0.6815946E-01	0.4492517E+00
20	5	0.5374004E-01	0.2808297E-01	-0.8386260E-01	0.1036662E+00
		0.7426076E+00	0.0000000E+00	0.6940788E-01	0.4531115E+00
20	6	0.5382244E-01	0.3521694E-01	-0.8208281E-01	0.1048481E+00
		0.7392169E+00	0.0000000E+00	0.7109463E-01	0.4582351E+00
20	7	0.5389548E-01	0.4240713E-01	-0.7979965E-01	0.1062497E+00
		0.7348646E+00	0.0000000E+00	0.7349938E-01	0.4647825E+00
20	8	0.5396207E-01	0.4972142E-01	-0.7692862E-01	0.1078682E+00
		0.7294322E+00	0.0000000E+00	0.7683021E-01	0.4728999E+00
20	9	0.5401718E-01	0.5715732E-01	-0.7336956E-01	0.1096888E+00
		0.7228225E+00	0.0000000E+00	0.8137351E-01	0.4827014E+00
20	10	0.5404890E-01	0.6477350E-01	-0.6893575E-01	0.1117224E+00
		0.7148196E+00	0.0000000E+00	0.8759296E-01	0.4944515E+00
20	11	0.5404298E-01	0.7255226E-01	-0.6339210E-01	0.1139398E+00
		0.7053228E+00	0.0000000E+00	0.9571612E-01	0.5082423E+00
20	12	0.5399594E-01	0.8043021E-01	-0.5641630E-01	0.1163088E+00
		0.6942089E+00	0.0000000E+00	0.1068476E+00	0.5241536E+00
20	13	0.5387398E-01	0.8826607E-01	-0.4746002E-01	0.1187830E+00
		0.6816097E+00	0.0000000E+00	0.1209916E+00	0.5418864E+00
20	14	0.5366346E-01	0.9550011E-01	-0.3604664E-01	0.1211705E+00
		0.6688458E+00	0.0000000E+00	0.1365166E+00	0.5595481E+00
20	15	0.5336437E-01	0.1011360E+00	-0.2193347E-01	0.1231819E+00
		0.6585218E+00	0.0000000E+00	0.1514878E+00	0.5736009E+00
20	16	0.5300516E-01	0.1038876E+00	-0.5454816E-02	0.1244504E+00
		0.6540886E+00	0.0000000E+00	0.1503893E+00	0.5795627E+00
20	17	0.5240468E-01	0.1034006E+00	0.9467792E-02	0.1249033E+00
		0.6534757E+00	0.0000000E+00	0.1472242E+00	0.5803867E+00
20	18	0.5117634E-01	0.1000908E+00	0.2509039E-01	0.1248460E+00

		0.6554263E+00	0.0000000E+00	0.1653035E+00	0.5777726E+00
20	19	0.5007504E-01	0.9172904E-01	0.4197872E-01	0.1235133E+00
		0.6696919E+00	0.0000000E+00	0.1673374E+00	0.5583991E+00
20	20	0.4954826E-01	0.8077651E-01	0.5428970E-01	0.1209157E+00
		0.6904761E+00	0.0000000E+00	0.1403251E+00	0.5294422E+00
20	21	0.4933331E-01	0.7029593E-01	0.6207415E-01	0.1179985E+00
		0.7076862E+00	0.0000000E+00	0.1118721E+00	0.5048262E+00
20	22	0.4921802E-01	0.6111583E-01	0.6703079E-01	0.1152506E+00
		0.7199948E+00	0.0000000E+00	0.9166652E-01	0.4868659E+00
20	23	0.4913859E-01	0.5299253E-01	0.7038915E-01	0.1127868E+00
		0.7288219E+00	0.0000000E+00	0.7919842E-01	0.4738010E+00
20	24	0.4908637E-01	0.4556711E-01	0.7280654E-01	0.1105964E+00
		0.7354037E+00	0.0000000E+00	0.7165581E-01	0.4639657E+00
20	25	0.4905048E-01	0.3858873E-01	0.7460219E-01	0.1086677E+00
		0.7404506E+00	0.0000000E+00	0.6698173E-01	0.4563653E+00
20	26	0.4903155E-01	0.3189647E-01	0.7595491E-01	0.1069883E+00
		0.7443505E+00	0.0000000E+00	0.6415582E-01	0.4504582E+00
20	27	0.4903331E-01	0.2536306E-01	0.7697457E-01	0.1055679E+00
		0.7474102E+00	0.0000000E+00	0.6245471E-01	0.4458036E+00
20	28	0.4905703E-01	0.1893588E-01	0.7772154E-01	0.1044276E+00
		0.7496761E+00	0.0000000E+00	0.6130892E-01	0.4423398E+00
20	29	0.4909214E-01	0.1258406E-01	0.7822889E-01	0.1035968E+00
		0.7513192E+00	0.0000000E+00	0.6072512E-01	0.4398260E+00
20	30	0.4913681E-01	0.6243661E-02	0.7853049E-01	0.1031012E+00
		0.7523556E+00	0.0000000E+00	0.6011952E-01	0.4382388E+00
20	31	0.4918521E-01	0.2468921E-07	0.7864898E-01	0.1029614E+00
		0.7527975E+00	0.0000000E+00	0.5963464E-01	0.4375606E+00

3.8 FORTRAN Listing of SCC

Subroutine IUNI, STIBI, and VAL are not presented here.

```
c#####
program scmain
c#####
c** program for calculating streamline coordinates
c** with inviscid solution obtained from the numerical inviscid code
c**

parameter(im=16,jm=38,imaxd=100,jmaxd=51)
common/cpcom/cpp
common/com1/pi,pio2,dtr,rtd
common/com2/ir,iw
common/com3/iordr(2),iptb(2),ider
common/com5/imax,jmax
common/com6/eor
common/point/kpoint
common/s11/x(imaxd),y(jmaxd)
common/invtab/phit(jm),rt(im,jm),urt(im,jm)
1,upt(im,jm),u3t(im,jm),cavt(im,jm),pcoef(im,jm)
2,x3tp(im),xin(im)
common/invcon/npi,nti,xosp
common/stgpt/thstag,xps,zps
common/nn/n
common/rr/r,rx,rp,rs,sth,cth
common/vv/v

dimension yy(4),f(4),
&pd(imaxd,jmaxd),zpd(imaxd,jmaxd),ypd(imaxd,jmaxd)
dimension yd(4,imaxd,jmaxd),fd(4,jmaxd),ue(imaxd,jmaxd)
&,ve(imaxd,jmaxd),h2(imaxd,jmaxd),h1(imaxd,jmaxd),cpd(imaxd,jmaxd)
dimension dy(jmaxd)

iordr(1)=2
iordr(2)=2
iptb(1)=-1

call input

c start calculation for streamlines

call invdat

if(kpoint.eq.1)then
do 41 n=1,jmax
yd(1,1,n)=x(1)
yd(2,1,n)=y(n)
yy(1)=x(1)
yy(2)=y(n)
yy2n=yy(2)-pio2
c call csgeom(1,x(1),yy2n,r,rx,rp,rxx,rxp,rpp)
call val(x(1),yy2n,r,rx,0)
xs=yy(1)-xosp
rs=sqrt(xs**2+r**2)
```

```

cth=xs/rs
sth=r/rs
call fcn(yy,f)
do 36 nc=1,4
fd(nc,n)=f(nc)
36  continue

xpd(1,n)=yy(1)
YPD(1,n)=r*cos(yy(2)-pio2)
zpd(1,n)=r*sin(yy(2)-pio2)
yy(4)=sqrt(xpd(1,n)**2+YPD(1,n)**2+zpd(1,n)**2)
yd(4,1,n)=yy(4)

41  continue
go to 330
endif

call staglo
c   call csgeom(1,xps,-pio2,r,rxstag,RP,RXX,RXP,RPP)
if(xps.eq.0)then
thetar=0.
go to 15
endif
call val(xps,-pio2,r,rxstag,1)
thetar=atan(1/rxstag)
15   write(6,*)"xps='",xps,' zps=' ,zps,' zps(val)=' ,-r,'thetar=' ,thetar
c*****                                                 ****
c**                                                 **
c**      independent variable of integration is x          **
c**      v=velocity and r=cylindrical radius              **
c**      s=distance along streamline                      **
c**      yy(1)=x  yy(2)=phi  yy(4)=s                  **
c**      f(i)=d(yy(i))/dx,  i=1,2,3,4                  **
c**                                                 **
c*****                                                 ****
calp=-cos(thstag)
salp=sin(thstag)
sqe=sqrt(1.-eor**2)

ysml=y(1)-pio2
do 450 n=1,jmax
ys=y(n)-pio2
if(ys*ysml.le.0)then
jbstar=n
go to 460
endif
ysml=ys
450  continue
460  l=1

c   calculate properties on epsilon cone

do 500 n=1,jmax
sb=sin(y(n)-pio2)
cb1=cos(y(n)-pio2)
cth=-sqe*calp-eor*sb*salp
th=acos(cth)
tn=-sqe*salp+eor*sb*calp
yy(2)=asin(tn/sqrt(tn**2+(eor*cb1)**2))+pio2
yy2n=yy(2)-pio2

```

```

      call econ(th,xosp,yy2n,yy(1))
c      call csgeom(1,yy(1),yy2n,r,rx,rp,rxx,rxp,rpp)
call val(yy(1),yy2n,r,rx,0)
rs=(yy(1)-xosp)/cth
xs=yy(1)-xosp
cth=xs/rs
sth=r/rs
call fcn(yy,f)

xpd(1,n)=yy(1)
YPD(1,n)=r*cos(yy(2)-pio2)
ZPD(1,n)=r*sin(yy(2)-pio2)
yy(4)=sqrt((xpd(1,n)-xps)**2+YPD(1,n)**2+(ZPD(1,n)-zps)**2)

if(n.eq.jbstar)then
bstar=v/yy(4)
endif
if(n.eq.jmax)then
astar=v/yy(4)
cstar=bstar/astar
write(6,*)' astar=',astar,' bstar=',bstar,' cstar=',cstar
endif

do 51 nc=1,4
fd(nc,n)=f(nc)
51  yd(nc,1,n)=yy(nc)
500 continue

c      integrating forward or back to x=constant

330  l=1
do 550 n=1,jmax
it=0
do 68 nc=1,4
f(nc)=fd(nc,n)
68  yy(nc)=yd(nc,1,n)

if(n.eq.1)go to 100

200  it=it+1
cost=((xpd2-xpd(1,n-1))*(xpd(1,n)-xpd(1,n-1))
&+(YPD2-YPD(1,n-1))*(YPD(1,n)-YPD(1,n-1))
&+(ZPD2-ZPD(1,n-1))*(ZPD(1,n)-ZPD(1,n-1)))
&/sqrt((xpd2-xpd(1,n-1))**2+(YPD2-YPD(1,n-1))**2+(ZPD2-ZPD(1,n-1))
&**2)*sqrt((xpd(1,n)-xpd(1,n-1))**2+(YPD(1,n)-YPD(1,n-1))**2
&+(ZPD(1,n)-ZPD(1,n-1))**2)
c      write(6,*)' n=',n,' it=',it,' dt=',dt,' cost=',cost

if(it.ge.50)then
write(6,*)' iteration fails for n=',n
if(kpoint.eq.1)write(6,*)' increase x(1)'
if(kpoint.eq.0)write(6,*)' increase EOR'
stop
endif

err=0.0001
dt=0.001
if(it.eq.1.and.cost.gt.err)dt=-dt
if(it.eq.1.and.cost.lt.-err)dt=dt

```

```

if(cost.le.err.and.cost.ge.-err)go to 400
if(abs(dt).lt.1.e-8)go to 400
if(it.gt.1.and.costo*cost.lt.0)then
dt=-dt/2.
endif

33  costo=cost

45  continue
k2=krunge(yy,f,t,dt,4,2)
yy2n=yy(2)-pio2
c   call csgeom(1,yy(1),yy2n,r,rx,rp,rxx,rxp,rpp)
call val(yy(1),yy2n,r,rx,0)
xs=yy(1)-xosp
rs=sqrt(xs**2+r**2)
cth=xs/rs
sth=r/rs
call fcn(yy,f)
if(k2.eq.1)go to 45

xpd(1,n)=yy(1)
ypd(1,n)=r*cos(yy(2)-pio2)
zpd(1,n)=r*sin(yy(2)-pio2)
go to 200

400 continue
xpd(1,n)=yy(1)
ypd(1,n)=r*cos(yy(2)-pio2)
zpd(1,n)=r*sin(yy(2)-pio2)
do 71 nc=1,4
fd(nc,n)=f(nc)
71  yd(nc,1,n)=yy(nc)
if(n.eq.jmax) go to 550

100 dt=0.0005
65  continue
k2=krunge(yy,f,t,dt,4,2)
yy2n=yy(2)-pio2
c   call csgeom(1,yy(1),yy2n,r,rx,rp,rxx,rxp,rpp)
call val(yy(1),yy2n,r,rx,0)
xs=yy(1)-xosp
rs=sqrt(xs**2+r**2)
cth=xs/rs
sth=r/rs
call fcn(yy,f)
if(k2.eq.1)go to 65

xpd2=yy(1)
ypd2=r*cos(yy(2)-pio2)
zpd2=r*sin(yy(2)-pio2)
550 continue

c
c calculates the edge conditions at i=1 (at x=const)
c

do 600 n=1,jmax
do 88 nc=1,4

```

```

f(nc)=fd(nc,n)
88  yy(nc)=yd(nc,1,n)
c    call csgeom(1,yy(1),yy2n,r,rx,rp,rxx,rxp,rpp)
call val(yy(1),yy2n,r,rx,0)
xs=yy(1)-xosp
rs=sqrt(xs**2+r**2)
cth=xs/rs
sth=r/rs
call fcn(yy,f)
ue(1,n)=v
h1(1,n)=1./v
yy2n=yy(2)-pio2
c    call csgeom(1,yy(1),yy2n,r,rx,rp,rxx,rxp,rpp)
call val(yy(1),yy2n,r,rx,0)
xpd(1,n)=yy(1)
ypd(1,n)=r*cos(yy(2)-pio2)
zpd(1,n)=r*sin(yy(2)-pio2)
yy(4)=sqrt((xpd(1,n)-xps)**2+ypd(1,n)**2+(zpd(1,n)-zps)**2)
do 152 nc=1,4
fd(nc,n)=f(nc)
152  yd(nc,1,n)=yy(nc)
cpd(1,n)=cpp
600  continue

C*****start integration along the streamlines*****
C
C      start integration along the streamlines
C
C*****end*****
```

do 2000 l=2,imax

```

write(6,*)"***** l=",l,"*****"
do 700 n=1,jmax
do 58 nc=1,4
f(nc)=fd(nc,n)
58  yy(nc)=yd(nc,l-1,n)
t=x(l-1)
dx=x(l)-x(l-1)
25  continue
k2=krunge(yy,f,t,dx,4,2)
if(yy(1).lt.0.)yy(1)=1.e-10
yy2n=yy(2)-pio2
c    call csgeom(1,yy(1),yy2n,r,rx,rp,rxx,rxp,rpp)
call val(yy(1),yy2n,r,rx,0)
xs=yy(1)-xosp
rs=sqrt(xs**2+r**2)
cth=xs/rs
sth=r/rs
call fcn(yy,f)
if(k2.eq.1)go to 25
if(abs(yy(1)).gt.1.e+10.or.abs(yy(2)).gt.1.e+10)stop
do 52 nc=1,4
fd(nc,n)=f(nc)
52  yd(nc,1,n)=yy(nc)
ue(1,n)=v
h1(1,n)=1./v
xpd(1,n)=yy(1)
ypd(1,n)=r*cos(yy(2)-pio2)
```

```

      zpd(l,n)=r*sin(yy(2)-pio2)
      cpd(l,n)=cpp

700  continue
2000 continue

c
c      calculate the metric coefficient h2
c
      do 690 n=1,jmax-1
      dy(n)=y(n+1)-y(n)
690  continue

      do 2100 l=1,imax
      do 2100 n=1,jmax
      dxpdy=(dy(n-1)**2*xpd(l,n+1)-(dy(n-1)**2-dy(n)**2)
& *xpd(l,n)-dy(n)**2*xpd(l,n-1))/(dy(n)*dy(n-1)*(dy(n)
& +dy(n-1)))
      dypdy=(dy(n-1)**2*ypd(l,n+1)-(dy(n-1)**2-dy(n)**2)
& *ypd(l,n)-dy(n)**2*ypd(l,n-1))/(dy(n)*dy(n-1)*(dy(n)
& +dy(n-1)))
      dzpdy=(dy(n-1)**2*zpd(l,n+1)-(dy(n-1)**2-dy(n)**2)
& *zpd(l,n)-dy(n)**2*zpd(l,n-1))/(dy(n)*dy(n-1)
& *(dy(n)+dy(n-1)))

      if(n.eq.1)then
      dxpdy=(xpd(l,2)-xpd(l,1))/dy(1)
      dypdy=(ypd(l,2)-ypd(l,1))/dy(1)
      dzpdy=(zpd(l,2)-zpd(l,1))/dy(1)
      endif

      if(n.eq.jmax)then
      dxpdy=(xpd(l,jmax)-xpd(l,jmax-1))/dy(jmax-1)
      dypdy=(ypd(l,jmax)-ypd(l,jmax-1))/dy(jmax-1)
      dzpdy=(zpd(l,jmax)-zpd(l,jmax-1))/dy(jmax-1)
      endif

      h2(l,n)=sqrt(dxpdy**2+dypdy**2+dzpdy**2)

2100 continue
      if(kpoint.eq.0)go to 2400

c
c      for the sharp nose body, the velocity components
c      based on the body-oriented coordinate system are required at i=1
c
      do 3100 j=2,jmax-1
      ph1=atan(zpd(1,j)/ypd(1,j))
      x1=xpd(1,j)
      y1=ypd(1,j)
      z1=zpd(1,j)
      x2=xpd(2,j)
      y2=ypd(2,j)
      z2=zpd(2,j)
      x3=xpd(2,j)
      call csgeom(1,x3,ph1,r3,rx,rp,rxx,rxp,rpp)
      call val(x3,ph1,r3,rx,0)
      y3=-r3*(-cos(ph1))
      z3=r3*sin(ph1)

```

```

        ph4=ph1+0.01
c      call csgeom(1,xpd(1,j),ph4,r4,rx,RP,rxx,rxp,rpp)
         call val(xpd(1,j),ph4,r4,rx,0)
         x4=xpd(1,j)
         y4=-r4*(-cos(ph4))
         z4=r4*sin(ph4)

         costh=((y2-y1)*(y3-y1)+(z2-z1)*(z3-z1)+(x2-x1)*(x3-x1))
&   / (sqrt((y3-y1)**2+(z3-z1)**2+(x3-x1)**2))
&   *sqrt((y2-y1)**2+(z2-z1)**2+(x2-x1)**2))

         costh1=((y2-y1)*(y4-y1)+(z2-z1)*(z4-z1)+(x2-x1)*(x4-x1))
&   / (sqrt((y4-y1)**2+(z4-z1)**2+(x4-x1)**2))
&   *sqrt((y2-y1)**2+(z2-z1)**2+(x2-x1)**2))

c      write(6,*)'n=',n,'costh=',costh,'costh1=',costh1

         uesave=ue(1,j)
         ue(1,j)=uesave*costh
         ve(1,j)=uesave*sqrt(1.-costh**2)
         if(costh1.lt.0.)ve(1,j)=-uesave*sqrt(1.-costh**2)
c      ve(1,j)=ue(1,j)*costh1
c      ue(1,j)=sqrt(ue(1,j)**2-ve(1,j)**2)

3100  continue

2400  continue

        rewind 25
        write(25,465)xps,zps,thetar,astar,bstar,cstar
        write(25,463)imax,jmax
        write(25,461)(x(i),i=1,imax)
        write(25,461)(y(j),j=1,jmax)
        do 160 i=1,imax
        do 160 j=1,jmax
        write(25,462)i,j,xpd(i,j),ypd(i,j),zpd(i,j),yd(4,i,j),ue(i,j)
&,ve(i,j),h2(i,j),cpd(i,j)
160  continue
463  format(2i10)
462  format(2i4,4(1x,e14.7)/8x,4(1x,e14.7))
461  format(5(1x,e13.6))
465  format(6e13.6)
        stop
        end

```

```
c#####
subroutine dudy(x1,x2,x3,y1,y2,y)
c#####
a=(y1-y2)/(x1**2-x2**2-2.*x1*x3+2.*x2*x3)
b=-2.*a*x3
c=y1-a*x1**2-b*x1
y=a*x3**2+b*x3+c
return
end
```

```

c#####
c##### subroutine econ(th,xosp,phi,x)
c#####
c**
c**   routine to calculate x from theta(th) and phi on epsilon cone    **
c**   using newtons method, drive tan(th)*(x-xosp)-r to zero          **
c**   r is cylindrical radius, initial guess is x=xosp+xosp*cos(th)    **
c
c     common/com2/ir,iw
c     pi=acos(-1.)
c     tth=tan(th)
c     x=xosp+xosp*cos(th)
c     if(x.le.1.e-05)x=.01*xosp
c     it=0
c10  continue
c     it=it+1
c     if(it.ge.51)write(iw,1000)
c     if(it.ge.51)stop
c     call csgeom(1,x,phi,r,rx,rp,rxx,rxp,rpp)
c     call val(x,phi,r,rx,1)
c     dx=(r-tth*(x-xosp))/(tth-rx)
c     x=x+dx
c     if(x.le.0)x=1.0e-5
c     if(abs(dx).lt.1.0e-6)go to 20
c     go to 10
c20  return
1000 format(////5x,45h***** iteration fail in econ - stop *****)
end

```

```

c#####
      subroutine fcn(yy,f)

c#####
parameter(im=16,jm=38)
common/cpcom/cpp
common/com1/pi,pio2,dtr,rtd
common/com3/iordr(2),iptb(2),ider
common/invtab/phit(jm),rt(im,jm),urt(im,jm)
1,upt(im,jm),u3t(im,jm),cavt(im,jm),pcoef(im,jm)
2,x3tp(im),xin(im)
common/invcon/npi,nti,xosp
common/stgpt/thstag,xps,zps
common/nn/n
common/rr/r,rx,rp,rs,sth,cth
common/vv/v
dimension yy(4),f(4)
integer iendsw(8),ierr,iopt(3),iwi,iwl,iw2,iw3,iw4,mx,my,mz
real endy1(im),endyn(im),sigma
real wk(5*im*jm)
real wk1(5*im*jm)
real wk2(5*im*jm)
real wk3(5*im*jm)
real wk4(5*im*jm)

c      bivariate spline under tension

iendsw(1)=2
iendsw(2)=2
iendsw(3)=0
iendsw(4)=0
iopt(1)=3
iopt(2)=3

do 50 ii=1,nti
endy1(ii)=0.
50 endyn(ii)=0.
sigma=2.0
if(iwi.eq.1)go to 22
iwi=0
22 continue
mx=1
my=1
mz=1
call stibi(iopt,nti,npi,xin,phit,nti,pcoef,iendsw,endx1
&,endxn,endy1,endyn,endxy,sigma,mx,my,yy(1),yy(2),iwi,mz,cpp,
&linout,wk,ierr)
if(ierr.gt.0)write(6,*)' ***** ierr is gt.0 (stibi cp) ierr=',ierr
if(iwl.eq.1)go to 33
iwl=0
33 continue

call stibi(iopt,nti,npi,xin,phit,nti,cavt,iendsw,endx1
&,endxn,endy1,endyn,endxy,sigma,mx,my,yy(1),yy(2),iwl,mz,v,
&linout,wk1,ierr)
if(ierr.gt.0)write(6,*)' ***** ierr is gt.0 (stibi v) ierr=',ierr

if(iw2.eq.1)go to 44

```

```

        iw2=0
44    continue

        call stibi(iopt,nti,np,i,xin,phit,nti,u3t,iendsw,endx1
&,endxn,endyl,endyn,endxy,sigma,mx,my,yy(1),yy(2),iw2,mz,vt,
&linout,wk2,ierr)
        if(ierr.gt.0)write(6,*)" ***** ierr is gt.0 (stibi vt) ierr='',ierr

        if(iw3.eq.1)go to 55
        iw3=0
55    continue

        call stibi(iopt,nti,np,i,xin,phit,nti,urt,iendsw,endx1
&,endxn,endyl,endyn,endxy,sigma,mx,my,yy(1),yy(2),iw3,mz,vr,
&linout,wk3,ierr)
        if(ierr.gt.0)write(6,*)" ***** ierr is gt.0 (stibi vr) ierr='',ierr

        iendsw(3)=2
        iendsw(4)=2

        if(iw4.eq.1)go to 66
        iw4=0
66    continue

        call stibi(iopt,nti,np,i,xin,phit,nti,upt,iendsw,endx1
&,endxn,endyl,endyn,endxy,sigma,mx,my,yy(1),yy(2),iw4,mz,vp,
&linout,wk4,ierr)
        if(ierr.gt.0)write(6,*)" ***** ierr is gt.0 (stibi vp) ierr='',ierr
        iwi=1
        iwl=1
        iw2=1
        iw3=1
        iw4=1

        f(1)=(cth*vr-sth*vt)/v**2
        f(2)=vp/(r*v**2)
        f(4)=1./v
        return
        end

```

```

c#####
c##### subroutine input
c#####
c**          **
c**      subroutine to read input data          **
c**          **
c**          **
c
c parameter(im=16,jm=38,imaxd=100,jmaxd=51)
c common/com1/pi,pio2,dtr,rtd
c common/com2/ir,iw
c common/point/kpoint
c common/com5/imax,jmax
c common/com6/eor
c common/sll/x(imaxd),y(jmaxd)
c
c ir=10
c iw=6
c
c*****
c
c      description of inputs
c      imax= no.of steps in the streamline direction
c      jmax=number of streamlines to be computed
c      eor=ratio of epsilon to r on starting circle
c          (approx.value=.01, but, if the inviscid solution near the
c          stagnation point is not accurate, this value should be
c          increased up to 0.05)
c
c*****
c
c imax=20
c jmax=31
c
c kpoint=0
c eor=0.05
c
c      x-distribution is given
c
c      x(1)=0.001
c      do 250 i=2,imax
c      if(i.le.5)dx=0.0005
c      if(i.gt.5.and.i.le.20)dx=0.002
c      if(i.gt.20.and.i.le.80)dx=0.01
c      if(i.gt.80)dx=0.04
c      x(i)=x(i-1)+dx
c      write(6,*)'i=',i,'x=',x(i)
c 250 continue
c
c      y-distribution is given
c
c      pi=acos(-1.)

```

```
do 270 i=1,jmax
y(i)=pi*(1.-(jmax-i)/(jmax-1.))
270 continue

if(imax.gt.imaxd)write(6,*)"change imaxd to",imax
if(jmax.gt.jmaxd)write(6,*)"change jmaxd to",jmax

pio2=pi/2.
dtr=pi/180.
rtd=180/pi

return
end
```

```

c#####
c subroutine invdat
c#####
c**      read inviscid data
c**          **

parameter(im=16,jm=38)
common/hess/xo(im,jm),yo(im,jm),zo(im,jm)
&,vx(im,jm),vy(im,jm),vz(im,jm)
common/com1/pi,pio2,dtr,rtd
common/invtab/phit(jm),rt(im,jm),urt(im,jm)
1,upt(im,jm),u3t(im,jm),cavt(im,jm),pcoef(im,jm)
2,x3tp(im),xin(im)
common/invcon/npi,nti,xosp
common/point/kpoint
common/com3/iordr(2),iptb(2),ider
common/wind/u3tw(im),urtw(im),rtw(im),cavw(im),cpw(im)
common/lee/u3tl(im),urtl(im),rtl(im),cavl(im),cpl(im)
dimension cavnd(jm),cpnd(jm),urnd(jm),u3tn(jm),upnd(jm)

c
c      x3t=theta
c      u3t=table of (u)theta
c
c      read inviscid data
c
xosp=1.

      rewind 2
100  read(2,410,end=1000)is,lk,ksorce

      do 800 k=1,ksorce
      read(2,411)xo(lk,k),yo(lk,k),zo(lk,k),vx(lk,k),
      &vy(lk,k),vz(lk,k),pcoef(lk,k)
      if(yo(lk,k).lt.0)yo(lk,k)=1.e-7
      sr=(yo(lk,k)**2+zo(lk,k)**2)**0.5
      rt(lk,k)=(sr**2+(xo(lk,k)-xosp)**2)**0.5
      cavt(lk,k)=sqrt(vx(lk,k)**2+vy(lk,k)**2+vz(lk,k)**2)
      urt(lk,k)=(yo(lk,k)*vy(lk,k)+zo(lk,k)*vz(lk,k)
      &+(xo(lk,k)-xosp)*vx(lk,k))/rt(lk,k)
      u3t(lk,k)=(yo(lk,k)*(xo(lk,k)-xosp)*vy(lk,k)+zo(lk,k)*(xo(lk,k)
      &-xosp)*vz(lk,k)-sr**2*vx(lk,k))/(sr*rt(lk,k))
      upt(lk,k)=-(zo(lk,k)*vy(lk,k)-yo(lk,k)*vz(lk,k))/sr
      if(lk.eq.3)phit(k)=atan(zo(lk,k)/yo(lk,k))+pio2
800  continue
      x3t=asin((yo(lk,1)**2+zo(lk,1)**2)**0.5/rt(lk,1))
      if((xo(lk,1)-xosp).lt.0)x3t=pi-x3t
      x3tp(lk)=pi-x3t
      xin(lk)=xo(lk,1)
      write(6,*)' lk=',lk,' xin(lk)=',xin(lk),' x3tp(lk)=',x3tp(lk)
410  format(3i5)
411  format(7e12.6)
      go to 100
c
c      to give values on the lines of symmetry and the nose
c
1000 nt=lk

```

```

np=ksorce

if(im.lt.nt+1)then
write(6,*)' change parameter im to ', nt+1
write(6,*)' parameter im are given in subroutines fcn, input,
&invdat, staglo, and main program scmain.'
stop
endif
if(jm.ne.np+2)then
write(6,*)' change parameter jm to ', np+2
write(6,*)' parameter jm are given in subroutines fcn, input,
&invdat, staglo, and main program scmain.'
stop
endif
iptb(1)=-1
do 2000 lk=1,nt
xins=xin(lk)
call dudy(phit(np-1),phit(np),pi,cavt(lk,np-1)
&,cavt(lk,np),cavl(lk))
call dudy(phit(2),phit(1),0.,cavt(lk,2),cavt(lk,1),cavw(lk))
call dudy(phit(np-1),phit(np),pi,pcoef(lk,np-1)
&,pcoef(lk,np),cpl(lk))
call dudy(phit(2),phit(1),0.,pcoef(lk,2),pcoef(lk,1),cpw(lk))
call dudy(phit(np-1),phit(np),pi,urt(lk,np-1)
&,urt(lk,np),urtl(lk))
call dudy(phit(2),phit(1),0.,urt(lk,2),urt(lk,1),urtw(lk))
call dudy(phit(np-1),phit(np),pi,rt(lk,np-1)
&,rt(lk,np),rtl(lk))
call dudy(phit(2),phit(1),0.,rt(lk,2),rt(lk,1),rtw(lk))
call dudy(phit(np-1),phit(np),pi,u3t(lk,np-1)
&,u3t(lk,np),u3tl(lk))
call dudy(phit(2),phit(1),0.,u3t(lk,2),u3t(lk,1),u3tw(lk))
2000 continue

do 2100 lk=1,nt
do 2200 k=ksorce,1,-1
cavt(lk,k+1)=cavt(lk,k)
pcoef(lk,k+1)=pcoef(lk,k)
urt(lk,k+1)=urt(lk,k)
rt(lk,k+1)=rt(lk,k)
u3t(lk,k+1)=u3t(lk,k)
upt(lk,k+1)=upt(lk,k)
2200 continue
cavt(lk,1)=cavw(lk)
cavt(lk,np+2)=cavl(lk)
pcoef(lk,1)=cpw(lk)
pcoef(lk,np+2)=cpl(lk)
urt(lk,1)=urtw(lk)
urt(lk,np+2)=urtl(lk)
rt(lk,1)=rtw(lk)
rt(lk,np+2)=rtl(lk)
u3t(lk,1)=u3tw(lk)
u3t(lk,np+2)=u3tl(lk)
upt(lk,1)=0
upt(lk,np+2)=0
2100 continue

do 2300 k=ksorce,1,-1
phit(k+1)=phit(k)
2300 continue

```

```

phit(1)=0.
phit(np+2)=pi

if(kpoint.eq.1) go to 3000
c
c      calculate the velocity at the nose point for the blunted nose body
c
call lagext(xin(1),xin(2),xin(3),cavt(1,np+2),cavt(2,np+2)
&,cavt(3,np+2),cavn)

call lagext(xin(1),xin(2),xin(3),pcoef(1,np+2),pcoef(2,np+2)
&,pcoef(3,np+2),cpn)

do 2401 k=1,ksorce+2
u3tn(k)=cavn
if(phit(k).gt.0)u3tn(k)=-abs(cavn)
2401 continue

do 2500 k=1,ksorce+2
do 2600 lk=nt,1,-1
rt(lk+1,k)=rt(lk,k)
cavt(lk+1,k)=cavt(lk,k)
pcoef(lk+1,k)=pcoef(lk,k)
urt(lk+1,k)=urt(lk,k)
u3t(lk+1,k)=u3t(lk,k)
upt(lk+1,k)=upt(lk,k)
2600 continue
rt(1,k)=xosp
cavt(1,k)=cavn
pcoef(1,k)=cpn
urt(1,k)=0
u3t(1,k)=u3tn(k)
upt(1,k)=0
2500 continue
go to 3100

c
c      calculate the velocity at the nose point for the sharp nose body
c
3000 x1=xin(1)
x2=xin(2)
x3=xin(3)

do 2440 k=1,ksorce+2
call lagext(xin(1),xin(2),xin(3),cavt(1,k),cavt(2,k)
&,cavt(3,k),cavnd(k))

call lagext(xin(1),xin(2),xin(3),pcoef(1,k),pcoef(2,k)
&,pcoef(3,k),cpnd(k))

call lagext(xin(1),xin(2),xin(3),urt(1,k),urt(2,k)
&,urt(3,k),urnd(k))

call lagext(xin(1),xin(2),xin(3),u3t(1,k),u3t(2,k)
&,u3t(3,k),u3tn(k))

call lagext(xin(1),xin(2),xin(3),upt(1,k),upt(2,k)
&,upt(3,k),upnd(k))

2440 continue

```

```

do 2510 k=1,ksorce+2
do 2610 lk=nt,1,-1
  rt(lk+1,k)=rt(lk,k)
  cavt(lk+1,k)=cavt(lk,k)
  pcoef(lk+1,k)=pcoef(lk,k)
  urt(lk+1,k)=urt(lk,k)
  u3t(lk+1,k)=u3t(lk,k)
  upt(lk+1,k)=upt(lk,k)
2610 continue
  rt(1,k)=xosp
  cavt(1,k)=cavnd(k)
  pcoef(1,k)=cpnd(k)
  urt(1,k)=urnd(k)
  u3t(1,k)=u3tn(k)
  upt(1,k)=upnd(k)
2510 continue

3100 continue
  do 2700 lk=nt,1,-1
    xin(lk+1)=xin(lk)
    x3tp(lk+1)=x3tp(lk)
    rtw(lk+1)=rtw(lk)
    u3tw(lk+1)=u3tw(lk)
    urtw(lk+1)=urtw(lk)
2700 continue
  xin(1)=0
  x3tp(1)=0
  rtw(1)=xosp
  u3tw(1)=cavn
  urtw(1)=0.

  npi=np+2
  nti=nt+1
  return
  end

```

```

c#####
function krunge(y,f,x,h,n,mr)

c#####
dimension phi(6),savey(6),y1(6),y2(6),ykp(6),fkp(6),y(n),f(n)
data m,loop,reb/0,0,5.e-4/
m=m+1
go to (5,45,65,85),m
5   if(loop.gt.0)go to 25
    if(mr.eq.1)go to 205
    xo=x
    do 15 j=1,n
      ykp(j)=y(j)
15   fkp(j)=f(j)
25   do 35 j=1,n
      savey(j)=y(j)
      phi(j)=f(j)
35   y(j)=savey(j)+0.5*h*f(j)
      x=x+0.5*h
      krunge=1
      return
45   do 55 j=1,n
      phi(j)=phi(j)+2.0*f(j)
55   y(j)=savey(j)+0.5*h*f(j)
      krunge=1
      return
65   do 75 j=1,n
      phi(j)=phi(j)+2.0*f(j)
75   y(j)=savey(j)+h*f(j)
      x=x+0.5*h
      krunge=1
      return
85   do 95 j=1,n
95   y(j)=savey(j)+(phi(j)+f(j))*h/6.0
      if(mr.eq.1)go to 165

      if(mr.eq.2)then
        krunge=0
        loop=0
        m=0
        return
      endif

      if(loop-1)105,125,145
105  do 115 j=1,n
        y2(j)=y(j)
        f(j)=fkp(j)
115  y(j)=ykp(j)
        x=xo
        h=h/2.
        m=1
        loop=1
        go to 25
125  do 135 j=1,n
135  y1(j)=y(j)
        xh=x
        loop=2
        m=0
        krunge=1

```

```

        return
145  if(mr.eq.3)go to 165
151  do 155 j=1,n
      if(abs(y(j)).lt.1.d-5)go to 155
      er=(y(j)-y2(j))/y(j)
      if(abs(er)-reb)155,155,175
155  continue
165  h=4.*h
      if(mr.eq.3)go to 170
      mr=0
170  loop=0
      krunge=0
      m=0
      return
175  do 185 j=1,n
      y(j)=ykp(j)
      f(j)=fkp(j)
185  y2(j)=y1(j)
      x=xo
      h=h/2.
      loop=1
      m=1
      krunge=1
      go to 25
195  krunge=2
      m=0
      loop=0
      return
205  do 215 j=1,n
      y(j)=ykp(j)
215  f(j)=fkp(j)
      x=xo
      h=h/2.
      go to 25
      end

```

```

c#####
subroutine lagext(x1,x2,x3,y1,y2,y3,c1)
c#####
a1=((y1-y2)*(x1-x3)-(y1-y3)*(x1-x2))
&/((x1**2-x2**2)*(x1-x3)-(x1**2-x3**2)*(x1-x2))
b1=(y1-y2-a1*(x1**2-x2**2))/(x1-x2)
c1=y1-a1*x1**2-b1*x1
return
end

```

```

c#####
c##### subroutine staglo
c##### subroutine to locate stagnation point from inviscid velocity ***
c** components
c**
c** parameter(im=16,jm=38)
c common/invtab/phit(jm),rt(im,jm),urt(im,jm)
1,upt(im,jm),u3t(im,jm),cavt(im,jm),pcoef(im,jm)
2,x3tp(im),xin(im)
c common/invcon/npi,nti,xosp
c common/stgpt/thstag,xps,zps
c common/com1/pi,pio2,dtr,rtd
c common/com2/ir,iw
c common/com3/iordr(2),iptb(2),ider
c common/wind/u3tw(im),urtw(im),rtw(im),cavw(im),cpw(im)
c
      iorder=2
      ipt=-1
      call iuni(nti,nti,x3tp,1,u3tw,iorder,0,vt,ipt,ierr)
      test1=vt
      epsi=0.000001
      the=0.
      if(abs(test1).lt.epsi)go to 200
      if(test1.lt.0.)write(iw,1000)
1000 format(///5x,63h***** inconsistent velocities in stagnation regio
in - stop *****)
      if(test1.lt.0.)stop
      dthe=pi/10.
      n=0
100 continue
      n=n+1
      if(n.gt.100)write(iw,1020)n
1020 format(///5x,50h***** too many iterations - stop 1 in staglo ****
1*, 2hn=i4)
      call iuni(nti,nti,x3tp,1,u3tw,iorder,the,uthe,ipt,ierr)
      if(ierr.ne.0)write(iw,1030)n,etaw,the,uthe,ierr
1030 format(/5x,i3,3e14.5,i3)
      if(abs(uthe).lt.epsi)go to 140
      if(uthe.lt.0.)go to 120
      the=the+dthe
      go to 100
120 continue
      the=the-dthe
      dthe=dthe/10.
      go to 100
140 continue
      thstag=pi-the
      go to 250
200 continue
      thstag=pi
250 continue
      call iuni(nti,nti,x3tp,1,rtw,iorder,the,rstag,ipt,ierr)
      call iuni(nti,nti,x3tp,1,urtw,iorder,the,urstag,ipt,ierr)
      xps=-rstag*cos(the)+xosp
      zps=-rstag*sin(the)
      return
end

```

References

- [1] Hess, J. L., "Calculation of Potential Flow About Arbitrary 3-D Lifting Bodies," Rep. No. MDC J5679-01 (Contract N00019-C-71-0524), Douglas Aircraft Co., Oct. 1972. (Available from DTIC as AD 755 480.)
- [2] Vachris, A. F., Jr., and Yaeger, L. S., "QUICK-GEOMETRY - A Rapid Response Method for Mathematically Modeling Configuration Geometry." Applications of Computer Graphics in Engineering, NASA SP-390, Oct. 1975, pp. 49-73.
- [3] Hamilton, H. H., DeJarnette, F. R., and Weilmuenster, K. J., "Application of Ax-symmetric Analogue for Calculating Heating in Three-Dimensional Flows," AIAA Paper No. 85-0245, 1987.



Report Documentation Page

1. Report No. NASA CR-4292, Volume II	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle A Three-Dimensional, Compressible, Laminar Boundary-Layer Method for General Fuselages Volume II - User's Manual		5. Report Date May 1990	
7. Author(s) Yong-Sun Wie		6. Performing Organization Code	
9. Performing Organization Name and Address High Technology Corporation 28 Research Drive Hampton, VA 23665		8. Performing Organization Report No.	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Langley Research Center Hampton, VA 23665		10. Work Unit No. 505-60-31	
		11. Contract or Grant No. NAS 1-18240	
		13. Type of Report and Period Covered Contractor Report	
		14. Sponsoring Agency Code	
15. Supplementary Notes Langley Technical Monitor: Julius E. Harris Final Report - Task No. 10 Volume I - Numerical Method			
16. Abstract <p>This user's manual contains a complete description of the computer programs developed to calculate three-dimensional, compressible, laminar boundary-layers for perfect gas flow on general fuselage shapes. These programs include the 3-D boundary-layer program (3DBLC), the body-oriented coordinate program (BCC), and the streamline coordinate program (SCC). In the present volume, the descriptions of these computer programs including subroutine description, input, output, and a sample case are presented. The complete FORTRAN listings of the computer programs are also included. The numerical method is described in Volume I.</p>			
17. Key Words (Suggested by Author(s)) Boundary-Layer Compressible Fuselage Three-Dimensional Laminar	18. Distribution Statement <u>REVIEW</u> for general release <u>May 31, 1992</u> Subject Category 34		
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of pages 168	22. Price